KNAUS

FREIHEIT, DIE BEWEGT.

Price List Model Year 2027-1

L!VE I

EN | UK

Data as of: 11.11.2026

IMPORTANT TECHNICAL AND LEGAL INFORMATION

I. General

This document is valid from July 2026 for vehicles of model year 2027. Any previous price lists, brochure information and technical data shall cease to be valid with respect to the vehicles contained herein. Errors and misprints excepted. Before purchasing a vehicle, you must obtain comprehensive advice from an authorized dealer regarding the information in our price lists and catalogues, any changes that may have occurred after the printing date, as well as the topics listed below.

II. Extras & Option Packs

Certain combinations of options and extras may not always be possible.

III. Images

Some images show options and extras that are not included in the standard equipment and can only be ordered at additional cost (options & extras). Also, some equipment featured is only found in prototypes or specific country models and do not correspond to the standard equipment, nor can they be ordered as an option or extra. Slight colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded for printing reasons. The decoration shown in the catalogue is not part of the equipment supplied.

IV. Retrofitting

In order not to jeopardise your safety and/or the operating licence of your vehicle, we advise you to have attachments, conversions or installations carried out exclusively by an authorised dealer and to insist on original parts. Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. We reserve the right to make reasonable changes to the design, colour and equipment, insofar as these serve technical progress and/or safety. We reserve the right to make changes to fittings, technical data, series equipment and prices. After conclusion of the contract, we reserve the right to make reasonable technical changes within the scope of the design, insofar as they serve technical progress. Reasonable deviations in colour and quality are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material. (e.g. colour deviations of up to approx. 2.0 ΔE between paint on sheet metal and paint on GRP/plastic).

Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022: EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

Information regarding the vehicle's dimensions

The vehicle dimensions (overall length, width and height) stated in the technical specifications are nominal values based on the standard factory specification for the relevant layout. These figures are subject to manufacturing tolerances. The permissible tolerances are derived – in accordance with the regulations on weight declarations – from the same relevant EU regulations (in particular Implementing Regulation (EU) 2021/535 (previously Regulation (EU) No 1230/2012) and amount to up to ± 3 %.

Please note that the factory installation of additional equipment, as well as the retrofitting of accessories (e.g. roof-mounted air conditioning units, awnings, aerials, bike racks or roof boxes), may alter the external dimensions of your vehicle. In particular, the overall height and length of the vehicle may be increased by such attachments.

You must be aware of your vehicle's actual external dimensions when driving on public roads, particularly when passing through areas with height restrictions (e.g. underpasses, bridges, tunnels or car park entrances), when using ferries, and when choosing parking spaces and campsites. It is your responsibility to ensure that the vehicle complies with the applicable size limits. We recommend that you check the actual external dimensions of your vehicle, including any attachments, before setting off and take these into account.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:


Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle
= 127 kg	Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.

Important Notes

Please note when selecting and configuring your vehicle that the factory installation of additional equipment increases the actual mass of the vehicle and reduces the payload. The weight specified on the following pages for the additional equipment ("packages", "features" and "options") corresponds to the additional weight compared to the standard equipment of the respective floor plan. The total weight of the configured additional equipment must not exceed the manufacturer-defined maximum mass of additional equipment specified in the technical data. This is a value calculated for each floor plan, with which Knaus Tabbert AG, as manufacturer, defines the maximum mass available for factory-installed additional equipment. The "mass in running order" specified in the technical data is a calculated nominal value subject to production-related variations of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and are separately indicated in the technical data following the calculated value. Since these legally permissible tolerances directly affect the actual mass of your vehicle and thus also the maximum mass of additional equipment, you should ensure that these are factored in when configuring your vehicle. The manufacturer-defined maximum mass of additional equipment is intended to ensure that the statutory minimum payload for luggage and other accessories is actually available for loading after delivery of a vehicle by the manufacturer. If the actual vehicle mass increases through the selection of additional equipment to such an extent that, calculated between the actual vehicle mass and the technically permissible gross vehicle mass, there is no longer sufficient loading capacity for the transport of the permitted passengers and the minimum payload, you have, as part of the configuration, in principle (depending on the floor plan), the option to select a vehicle upgrade (uprating), select a reduction in the number of approved seating positions during driving, and/or deselect additional equipment in order to continue the configuration. If this does not occur, the configuration and thus also the ordering process for your vehicle cannot be continued. Detailed technical and legal information on the subject of "vehicle weights" can be found from page 2 onwards and at "configurator.knaus.com".



Technical Data	650 MEG	700 MEG
List price in GBP including 20% VAT	91.985,-	95.095,-
FIAT Ducato 3,500 kg***(103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Hints: H724)	s	s
BASIC EQUIPMENT		
Chassis	FIAT	FIAT
Engine power	103 kW / 140 PS	103 kW / 140 PS
Gearbox	autom.	autom.
Total length (cm)	697	751
Width (outside) (cm)	232	232
Width (inside) (cm)	218	218
Height (outside) (cm)	279	279
Height (inside) (cm)	200	200
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140)	2.983 (2.833 - 3.132)	3.028 (2.876 - 3.179)
Technically maximum authorised laden mass (kg)	3.500	3.500
Maximum payload (kg)	49	-32
Towing load (kg) (Hints: H722)	2.000	2.000
Technically permissible maximum laden mass of the vehicle combination (Hints: H722)	5.500	5.500
Wheelbase (cm)	380	403
Tyre size	225/75 R 16 C 116 R, 215/70 R 15 C 109 R Allwetterreifen	225/75 R 16 C 116 R, 215/70 R 15 C 109 R Allwetterreifen
Rim size	6J x 16 H2 Stahl Fiat, 6J x 16 H2 Alu Fiat	6J x 16 H2 Stahl Fiat, 6J x 16 H2 Alu Fiat
Number of persons allowed in driving operation	4	4
Beds (Hints: H141)	5	5

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.

Technical Data	650 MEG	700 MEG
Max. number of beds (Hints: H142)	5	5
Automatic three-point belts	2	2
Max. belt-secured seats	4	5
BODY		
Total number of hinged windows	4	4
Body door (width x height)	70 x 195	70 x 195
Wall thickness, roof (mm)	32	32
Wall thickness, side wall (mm)	31	31
Wall thickness, floor (mm)	40	40
LIVING AREA		
Three-point belts in driving direction	2	2
Bed size, lifting bed (cm) (Hints: H192)	193 x 150	193 x 150
Bed size, front (cm) (Hints: H192)	205 x 118/40	205 x 118/88
Bed size, rear (cm) (Hints: H192)	202 x 78; 197 x 78	199 x 78; 205 x 78
Single bed	s	s
Drop-down bed	s	s
WATER		
Waste water volume in liters	95	95
Fresh water volume in liters (Hints: H712B, H712C)	100	100
Fill level of the fresh water tank (liter)	10	10
KITCHEN		
Refrigerator (ltr.)	142	177
ELECTRICAL SUPPLY		
Living area battery	80	80
Number of 230 V socket(s)	5	5
Number of USB socket(s)	1	1

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.

Art. No.		List price [GBP]*
221021	Arctic Package (37 kg)	
102813	Insulating glazing for cab side windows and doors with improved sound and thermal insulation	
351880	Floor with hot water heating	
352287	Cab floor mat with hot water heating	
352966	Heating control panel ALDE LCD	
551988	Insulating mat for total cab area	
552500	Front shading folding pleated blind, electric drive (movable from above and below)	
	Package Price	5.928,-

Art. No.		List price [GBP]*
221030	ALDE NORDIC package (61 kg)	
352287	Cab floor mat with hot water heating	833,-
352533-01	ALDE hot water heating incl. booster (Hints: H160)	2.429,-
352534	Floor with hot water heating	374,-
552500	Front shading folding pleated blind, electric drive (movable from above and below)	787,-
	Total price options	4.423,-
	Package Price	4.165,-
	Saving	258,-

Art. No.		List price [GBP]*
210140	10" Navigation Package	
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	408,-
203725	Virtual cockpit	512,-
203727	Inductive charging cradle	230,-
204681	10" FIAT sat-nav	982,-
	Total price options	2.132,-
	Package Price	1.920,-
	Saving	212,-

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.		List price [GBP]*
210028	Lounge package	
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	408,-
203725	Virtual cockpit	512,-
203727	Inductive charging cradle	230,-
	Total price options	1.150,-
	Package Price	1.043,-
	Saving	107,-

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MEG	700 MEG
		Motorisation / Drive / Gearing / Load increase				
		Motorisation / Drive				
		3.500 kg Chassis light				
204364-01		FIAT Ducato 3,500 kg***(103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Hints: H724)			s	s
204365-01		FIAT Ducato 3,500 kg***(132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH208, ABH033, Hints: H724)		2.622,-	o	o
		4.000 kg Chassis				
204366-01		FIAT Ducato 4,000 kg***(132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH023, ABH205, ABH034, ABH201, Hints: H724)	35	4.288,-	o	o
		Heavy Duty Chassis				
203116		FIAT Ducato 3,500 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH023, Hints: H724)	35	1.184,-	o	o
203114		FIAT Ducato 4,000 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH023, ABH205, ABH033, ABH201, Hints: H724)	60	2.525,-	o	o
		Gearing				
204383		8-speed automatic gearbox (Dependencies: ABH023)			s	s
		Load Increase				
201781-01		Load increase from 3.500 kg*** to 3.650 kg*** (Dependencies: ABH200, Hints: H724)		329,-	o	o
201869-02		Load increase from 4.000 kg*** to 4,400 kg*** (Dependencies: ABH019, ABH201, Hints: H724)		276,-	o	o
952791		Reduction of the number of permitted seats in operation from 4 to 3 people			-	o
952792		Reduction of the number of permitted seats in operation from 4 to 2 people			-	o
551773		Additional belt-secured seat, pluggable	14	525,-	-	o
		Chassis / Climate Control / Multimedia				
202843		Wide-track chassis			s	s
101888		Cab entry step, electric	7	522,-	o	o
200318		Right-hand drive FIAT with speedometer mph			s	s
204487	203114, 203116, 204366-01, 204383	verstärkte Achsen und Bremsanlage (Dependencies: ABH209)	25		o	o
203722		Plastic leaf springs (Dependencies: ABH206)	-15	380,-	o	s
		Paints				
202852-01		Chassis uni paint: White			s	s
		Tyres				
202132	203114, 203116, 204366-01, 204383	16" tyres (Dependencies: ABH202)			s	s
203808		All-weather tyres			s	s
201815		Alloy rims for standard tyres (Dependencies: ABH016)			s	s
		Air Conditioning / Interior				
200176		Air conditioning in cab, manual including pollen filter and outside temperature display			s	s
201686	210028, 210140	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)		408,-	o	o
201862		Driver airbag			s	s
200501		Passenger airbag			s	s
201519-01		Techno leather steering wheel and gear knob			s	s
202478		Steering wheel with controls for radio			s	s
203730		Instrument panel in Techno design (aluminium)			s	s
201789		High-quality fitted seat covers for driver's/passenger's seat in KNAUS fabric style			s	s
202728-01		Original FIAT Captainchair seats with armrests (Dependencies: ABH204)			s	s
203804		AGUTI seats Premium (Dependencies: ABH207)	13	1.868,-	o	o
203803		AGUTI seats Exklusiv (Dependencies: ABH207)	22	3.674,-	o	o
201863		Height adjustment for cab seats			s	s
202133		Seat box cladding for cab seats			s	s
200633		Cab seats swivelling			s	s
202885		Passenger‘s console with armrest and integrated cup holder			s	s
102731		Body door KNAUS KOMFORT			s	s
102813	221021	Insulating glazing for cab side windows and doors with improved sound and thermal insulation	15	602,-	o	o
551988	221021	Insulating mat for total cab area	10	1.096,-	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MEG	700 MEG
551877		Front shading folding pleated blind, manual operation (extendable from above and below)			s	s
552500	221021, 221030	Front shading folding pleated blind, electric drive (movable from above and below)	5	787,-	o	o
		Assistance Systems				
200567		Tempomat ® - Cruise Control			s	s
202871		ESP			s	s
202872		Hill Holder (Hill Start Assist)			s	s
202873		ABS			s	s
202874		Electronic immobiliser			s	s
202876		Electromechanical power steering			s	s
203755		Trailer Stability Control System			s	s
203756		Post Collision Braking System			s	s
222881		Crosswind Assist			s	s
201787		"Traction Plus" traction aid, including Hill Descent Assist			s	s
202150		Tyre pressure monitoring system			s	s
202879		Emergency Brake Assist			s	s
204691		Active Lane Keeping Assist			s	s
204692		Fatigue detection			s	s
204693		Intelligent Speed Assistant with traffic sign recognition			s	s
203729		Electric parking brake	-9	515,-	o	o
		Lighting / Technology				
201043		Spare tyre	35	282,-	o	o
204388		Fuel tank 60 litres			s	s
202712		Fuel tank 90 ltr.		89,-	o	o
202891		Car key with remote control for central locking for cab doors			s	s
202892-01		Power windows (driver's door)			s	s
202227		Additional car key with remote control (Dependencies: ABH203)		33,-	o	o
202894		Bus exterior mirrors hanging			s	s
102893		Passenger side with sliding window			s	s
200242		Electrically adjustable and heated exterior mirrors			s	s
202899		Full-LED front lighting			s	s
202137		LED daytime running light			s	s
102002		Chrome applications in radiator grill			s	s
102595		Cab side window with black frame and sideblade under the side windows with chrome application, incl. model series lettering			s	s
203732		230 V socket in driver's cab		178,-	o	o
		Multimedia / Navigation				
250233-02		Radio preparation incl. 2 loudspeakers in living area			s	s
204672		7-inch media centre with Apple CarPlay and Android Auto			s	s
204681	210140	10" FIAT sat-nav (Dependencies: ABH039)	2	982,-	o	o
204695		Rear view camera			s	s
203727	210028, 210140	Inductive charging cradle (Dependencies: ABH031)		230,-	o	o
203725	210028, 210140	Virtual cockpit (Dependencies: ABH030)		512,-	o	o
		Transport Systems				
102273-01		Maximum load capacity of the rear garage: 150 kg			s	s
102273	200188	Maximum load capacity of the rear garage: 250 kg	20	1.165,-	o	o
200188		Trailer hitch, rigid (Dependencies: ABH012)	46	1.482,-	o	o
203933		Preparation for towbar hitch			s	s
102514		Bicycle carrier for 2 bikes, rear: THULE LIFT V16 (Hints: H157)	17	744,-	o	o
102515		Bicycle carrier for 3 bikes, rear: THULE LIFT V16 (Hints: H157)	18	815,-	o	o
		Packages				
221021		Arctic Package	37	5.928,-	o	o
221030		ALDE NORDIC package	61	4.165,-	o	o
210140		10" Navigation Package (Dependencies: ABH041)		1.920,-	o	o
210028		Lounge package (Dependencies: ABH040)		1.043,-	o	o
		Doors				

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MEG	700 MEG
102564		Body door: KNAUS PREMIUM (Dependencies: ABH009)			s	s
102576		Body door: KNAUS EXkLUSIV (Dependencies: ABH009)	2	320,-	o	o
102577	102564, 102576	Multifunctional bag in KNAUS design (Dependencies: ABH010)		78,-	o	o
100602		Insect screen door			s	s
100212		Electrical entry step			s	s
102840		One-key locking system			s	s
		Service hatches / Garage doors				
102911		Service/storage space hatches and garage door/hatch with one-hand operation			s	s
102522-03		Garage door/hatch with central locking (Dependencies: ABH159)	2	430,-	o	o
		Front				
102915-13		KNAUS ServiceBox			s	s
102916-01		Service hatch for ServiceBox 53 x 37.5 cm, bow left			s	s
		Centre				
102914-14		Easy access to gas locker via the service door located in side wall, position lengthwise			s	s
102914-10		Gas locker for 2 x 11 kg gas bottles			s	s
		Rear				
100526-16		Garage door 80 x 110 cm, right			s	s
100526-15		Garage door 80 x 110 cm, left (Dependencies: ABH005)			s	s
100526-13	551711-01	Garage door 80 x 80 cm, left (Dependencies: ABH001, ABH198)	4	460,-	o	o
100526-14	551711-01	Garage door 80 x 80 cm, right (Dependencies: ABH001, ABH199)	4	460,-	o	o
		Windows / Roof Hoods / Ventilation				
101820		Frame window SEITZ S7P			s	s
		Front				
102254		Roof hood 40 x 40 cm with insect screen and blackout, clear (over lifting bed)			s	s
551778-01		Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)			s	s
101666-18		Hinged window 52 x 50 cm, on passenger side, height of seating group	6	276,-	-	o
		Centre				
102619-02	101944	Roof hood 40 x 40 cm with insect screen and blackout, clear (centre)	3	189,-	o	o
		Rear				
102619-03		Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)			s	s
101944		Panorama skylight 130 x 45 cm (rear) (Dependencies: ABH006)	15	604,-	o	o
101019-02		Hinged window 70 x 40 cm, (rear left)			s	s
		Toilet Room				
100960-04		Roof hood 28 x 28 cm with insect screen, (toilet room)			s	s
101666		Hinged window 52 x 50 cm with insect screen and blackout, toilet room	6	276,-	-	o
		Materials / Vehicle Graphics				
		Materials				
102216		TVT body construction		1.869,-	o	o
102926-25		Bow in LFI technology			s	s
100887		GRP roof with reduced hail sensitivity			s	s
102926-06		Smooth aluminium sheet in white			s	s
102928-05		Resistant underfloor coating			s	s
		Vehicle Graphics				
102658		High-quality foil graphics with elements in carbon look instead of standard foil graphics			s	s
103760		KNAUS emblems front and rear, black/chrome			s	s
		Lighting / Technology				
102933-01		KNAUS CATEYE evolution – taillight with exclusive night signature and dynamic indicator in LED technology			s	s
102933-12		Third brake light integrated at the rear			s	s
252937		Awning light with motion sensor LED			s	s
102926-18		FoldXpand rear concept: full-plastic rear wall with flush integrated taillight carrier			s	s
		Furniture / Surfaces				
552940-31		Furniture decor: Modern Oak			s	s
552940-33		Furniture decor: Samoa Dark			s	s
552944-02		Vinyl flooring - Natural Oak			s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MEG	700 MEG
552941-16		Storage locker hatches with soft-close function			s	s
		Living / Sleeping / Upholstery and Fabrics				
		Living				
551770		L-shaped seating group with telescopic single-column lifting table (Dependencies: ABH221)			s	s
552247		ISOFIX system (2 child seats)			s	s
		Sleeping				
552945-01		EvoPore HRC mattress, fixed beds only			s	s
552574		EvoPore HRC mattress incl. WaterGEL topper, fixed beds only	6	431,-	o	o
551711-01		Low single bed, incl. cabinet above the end of the bed (Dependencies: ABH182)	-19		o	o
552948		Lifting bed with low access in cab (Hints: H147)			s	s
551796		Bed extension to make one large sleeping surface			s	s
552198	551770	Bed conversion of the seating group	2	115,-	o	o
552369		Fitted sheet set, precisely fitting for the mattress shape - for 2 beds (fixed beds)	1	87,-	o	o
		Upholstery / Fabrics / Carpets				
		Upholstery Variants				
552335-05		Upholstery selection: COOL GREY			s	s
552335-01		Upholstery selection: TURIN			o	o
552188-04		Upholstery selection: ACTIVE ROCK		402,-	o	o
552188-15		Upholstery: ACTIVE PINE		402,-	o	o
550783-01		Upholstery selection: CREAM NATURE (genuine leather)		2.184,-	o	o
		COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner				
550660-15		COZY HOME pack URBAN SAND	3	200,-	o	o
550660-16		COZY HOME pack NORDIC DOTS	3	200,-	o	o
550660-17		COZY HOME pack SCANDIC GREEN	3	200,-	o	o
		Carpets				
201074		Floor mat set in driver's cab in KNAUS design	2	104,-	o	o
550235		Carpet floor in living area	6	415,-	o	o
		Kitchen / Bathroom				
		Kitchen				
402985-01		3-burner cooker with glass cover, stainless steel sink, recessed (Dependencies: ABH051)			s	s
552941-17		Kitchen drawers with soft-close function			s	s
402767		Refrigerator 142 ltr.			s	-
402732		Refrigerator 177 ltr. with double door hinge (Dependencies: ABH220)			-	s
402417	402732	Automatic energy selection for refrigerator (AES)			s	s
400369		Gas oven incl. grill function (installation location above refrigerator) (Dependencies: ABH216, ABH217)	13	772,-	-	o
400369-01		Gas oven incl. grill function (installation location in the kitchen block) (Dependencies: ABH218, ABH219)			s	s
		Bathroom Area				
451777		Wooden grate for shower tray			-	s
453502-07		High-quality fittings			s	s
453509-07		Folding clothes rail in the toilet room or shower			s	s
453505-15		Longitudinal washroom with shower			-	s
453505-16		Comfort bathroom with shower and washbasin			s	-
453503-01		Bench toilet Thetford			s	-
		Heating / Air conditioning / Gas Supply / Water Supply				
		Gas Supply				
302973		Gas system 30 mbar			s	s
302976		Gas hose version UK			s	s
302980		Gas regulator version UK			s	s
301057		Remote display DuoC (Ice Ex integrated) (Dependencies: ABH048)		173,-	o	o
301957		TRUMA DuoControl CS (incl. gas filter) (Dependencies: ABH049)	1	438,-	o	o
551327		Smoke detector			s	s
300518		External gas socket	1	235,-	o	o
		Heating / Air conditioning				
551054		Air circulation system 12 V			s	s
351166		Heating TRUMA Combi 6			s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MEG	700 MEG
351274		Heating TRUMA Combi E (Dependencies: ABH214)			s	s
352533-01	221030	ALDE hot water heating incl. booster (Dependencies: ABH179, ABH215, Hints: H160)	49	2.429,-	o	o
550825		Electric underfloor heating	8	744,-	o	o
351880	221021	Floor with hot water heating (Dependencies: ABH042)	10	1.022,-	o	o
352534	221030	Floor with hot water heating (Dependencies: ABH042)	10	374,-	o	o
352287	221021, 221030	Cab floor mat with hot water heating (Dependencies: ABH042)	2	833,-	o	o
352966	221021, 221030, 352533-01	Heating control panel ALDE LCD (Dependencies: ABH042)			o	o
352059		TRUMA CP-Plus digital heating control panel (Hints: H149)			s	s
450740		Insulating hood waste water tank, heatable			s	s
554394		DOMETIC FJZ4 2200 FS air conditioner, white (Dependencies: ABH222, ABH058, Hints: H145)	30	2.453,-	o	o
		Water Supply				
453510-01		Water supply with submerged pump			s	s
453510-03		Hot water supply with single-lever mixer tap			s	s
453510-07		Water pipes laid in insulated area			s	s
452678-01		Exterior shower, connection in garage left	4	271,-	o	o
		Electronics / Multimedia / Safety				
		Electronics				
253523-02		Power supply / interior lighting with 230 V and 12 V, various interior sockets			s	s
253526-01		Control panel with touch function			s	s
253530		Circuit breaker			s	s
232667-01		Charger with 25A charging capacity, suitable for lithium batteries			s	s
251949-02		USB socket in the front (1 pc.)			s	s
252723		Charging booster for on-board battery			s	s
253520		230 V SCHUKO sockets "UK" version			s	s
250072-06		230 V SCHUKO socket, additional 1 pc. in kitchen		92,-	o	o
252729		230 V SCHUKO socket, additional 1 pc. in garage			s	s
252524		Atmospheric ambient lighting			s	s
254705		Additional LiFePO4-on-board battery (100 Ah) (Dependencies: ABH212, ABH046, ABH045)	12	956,-	o	o
254706		LiFePO4-board battery (100 Ah) (Dependencies: ABH213)	12	956,-	o	o
253782		Solar system (200 W)	17	1.662,-	o	o
		Multimedia				
253609		27" SMART TV set with HD tuner (Dependencies: ABH043)	4	991,-	o	o
252448-01		21.5" SMART TV set with HD tuner incl. holder, in sleeping area (Dependencies: ABH210, ABH211)	10	1.131,-	o	o
252479	252448-01	Pre-cabling for TV in the sleeping area			s	s
252405	252448-01	TV holder			s	s
253651		External LTE / WIFI antenna	3	868,-	o	o
		Awning / Awning Accessories				
		Awning THULE OMNISTOR				
502318		Awning 455 x 250 cm, white	33	1.252,-	o	-
502805		Awning 500 x 250 cm, white	36	1.364,-	-	o
		Miscellaneous				
953542-06		Operating instruction (English)			s	s
951036		MOT and registration document			s	s
		Accessories				
953543		10-year leak-proofness guarantee			s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

HINTS

H140	Incl. indication of production-related tolerances of ±5%
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H147	Maximum loadability 250 kg
H149	If ALDE hot water heating is selected, panel is replaced by ALDE LCD control panel.
H157	Please note that mounting the bicycle carrier on the rear wall limits the field of view of the reversing camera.
H160	Depending on the layout, one or more boosters are included to increase the heat output
H192	The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).
H712B	The fresh water tank capacity is 95 ltr. with the overflow valve closed.
H712C	The fresh water tank capacity is 100 ltr. with the overflow valve closed.
H722	Max. 6.000 kg total traction weight
H724	*** The weight stated is the technically permissible total mass.

DEPENDENCIES

ABH001	Only with 551711
ABH005	Not with 551711
ABH006	Contains 102619-02
ABH009	Contains 102577
ABH010	Not with 102839
ABH012	Contains 102273
ABH016	Only with 202132
ABH019	Only with 204366-01 or 204368 or 203114
ABH023	Contains 202132 along with 204487
ABH030	Only with 201686 and 203727
ABH031	Only with 201686 and 203725
ABH033	Only with 204383
ABH034	Only with 204383 and 203587
ABH039	Only with 201686 or 210028 or 210140
ABH040	Not with 210140
ABH041	Not with 210028
ABH042	Only with 550566-01 or 352533-01
ABH043	Only with 252405
ABH045	Replaces 253749
ABH046	Only with 254702 or 914707 or 254706 or 914709
ABH048	Only with 301957
ABH049	Replaces 302978 along with 302979 along with 302980 along with 302981
ABH051	Contains 953554 along with 953555
ABH058	Replaces 102619-02
ABH159	Only with 102610 or 102576
ABH179	Contains 352966
ABH182	Contains 100526-14 along with 100526-13
ABH198	Replaces 100526-15
ABH199	Replaces 100526-16
ABH200	Only with 204364-01 or 204365-01
ABH201	Replaces 203722
ABH202	Only with (204364-01:201815 and 202826:201815) or 204383 or 204365-01 or 204366-01 or 203116 or 203114 or 204368 or 204729 or 204370
ABH203	Not with 202541 or 102522-03
ABH204	Only with 200633
ABH205	Not with 203722
ABH206	Only with 202843
ABH207	Replaces 201789, 200633
ABH208	Not with FR1249377*:200318
ABH209	Only with 204383 or 204366-01 or 204368 or 204370
ABH210	Contains 252405 along with 252479
ABH211	Only with 252479
ABH212	Not with 914708 along with 250201-01
ABH213	Not with 914707 along with 254702 along with 250201-01
ABH214	Only with 351166
ABH215	Replaces 351274
ABH216	Not with 400369-01
ABH217	Only with FR1249377*:402732
ABH218	Not with 400369
ABH219	Only with FR1249377*:402767
ABH220	Contains 402417
ABH221	Contains 552198
ABH222	Not with 102619-02 along with 914395



facebook.knaus.com

@knaus_official

@knaus_official

youtube.knaus.com

schwalbenblog.knaus.com

shop.knaus.com

knaus.com

Knaus Tabbert AG Helmut-Knaus-Str. 1 D–94118 Jandelsbrunn

KNAUS

FREIHEIT, DIE BEWEGT.