KNAUS

FREIHEIT, DIE BEWEGT.

Price List Model Year 2027-1

BOXTIME

EN | UK

Data as of: 11.11.2026

IMPORTANT TECHNICAL AND LEGAL INFORMATION

I. General

This document is valid from July 2026 for vehicles of model year 2027. Any previous price lists, brochure information and technical data shall cease to be valid with respect to the vehicles contained herein. Errors and misprints excepted. Before purchasing a vehicle, you must obtain comprehensive advice from an authorized dealer regarding the information in our price lists and catalogues, any changes that may have occurred after the printing date, as well as the topics listed below.

II. Extras & Option Packs

Certain combinations of options and extras may not always be possible.

III. Images

Some images show options and extras that are not included in the standard equipment and can only be ordered at additional cost (options & extras). Also, some equipment featured is only found in prototypes or specific country models and do not correspond to the standard equipment, nor can they be ordered as an option or extra. Slight colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded for printing reasons. The decoration shown in the catalogue is not part of the equipment supplied.

IV. Retrofitting

In order not to jeopardise your safety and/or the operating licence of your vehicle, we advise you to have attachments, conversions or installations carried out exclusively by an authorised dealer and to insist on original parts. Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. We reserve the right to make reasonable changes to the design, colour and equipment, insofar as these serve technical progress and/or safety. We reserve the right to make changes to fittings, technical data, series equipment and prices. After conclusion of the contract, we reserve the right to make reasonable technical changes within the scope of the design, insofar as they serve technical progress. Reasonable deviations in colour and quality are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material. (e.g. colour deviations of up to approx. 2.0 ΔE between paint on sheet metal and paint on GRP/plastic).

Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022: EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

Information regarding the vehicle's dimensions

The vehicle dimensions (overall length, width and height) stated in the technical specifications are nominal values based on the standard factory specification for the relevant layout. These figures are subject to manufacturing tolerances. The permissible tolerances are derived – in accordance with the regulations on weight declarations – from the same relevant EU regulations (in particular Implementing Regulation (EU) 2021/535 (previously Regulation (EU) No 1230/2012) and amount to up to ± 3 %.

Please note that the factory installation of additional equipment, as well as the retrofitting of accessories (e.g. roof-mounted air conditioning units, awnings, aerials, bike racks or roof boxes), may alter the external dimensions of your vehicle. In particular, the overall height and length of the vehicle may be increased by such attachments.

You must be aware of your vehicle's actual external dimensions when driving on public roads, particularly when passing through areas with height restrictions (e.g. underpasses, bridges, tunnels or car park entrances), when using ferries, and when choosing parking spaces and campsites. It is your responsibility to ensure that the vehicle complies with the applicable size limits. We recommend that you check the actual external dimensions of your vehicle, including any attachments, before setting off and take these into account.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:


Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle
= 127 kg	Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.

Important Notes

Please note when selecting and configuring your vehicle that the factory installation of additional equipment increases the actual mass of the vehicle and reduces the payload. The weight specified on the following pages for the additional equipment ("packages", "features" and "options") corresponds to the additional weight compared to the standard equipment of the respective floor plan. The total weight of the configured additional equipment must not exceed the manufacturer-defined maximum mass of additional equipment specified in the technical data. This is a value calculated for each floor plan, with which Knaus Tabbert AG, as manufacturer, defines the maximum mass available for factory-installed additional equipment. The "mass in running order" specified in the technical data is a calculated nominal value subject to production-related variations of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and are separately indicated in the technical data following the calculated value. Since these legally permissible tolerances directly affect the actual mass of your vehicle and thus also the maximum mass of additional equipment, you should ensure that these are factored in when configuring your vehicle. The manufacturer-defined maximum mass of additional equipment is intended to ensure that the statutory minimum payload for luggage and other accessories is actually available for loading after delivery of a vehicle by the manufacturer. If the actual vehicle mass increases through the selection of additional equipment to such an extent that, calculated between the actual vehicle mass and the technically permissible gross vehicle mass, there is no longer sufficient loading capacity for the transport of the permitted passengers and the minimum payload, you have, as part of the configuration, in principle (depending on the floor plan), the option to select a vehicle upgrade (uprating), select a reduction in the number of approved seating positions during driving, and/or deselect additional equipment in order to continue the configuration. If this does not occur, the configuration and thus also the ordering process for your vehicle cannot be continued. Detailed technical and legal information on the subject of "vehicle weights" can be found from page 2 onwards and at "configurator.knaus.com".



Technical Data	540 MQ	600 MQ	600 ME	630 ME	630 MX
List price in GBP including 20% VAT	78.494,-	79.985,-	81.725,-	88.889,-	91.689,-
FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro VI HD (103 kW/140 HP); 6-speed manual gearbox (Dependencies: ABH287, Hints: H724)	s	-	-	-	-
FIAT Ducato 3,500 kg***(103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH286, Hints: H724)	o	s	s	-	-
FIAT Ducato 3,500 kg*** MAXI (132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH283, ABH033, ABH110, Hints: H724)	-	o	o	s	s
BASIC EQUIPMENT					
Chassis	FIAT	FIAT	FIAT	FIAT	FIAT
Engine power	103 kW / 140 PS	103 kW / 140 PS	103 kW / 140 PS	132 kW / 180 PS	132 kW / 180 PS
Gearbox	man.	man.	man.	autom.	autom.
Total length (cm)	541	599	599	636	636
Width (outside) (cm)	205	205	205	205	205
Width (inside) (cm)	187	187	187	187	187
Height (outside) (cm)	258	258	258	258	258
Height (inside) (cm)	190	190	190	190	190
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140, H165)	2.670 (2.536 - 2.803)	2.795 (2.655 - 2.934)	2.820 (2.679 - 2.961)	2.880 (2.736 - 3.024)	2.930 (2.783 - 3.076)
Technically maximum authorised laden mass (kg) (Hints: H165)	3.500	3.500	3.500	3.500	3.500
Maximum payload (kg)	369	236	211	144	89
Towing load (kg)	2.500	2.500	2.500	3.000	3.000
Technically permissible maximum laden mass of the vehicle combination	6.000	6.000	6.000	6.500	6.500

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.

Technical Data	540 MQ	600 MQ	600 ME	630 ME	630 MX
Wheelbase (cm)	345	403	403	403	403
Tyre size	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R 15 C 109 R Allwetterreifen	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R 15 C 109 R Allwetterreifen	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R 15 C 109 R Allwetterreifen	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R 15 C 109 R Allwetterreifen	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R 15 C 109 R Allwetterreifen
Rim size	6J x 16 Alu Fiat, 6J x 15 Alu Fiat, 6J x 15	6J x 16 Alu Fiat, 6J x 15 Alu Fiat, 6J x 15	6J x 16 Alu Fiat, 6J x 15 Alu Fiat, 6J x 15	6J x 16 Alu Fiat, 6J x 15 Alu Fiat, 6J x 15	6J x 16 Alu Fiat, 6J x 15 Alu Fiat, 6J x 15
Number of persons allowed in driving operation	4	4	4	4	4
Beds (Hints: H141)	2	2	2	2	2
Max. number of beds (Hints: H142)	5	5	5	5	5
Automatic three-point belts, height-adjustable	2	2	2	2	2
Max. belt-secured seats	4	4	4	4	4
BODY					
Total number of hinged windows	5	5	7	7	7
Wall thickness, floor (mm)	25	25	25	25	25
LIVING AREA					
Three-point belts in driving direction	2	2	2	2	2
Bed size, rear lateral beds with single-piece slatted frame with compact bathroom (cm) (Hints: H192)	195 x 140/122	195 x 162/140	–	–	–
Bed size, rear longitudinal bed with compact bathroom (cm) (Hints: H192)	–	–	199/181 x 195	199/195 x 195	–
Bed dimensions rear drop-down bed, transverse (cm) (Hints: H192)	193 x 140/122	193 x 162/140	–	–	–
Bed dimensions rear drop-down bed, lengthways (cm) (Hints: H192)	–	–	198/180 x 193	–	198/194 x 193
Bed size, guest bed optional (cm) (Hints: H192)	180 x 70	180 x 70	180 x 70	180 x 70	180 x 70
Bed dimensions pop-up roof (cm) (Hints: H192)	135 x 200	135 x 200	135 x 200	135 x 200	135 x 200
Single bed	–	–	s	s	–
Transverse bed	s	s	–	–	–
Queen-size bed	–	–	–	–	s
WATER					
Waste water volume in liters	90	90	90	90	90
Fresh water volume in liters (Hints: H711A, H712D)	102	102	102	102	102
Fill level of the fresh water tank (liter)	20	20	20	20	20
KITCHEN					
Refrigerator (ltr.)	84	84	84	84	84
ELECTRICAL SUPPLY					
Living area battery	95	95	95	95	95
Number of 12 V socket(s)	2	2	2	2	2
Number of 230 V socket(s)	5	5	5	5	5
Number of USB socket(s)	5	5	5	5	5

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.

Art. No.		List price [GBP]*
210059	Light and Visibility Package (-9 kg)	
202164	Rain and light sensors with automatic dimming	285,-
203723	Full LED front lighting (low beam, high beam and indicators)	879,-
203729	Electric parking brake	515,-
	Total price options	1.679,-
	Package Price	1.394,-
	Saving	285,-

Art. No.		List price [GBP]*
210028	Lounge package	
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	408,-
203725	Virtual cockpit	512,-
203727	Inductive charging cradle	230,-
	Total price options	1.150,-
	Package Price	1.043,-
	Saving	107,-

Art. No.		List price [GBP]*
210029	City & Park Paket (1 kg)	
201609	Electrically folding exterior mirrors	174,-
202762	Cross traffic and Lane Change Assist	573,-
203740	360° parking sensors	463,-
	Total price options	1.210,-
	Package Price	1.008,-
	Saving	202,-

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	630 ME	630 MX
		Motorisation / Drive / Gearing / Load increase							
		Motorisation / Drive							
		3.500 kg Chassis light							
204372-01		FIAT Ducato 3,500 kg***(103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH286, Hints: H724)		-219,-	o	s	s	-	-
204373-01		FIAT Ducato 3,500 kg***(132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH033, Hints: H724)		2.543,-	-	o	o	-	-
204373-01		FIAT Ducato 3,500 kg***(132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH033, Hints: H724)		-561,-	-	-	-	-	o
		3.500 kg Chassis maxi							
204375-01		FIAT Ducato 3,500 kg*** MAXI (132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH283, ABH033, ABH110, Hints: H724)	60 - 62	3.104,-	-	o	o	s	s
		Heavy Duty Chassis							
204377		FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro VI HD (103 kW/140 HP); 6-speed manual gearbox (Dependencies: ABH287, Hints: H724)			s	-	-	-	-
203109		FIAT Ducato 3,500 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Hints: H724)		965,-	o	-	-	-	-
203109		FIAT Ducato 3,500 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Hints: H724)		1.184,-	-	o	o	-	-
203109		FIAT Ducato 3,500 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Hints: H724)		-1.920,-	-	-	-	o	o
204379		FIAT Ducato 3.500 kg*** MAXI; 2.2 l 140 Multijet; front-wheel drive; Euro VI HD (103 kW/140 HP); 6-speed manual gearbox (Dependencies: ABH283, ABH288, ABH110, Hints: H724)	60	780,-	-	o	o	-	-
203119		FIAT Ducato 3,500 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH283, ABH110, Hints: H724)	60 - 62	1.745,-	-	o	o	-	-
203119		FIAT Ducato 3,500 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH283, ABH110, Hints: H724)	60 - 62	-1.359,-	-	-	-	o	o
203122		FIAT Ducato 4,000 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH283, ABH284, ABH110, Hints: H724)	60 - 62	2.578,-	-	o	o	-	-
203122		FIAT Ducato 4,000 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH283, ABH284, ABH110, Hints: H724)	60 - 62	-526,-	-	-	-	o	o
204382		FIAT Ducato 4.000 kg***; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW/180 PS); 6-speed manual gearbox (Dependencies: ABH283, ABH289, ABH033, ABH110, Hints: H724)	60 - 62	4.156,-	-	o	o	-	-
204382		FIAT Ducato 4.000 kg***; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW/180 PS); 6-speed manual gearbox (Dependencies: ABH283, ABH289, ABH033, ABH110, Hints: H724)	60 - 62	1.052,-	-	-	-	o	o
		Gearing							
202826		6-speed manual gearbox			s	s	s	-	-
204383		8-speed automatic gearbox (Dependencies: ABH023)	35	3.235,-	o	o	o	s	s
		Load Increase							
201869-03		Load increase from 4.000 kg*** to 4.250 kg*** (Dependencies: ABH281, Hints: H724)		276,-	-	o	o	o	o
952791		Reduction of the number of permitted seats in operation from 4 to 3 people			o	o	o	o	o
952792		Reduction of the number of permitted seats in operation from 4 to 2 people			o	o	o	o	o
		Chassis / Climate Control / Multimedia							
204487	203119, 203122, 204375-01, 204379, 204382, 204383	verstärkte Achsen und Bremsanlage (Dependencies: ABH293)	25		o	o	o	o	o
200318		Right-hand drive FIAT with speedometer mph			s	s	s	s	s
		Paints							
202852-01		Chassis uni paint: White			s	s	s	s	s
201786-02		Chassis in metallic paint: Fer Grey	1	745,-	o	o	o	o	o
201786-05		Chassis in metallic paint: Black	2	745,-	o	o	o	o	o
201786-06		Chassis in metallic paint: Artense Grey	2	745,-	o	o	o	o	o
201786-07		Metallic paint finish for the chassis: Storm Blue (Dependencies: ABH096, ABH278)	2	745,-	o	o	o	o	o
203794-02		Chassis in special paint: Lanzarote Grey	2	563,-	o	o	o	o	o
203794-01		Chassis in special paint: Campovolo Grey	2	563,-	o	o	o	o	o
203720-01		Spoiler (skid-plate) (Dependencies: ABH285, ABH112)			s	s	s	s	s
202139		Headlights in black frame			s	s	s	s	s
204390		Radiator grille cover painted black			s	s	s	s	s
204385	203119, 203122, 204375-01,	Black wheel arch linings (Dependencies: ABH121, ABH290)		99,-	-	o	o	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	630 ME	630 MX
	204379, 204382								
201788		Front bumper painted in chassis colour (Dependencies: ABH280)			s	s	s	s	s
		Tyres							
202132	203119, 203122, 204375-01, 204379, 204382, 204383	16" tyres (Dependencies: ABH101, ABH282)			s	s	s	s	s
203808		All-weather tyres			s	s	s	s	s
201815		Alloy rims for standard tyres (Dependencies: ABH101, ABH016)			s	s	s	s	s
		Air Conditioning / Interior							
200176		Air conditioning in cab, manual including pollen filter and outside temperature display			s	s	s	s	s
201686	210028	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)		408,-	o	o	o	o	o
201862		Driver airbag			s	s	s	s	s
200501		Passenger airbag			s	s	s	s	s
201952-01		Driver's seat height adjustment			s	s	s	s	s
201952		Passenger's seat height adjustment			s	s	s	s	s
201519-01		Techno leather steering wheel and gear knob			s	s	s	s	s
203730		Instrument panel in Techno design (aluminium)			s	s	s	s	s
222884		Cupholder in centre console			s	s	s	s	s
200975-01		Original FIAT Captainchair seats with armrests (Dependencies: ABH277)			s	s	s	s	s
204386		Storage tray under the driver's seat (Dependencies: ABH291)			s	s	s	s	s
202392		Seat heating for driver's and passenger's seats (Dependencies: ABH276)	1	693,-	o	o	o	o	o
201789		High-quality fitted seat covers for driver's/passenger's seat in KNAUS fabric style			s	s	s	s	s
200633		Cab seats swivelling (Dependencies: ABH276)			s	s	s	s	s
202133		Seat box cladding for cab seats			s	s	s	s	s
203734		Heated windscreen	1	447,-	o	o	o	o	o
550610		Front and side window blackout			s	s	s	s	s
550592		Windscreen insulation mat set (exterior)	2	145,-	o	o	o	o	o
		Assistance Systems							
200567		Tempomat ® - Cruise Control			s	s	s	s	s
204387		Adaptive cruise control > 30 km/h (Dependencies: ABH292, Hints: H994)		546,-	o	o	o	o	o
202871		ESP			s	s	s	s	s
202872		Hill Holder (Hill Start Assist)			s	s	s	s	s
202873		ABS			s	s	s	s	s
202874		Electronic immobiliser			s	s	s	s	s
202876		Electromechanical power steering			s	s	s	s	s
203755		Trailer Stability Control System			s	s	s	s	s
203756		Post Collision Braking System			s	s	s	s	s
222881		Crosswind Assist			s	s	s	s	s
201787		"Traction Plus" traction aid, including Hill Descent Assist (Dependencies: ABH279)			s	s	s	s	s
201062		Rear parking aid			s	s	s	s	s
202762	210029	Cross traffic and Lane Change Assist (Dependencies: ABH104)		573,-	o	o	o	o	o
203733		Digital Central "Rearviewmirror": digital rear-vision mirror (Dependencies: ABH092)		745,-	o	o	o	o	o
203740	210029	360° parking sensors (Dependencies: ABH114)		463,-	o	o	o	o	o
202150		Tyre pressure monitoring system			s	s	s	s	s
204690		Level 2 autonomous driving (Dependencies: ABH127, ABH296)		1.482,-	o	o	o	o	o
202879		Emergency Brake Assist			s	s	s	s	s
204691		Active Lane Keeping Assist			s	s	s	s	s
204692		Fatigue detection			s	s	s	s	s
204693		Intelligent Speed Assistant with traffic sign recognition			s	s	s	s	s
202164	210059	Rain and light sensors with automatic dimming		285,-	o	o	o	o	o
203729	210059	Electric parking brake	-9	515,-	o	o	o	o	o
		Lighting / Technology							
200178-01		Front fog lights with cornering light (Dependencies: ABH093)			s	s	s	-	-
200178-02	203119, 203122, 204375-01,	Fog lights with cornering lights (for heavy chassis) (Dependencies: ABH094)	2	167,-	o	o	o	w	w

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	630 ME	630 MX
	204379, 204382								
201043		Spare tyre	35	282,-	o	o	o	o	o
204265		Fix&Go Tire Repair Kit			s	s	s	s	s
204388		Fuel tank 60 litres			s	s	s	s	s
202712		Fuel tank 90 ltr.		89,-	o	o	o	o	o
202891		Car key with remote control for central locking for cab doors			s	s	s	s	s
202227		Additional car key with remote control		33,-	o	o	o	o	o
202892-02		Power windows (driver's and passenger's door)			s	s	s	s	s
200488		Electrically adjustable and heated exterior mirrors			s	s	s	s	s
201609	210029	Electrically folding exterior mirrors	1	174,-	o	o	o	o	o
202901-01		Daytime running light with series headlamps			s	s	s	s	s
203723	210059	Full LED front lighting (low beam, high beam and indicators) (Dependencies: ABH029)		879,-	o	o	o	o	o
252161		Reading spots in cab			s	s	s	s	s
		Multimedia / Navigation							
250599		Radio preparation incl. 2 loudspeakers in living area			s	s	s	s	s
204389	204672, 204681, 251120	Preparation for multimedia			s	s	s	s	s
204672		7-inch media centre with Apple CarPlay and Android Auto (Dependencies: ABH125)			s	s	s	s	s
204681		10" FIAT sat-nav (Dependencies: ABH125, ABH294, ABH295)	2	982,-	o	o	o	o	o
251120		Rear view camera (Dependencies: ABH125, ABH298)			s	s	s	s	s
203727	210028	Inductive charging cradle (Dependencies: ABH113)		230,-	o	o	o	o	o
203725	210028	Virtual cockpit		512,-	o	o	o	o	o
		Transport Systems							
202061		Trailer hitch, ball bar removable	19	956,-	o	o	o	o	o
104584		Towbar THULE VeloSwing (Dependencies: ABH092)	56	2.191,-	o	o	o	o	o
203933		Preparation for towbar hitch			s	s	s	s	s
100597		Bicycle carrier for 2 bikes, rear (Hints: H157)	14	613,-	o	o	o	o	o
102785		Checker plate for garage floor (Dependencies: ABH269)	15	306,-	o	o	o	o	o
102784		AirLine rail in the middle including 3 fittings (Dependencies: ABH268)	2	173,-	o	o	o	o	o
102870		Lashing rails for securing the load			s	s	s	s	s
		Packages							
210059		Light and Visibility Package (Dependencies: ABH130)	-9	1.394,-	o	o	o	o	o
210028		Lounge package (Dependencies: ABH297)		1.043,-	o	o	o	o	o
210029		City & Park Paket	1	1.008,-	o	o	o	o	o
		Doors							
102064		Insect screen door			s	s	s	s	s
101080		Electrical entry step, 70 cm wide			s	s	s	s	s
103745		Electric closing aid (soft-close sliding door) (Dependencies: ABH275)	2	837,-	o	o	o	o	o
		Service hatches / Garage doors							
		Rear							
552964-10		Large variable storage space in the rear			s	s	s	s	s
102914-07		Gas locker for gas bottle reserves 1 x 5 kg			s	s	s	s	s
		Windows / Roof Hoods / Ventilation							
102918		Windows with safety lock			s	s	s	s	s
102323		Frame window SEITZ S7P			s	s	s	s	s
103594-01		KNAUS pop-up roof KOMFORT, white (Dependencies: ABH271, ABH272, ABH273, ABH274, Hints: H151, H168)	169	5.516,-	o	o	o	o	o
104117-01		KNAUS pop-up roof komfort Lava Grey (Dependencies: ABH271, ABH272, ABH273, ABH274, Hints: H151, H168)	169	5.928,-	o	o	o	o	o
		Front							
103586		Panorama window (bow)			s	s	s	s	s
100750-01		Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (bow)			s	s	s	s	s
		Centre							
102619-02		Roof hood 40 x 40 cm with insect screen and blackout, clear (centre) (Dependencies: ABH265, ABH266, Hints: H993)	3	189,-	o	o	o	o	o
		Rear							

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	630 ME	630 MX
102619-03		Roof hood 40 x 40 cm with insect screen and blackout, clear (rear) (Dependencies: ABH267)			s	s	s	s	s
100750-03		Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (rear) (Dependencies: ABH264)	8	446,-	-	o	o	o	o
551834		Combination roller blinds with insect screen and blackout on rear wing doors			s	s	s	s	s
101981-01		Hinged window, rear right (with insect screen and blackout)	5	381,-	o	o	s	s	s
101981-02		Hinged window, rear left (with insect screen and blackout)	5	381,-	o	o	s	s	s
104654		Curtain-type vent windows on both rear doors incl. insect screen and blackout blinds			w	w	w	w	w
102922		Frame windows for rear doors			s	s	s	s	s
		Toilet Room							
102920-03		Mushroom fan (toilet room) (Dependencies: ABH270)			s	s	s	s	s
101666-08	103594-01, 104117-01	Hinged window with insect screen and blackout, (toilet room)			s	s	s	s	s
		Materials / Vehicle Graphics							
		Materials							
102927-01		Cold bridge-optimised insulation			s	s	s	s	s
102927-03		Innovative side wall and roof construction with different insulation materials			s	s	s	s	s
102928-03		Floor plate in sandwich construction			s	s	s	s	s
102928-10		Temperature-controlled intermediate floor in seating group			s	s	s	s	s
		Vehicle Graphics							
103760-01		KNAUS emblems rear, black/chrome			s	s	s	s	s
		Lighting / Technology							
102497		Gutter above sliding door with dimmable LED lighting			s	s	s	s	s
		Furniture / Surfaces							
552940-32		Furniture decor: Oak Salinas			s	s	s	s	s
552941-07		Furniture construction in full carcase design with dowelling technology			s	s	s	s	s
552941-22		Furniture hinges with spring reinforcement			s	s	s	s	s
552941-01		Vertical furniture surfaces with ABS coating			s	s	s	s	s
552943-01		Kitchen worktop and table in seating group in CPL (laminate)			s	s	s	s	s
552941-14		Kitchen drawers with soft-close function and ball bearing mounted full extension			s	s	s	s	s
552941-39		Push-Lock for secure locking of drawers in the kitchen			s	s	s	s	s
552944		Vinyl flooring			s	s	s	s	s
		Living / Sleeping / Upholstery and Fabrics							
		Living							
554391-27		Compact wardrobe located behind kitchen			s	s	s	s	s
554391-01		Comfortable contoured upholstery and large table in dinette bench seat			s	s	s	s	s
552960-07		Dinette seat bench with integrated heating			s	s	s	s	s
552960-09		Comfort function for dinette seating group			s	s	s	s	s
552130-01		Floating dinette table, swivelling			s	s	s	s	s
552247-01		ISOFIX system (1 child seat)			s	s	s	s	s
552964-30		Bulkhead wall to the garage with integrated step			s	s	s	s	-
552964-35		Bulkhead wall to the garage with integrated step			-	-	-	-	s
552954-06		Textile room divider			s	s	s	s	s
554633		Folding clothes rail			s	s	s	s	s
		Sleeping							
552945-01		EvoPore HRC mattress, fixed beds only			s	s	s	s	s
552574		EvoPore HRC mattress incl. WaterGEL topper, fixed beds only	6	431,-	o	o	o	o	o
554638		Slatted frame with disc springs			s	s	s	s	s
552949-02		Rear lateral beds with full-size slatted frame			s	s	-	-	-
552949-05		Rear longitudinal bed with full-size slatted frame			-	-	s	s	-
552046		Additional lateral bed	8	294,-	o	o	o	o	o
554636		Rear lifting bed, electrically powered (Dependencies: ABH312)	48	1.749,-	o	o	o	-	s
554392		Mattress topper	5	157,-	o	o	o	o	o
		Upholstery / Fabrics / Carpets							
		Upholstery Variants							
552335-01		Upholstery selection: TURIN			o	o	o	o	o
552335-05		Upholstery selection: COOL GREY			o	o	o	o	o
552188-04		Upholstery selection: ACTIVE ROCK		402,-	o	o	o	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	630 ME	630 MX
554641		Upholstery: DARK STONE			s	s	s	s	s
554642		Upholstery: SOFT GRAPHITE		605,-	o	o	o	o	o
		COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner							
550660-15		COZY HOME pack URBAN SAND	3	200,-	o	o	o	o	o
550660-16		COZY HOME pack NORDIC DOTS	3	200,-	o	o	o	o	o
550660-17		COZY HOME pack SCANDIC GREEN	3	200,-	o	o	o	o	o
		Carpets							
554393		Carpet in the seating and living area	3	245,-	o	o	o	o	o
201074		Floor mat set in driver's cab in KNAUS design	2	104,-	o	o	o	o	o
		Kitchen / Bathroom							
		Kitchen							
402985-06		Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover (Dependencies: ABH051)			s	s	s	s	s
402987		Compressor refrigerator 84 ltr. (incl. 7.5 ltr. freezer compartment), with night and silent mode			s	s	s	s	s
401940		Kitchen multifunctional back panel			s	s	s	s	s
404621		Küchenarbeitsplatte mit ausziehbarer Verlängerung			s	s	s	s	s
402993-09		High-quality ball-bearing pull-out with soft-close function, with cutlery insert			s	s	s	s	s
303501		Gas control units centrally arranged			s	s	s	s	s
		Bathroom Area							
453505-31		Swivel wall bath, compact, with pull-out washbasin			s	-	s	-	-
453505-32		Swivelling wall pool			-	s	-	s	s
453504-01		WC disposal tunnel with panelling for easier cleaning			s	s	s	s	s
453503-04		Cassette toilet Thetford swivelling			s	s	s	s	s
453508-02		Shower tray with polygon structure			s	s	s	s	s
453608		Floor insert for shower tray	3	87,-	o	o	o	o	o
452495		Folding clothes rail in wet room on ceiling and coat hooks (2 pcs.)			s	s	s	s	s
452678-02		Outdoor shower, connection in garage	4	271,-	o	o	o	o	o
		Heating / Air conditioning / Gas Supply / Water Supply							
		Gas Supply							
302976		Gas hose version UK			s	s	s	s	s
302980		Gas regulator version UK			s	s	s	s	s
301956		TRUMA MonoControl CS (incl. gas filter) (Dependencies: ABH049)	1	324,-	o	o	o	o	o
551327		Smoke detector			s	s	s	s	s
		Heating / Air conditioning							
551054		Air circulation system 12 V			s	s	s	s	s
354105		Diesel heating TRUMA Combi 4 D			s	s	s	s	s
354173		Diesel heating TRUMA Combi 6 D	16	345,-	o	o	o	o	o
352379		Electrical heating element for TRUMA Combi D (Dependencies: ABH307)			s	s	s	s	s
550825		Electric underfloor heating	8	744,-	o	o	o	o	o
353759		TRUMA iNetX heating control panel			s	s	s	s	s
450740		Insulating hood waste water tank, heatable			s	s	s	s	s
552078		Preparation for air conditioning (Dependencies: ABH085, ABH266, Hints: H993)		224,-	o	o	o	o	o
554394-01		DOMETIC FJZ4 2200 FS air conditioner, black (Dependencies: ABH310, ABH311, Hints: H145, H190, H993)	30	2.453,-	o	o	o	o	o
		Water Supply							
453510-01		Water supply with submerged pump			s	s	s	s	s
453510-03		Hot water supply with single-lever mixer tap			s	s	s	s	s
453510-06		Water pipes laid with circulating air hose			s	s	s	s	s
453512		Waste water tank with electric drain valve with remote control switch in the cab		254,-	o	o	o	o	o
		Electronics / Multimedia / Safety							
		Electronics							
253524		Automatic connection/disconnection for starter and on-board battery			s	s	s	s	s
253533		Electr. automatic charger for body / vehicle battery			s	s	s	s	s
253522		CEE external socket for 230 V, with circuit breaker			s	s	s	s	s
253529		Ground fault circuit interrupter			s	s	s	s	s
253526-06		LED Bord-Control panel with indication of all important functions			s	s	s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	630 ME	630 MX
252723		Charging booster for on-board battery			s	s	s	s	s
253523-07		Central, easily accessible device and supply installation			s	s	s	s	s
232667-01		Charger with 25A charging capacity, suitable for lithium batteries			s	s	s	s	s
253534-03		Interior lighting in LED technology			s	s	s	s	s
252615-01		8-channel lighting control			s	s	s	s	s
250940-06		12 V power socket in the kitchen (1 piece)			s	s	s	s	s
250940-03		12 V power socket, additional 1 pc. in garage			s	s	s	s	s
251949-13		USB socket (1 piece), in the toilet room			s	s	s	s	s
251949-07		USB socket in kitchen area (1 pc.)			s	s	s	s	s
253520		230 V SCHUKO sockets "UK" version			s	s	s	s	s
250072-06		230 V SCHUKO socket, additional 1 pc. in kitchen			s	s	s	s	s
250072-04		230 V SCHUKO socket, additional 1 pc. in the rear			s	s	-	-	-
250072-08		230 V SCHUKO socket, additional 1 pc. in the rear			-	-	s	s	s
253534-04		LED lighting living area (exception: entrance light + luggage compartment)			s	s	s	s	s
252498-01		Ambient lighting in living area/washroom			s	s	s	s	s
254625		Preparation PV (Dependencies: ABH301)			s	s	s	s	s
254705		Additional LiFePO4-on-board battery (100 Ah) (Dependencies: ABH305, ABH306, ABH045)	12	956,-	o	o	o	o	o
254704		Additional LiFePO4-on-board battery (180 Ah) (Dependencies: ABH302, ABH303, ABH045)	19	1.394,-	o	o	o	o	o
254706		LiFePO4-board battery (100 Ah) (Dependencies: ABH139)	12	956,-	o	o	o	o	o
254704-01		LiFePO4-on-board battery (180 Ah) (Dependencies: ABH304)	19	1.394,-	o	o	o	o	o
253802		Solar system (100 W) (Dependencies: ABH300)	9	1.035,-	o	o	o	o	o
		Multimedia							
252594-03		24" SMART TV device with HD tuner, in living area (Dependencies: ABH299)	3	874,-	o	o	o	o	o
252479		Pre-cabling for TV in the sleeping area	1	87,-	o	o	o	o	-
252405-05		TV holder in living area incl. combi socket			s	s	s	s	s
253651		External LTE / WIFI antenna	3	868,-	o	o	o	o	o
		Awning / Awning Accessories							
		Awning THULE OMNISTOR							
501646-06		Awning 315 x 250 cm, anthracite (Dependencies: ABH309, Hints: H135)			w	-	-	-	-
501646-01		Awning 325 x 250 cm, anthracite (Dependencies: ABH308, Hints: H135)			s	-	-	-	-
501646-03		Awning 375 x 250 cm, anthracite (Hints: H135)			-	s	s	-	-
501646-04		Awning 400 x 250 cm, anthracite (Hints: H135)			-	-	-	s	s
		Miscellaneous							
953542-06		Operating instruction (English)			s	s	s	s	s
951036		MOT and registration document			s	s	s	s	s
		Accessories							
953543		10-year leak-proofness guarantee			s	s	s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in GBP including 20% VAT

HINTS

H135	Awning size differs for technical reasons when choosing the pop-up roof
H140	Incl. indication of production-related tolerances of ±5%
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H151	If this option is selected, the vehicle height increases by approx. 20 cm
H157	Please note that mounting the bicycle carrier on the rear wall limits the field of view of the reversing camera.
H165	Unfortunately, this value was not yet available when the price list was printed / published. We will update the values as soon as possible on the brand website and in the configurator. Please consult your KNAUS dealer for further details.
H168	Please note that when selecting the pop-up roof and the option "transverse guest bed with additional cushion", simultaneous everyday use is not possible.
H190	Prioritized positioning of the air conditioning system in the center of the vehicle; selection of certain optional equipment may change the positioning.
H192	The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).
H711A	The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 20 ltr. (suggested filling for running order)
H712D	The fresh water tank capacity is 102 ltr. with the overflow valve closed.
H724	*** The weight stated is the technically permissible total mass.
H993	Please note that if you choose this option, the dividing curtain will not be included.
H994	This option is also included in Level 2 Autonomous Driving.

DEPENDENCIES

ABH016	Only with 202132
ABH023	Contains 202132 along with 204487
ABH029	Only with 202139
ABH033	Only with 204383
ABH045	Replaces 253749
ABH049	Replaces 302978 along with 302979 along with 302980 along with 302981
ABH051	Contains 953554 along with 953555
ABH085	Not with 103594-01 along with 104117-01
ABH092	Only with 251120
ABH093	Only with 201788:203720-01 or 201786-07 along with 204371-01 or 204372-01 or 204373-01 or 204377 or 203109 or 204378
ABH094	Not with 203720-01 or 204371-01 or 204372-01 or 204373-01 or 204377 or 203109 or 204378
ABH096	Not with 552335-01
ABH101	Not with 204371-01
ABH104	Only with 201609
ABH110	Replaces 203720-01
ABH112	Only with 200178-01 and 201788
ABH113	Only with 201686
ABH114	Only with 251120 along with 204385 or 200178-01
ABH121	Not with 204371-01 or 204372-01 or 204373-01 or 204377 or 204378 or 203109
ABH125	Contains 204389
ABH127	Not with 204387
ABH130	Not with 214415
ABH139	Not with 251248-03 along with 914707 along with 254702 along with 251248 along with 914709 along with 914710 or 914711 or 254703 or 254704
ABH264	Not with 103594-01, 104117-01:554394-01 along with 103594-01, 104117-01:914395-01
ABH265	Not with 103594-01 along with 104117-01 along with FR3060042*, FR3064088*, FR3060050*:554394-01 or 914395-01
ABH266	Replaces FR306004227:552954-06
ABH277	Only with 204386 and 201787
ABH278	Only with 204390 or 210041 or 210043
ABH279	Only with 200975-01 and 204386
ABH280	Only with 200178-02 or 200178-01 or 204741 along with 200178-01:203720-01
ABH281	Only with 204381 or 204382 or 203122
ABH282	Only with (204372-01:201815 and 202826:201815) or 204374-01 or 204375-01 or 204379 or 203119 or 204381 or 203122 or 204382 or 204383
ABH283	Contains 202132, 204385, 200178-02 along with 204741 along with 204487
ABH284	Only with FR3064042*, FR3064088*:204383
ABH285	Not with 200178-02 along with 204741
ABH286	Only with FR3054050*:200318:204383
ABH287	Not with 204383
ABH288	Not with 204383 along with 203720-01
ABH289	Not with FR3054050*, FR3060050*, FR3060042*:200318 along with 203720-01
ABH290	Only with 204374-01 or 204375-01 or 204379 or 204381 or 204382 or 203119 or 203122 along with 200178-02 along with 204741
ABH291	Only with 200975-01 and 201787
ABH292	Only with 201519-01 along with (201788:201786-07 or 200178-01 or 200178-02 or 204741) or (204385 and 200178-02) or (204385 and 204741) along with 201815 or 202568 or 202569 or 202572 or 202573 or 202573-01
ABH293	Only with 204383 or 204374-01 or 204375-01 or 204379 or 204381 or 204382 or 203119 or 203122
ABH294	Not with 210130
ABH295	Only with 210028 or 201686 along with 221610
ABH296	Only with 203729 along with 204383 along with 210028 or 210135 along with 201519-01 along with 201788 along with 200178-01 or 200178-02 or 204741 along with 201815 along with 202164 along with 201815
ABH297	Not with 210135 or 214415
ABH298	Only with 204672 or 204680 or 204681 or 204681-01 or 204672-01
ABH299	Only with 252405-05
ABH300	Not with 103594-01 along with 104117-01 along with FR3060050*:554394-01 along with FR3054050*:102619-02
ABH301	Not with 253802 along with 254726
ABH302	Not with 914709 along with 914708 along with 914711 along with 251248-03 along with 254702 along with 254705

DEPENDENCIES

ABH267	Not with 100750-03
ABH268	Replaces 102870
ABH269	Only with 102784
ABH270	Not with 100960-04
ABH271	Contains 101666-08
ABH272	Not with FR3060050*, FR3054050*:100750-03 or 102619-02 along with FR3054050*:554394-01 or 914395-01 or 253802 or 102619-02
ABH273	Only with FR3054050*:501646-06
ABH274	Replaces FR3054050*:501646-01 along with 102920-03 along with FR3054050*:102619-03 along with 254637 along with 254625 along with 254625
ABH275	Only with 102064
ABH276	Only with 200975-01
ABH303	Only with 254703 or 914711
ABH304	Not with 251248-03 along with 914707 along with 254702 along with 251248 along with 914709 along with 914710 or 254703 or 254706
ABH305	Not with 914708 along with 914710 along with 914711 along with 254703 along with 254704 along with 251248-03
ABH306	Only with 254702 or 914708 or 254706 or 914709
ABH307	Only with 353759
ABH308	Not with 103594-01 or 104117-01
ABH309	Only with 103594-01 or 104117-01
ABH310	Not with FR3054050*:103594-01 or 104117-01 along with 103594-01, 104117-01:100750-03
ABH311	Replaces 103594-01, 104117-01:102619-03, 102619-03, 100750-03 along with FR306004227:552954-06
ABH312	Replaces 552954-06



facebook.knaus.com

@knaus_official

@knaus_official

youtube.knaus.com

schwalbenblog.knaus.com

shop.knaus.com

knaus.com

Knaus Tabbert AG Helmut-Knaus-Str. 1 D–94118 Jandelsbrunn

KNAUS

FREIHEIT, DIE BEWEGT.