KNAUS

FREIHEIT, DIE BEWEGT.

Price List Model Year 2027-1

Motorhomes

EN | UK

Data as of: 11.11.2026

IMPORTANT TECHNICAL AND LEGAL INFORMATION

I. General

This document is valid from July 2026 for vehicles of model year 2027. Any previous price lists, brochure information and technical data shall cease to be valid with respect to the vehicles contained herein. Errors and misprints excepted. Before purchasing a vehicle, you must obtain comprehensive advice from an authorized dealer regarding the information in our price lists and catalogues, any changes that may have occurred after the printing date, as well as the topics listed below.

II. Extras & Option Packs

Certain combinations of options and extras may not always be possible.

III. Images

Some images show options and extras that are not included in the standard equipment and can only be ordered at additional cost (options & extras). Also, some equipment featured is only found in prototypes or specific country models and do not correspond to the standard equipment, nor can they be ordered as an option or extra. Slight colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded for printing reasons. The decoration shown in the catalogue is not part of the equipment supplied.

IV. Retrofitting

In order not to jeopardise your safety and/or the operating licence of your vehicle, we advise you to have attachments, conversions or installations carried out exclusively by an authorised dealer and to insist on original parts. Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. We reserve the right to make reasonable changes to the design, colour and equipment, insofar as these serve technical progress and/or safety. We reserve the right to make changes to fittings, technical data, series equipment and prices. After conclusion of the contract, we reserve the right to make reasonable technical changes within the scope of the design, insofar as they serve technical progress. Reasonable deviations in colour and quality are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material. (e.g. colour deviations of up to approx. 2.0 ΔE between paint on sheet metal and paint on GRP/plastic).

Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022: EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

Information regarding the vehicle's dimensions

The vehicle dimensions (overall length, width and height) stated in the technical specifications are nominal values based on the standard factory specification for the relevant layout. These figures are subject to manufacturing tolerances. The permissible tolerances are derived – in accordance with the regulations on weight declarations – from the same relevant EU regulations (in particular Implementing Regulation (EU) 2021/535 (previously Regulation (EU) No 1230/2012) and amount to up to ± 3 %.

Please note that the factory installation of additional equipment, as well as the retrofitting of accessories (e.g. roof-mounted air conditioning units, awnings, aerials, bike racks or roof boxes), may alter the external dimensions of your vehicle. In particular, the overall height and length of the vehicle may be increased by such attachments.

You must be aware of your vehicle's actual external dimensions when driving on public roads, particularly when passing through areas with height restrictions (e.g. underpasses, bridges, tunnels or car park entrances), when using ferries, and when choosing parking spaces and campsites. It is your responsibility to ensure that the vehicle complies with the applicable size limits. We recommend that you check the actual external dimensions of your vehicle, including any attachments, before setting off and take these into account.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:


Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle
= 127 kg	Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.

Important Notes

Please note when selecting and configuring your vehicle that the factory installation of additional equipment increases the actual mass of the vehicle and reduces the payload. The weight specified on the following pages for the additional equipment ("packages", "features" and "options") corresponds to the additional weight compared to the standard equipment of the respective floor plan. The total weight of the configured additional equipment must not exceed the manufacturer-defined maximum mass of additional equipment specified in the technical data. This is a value calculated for each floor plan, with which Knaus Tabbert AG, as manufacturer, defines the maximum mass available for factory-installed additional equipment. The "mass in running order" specified in the technical data is a calculated nominal value subject to production-related variations of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and are separately indicated in the technical data following the calculated value. Since these legally permissible tolerances directly affect the actual mass of your vehicle and thus also the maximum mass of additional equipment, you should ensure that these are factored in when configuring your vehicle. The manufacturer-defined maximum mass of additional equipment is intended to ensure that the statutory minimum payload for luggage and other accessories is actually available for loading after delivery of a vehicle by the manufacturer. If the actual vehicle mass increases through the selection of additional equipment to such an extent that, calculated between the actual vehicle mass and the technically permissible gross vehicle mass, there is no longer sufficient loading capacity for the transport of the permitted passengers and the minimum payload, you have, as part of the configuration, in principle (depending on the floor plan), the option to select a vehicle upgrade (uprating), select a reduction in the number of approved seating positions during driving, and/or deselect additional equipment in order to continue the configuration. If this does not occur, the configuration and thus also the ordering process for your vehicle cannot be continued. Detailed technical and legal information on the subject of "vehicle weights" can be found from page 2 onwards and at "configurator.knaus.com".



Technical Data	650 MG	650 MF	650 MEG	700 MEG	700 DX
List price in GBP including 20% VAT	79.985,-	80.685,-	80.695,-	83.485,-	84.185,-
FIAT Ducato 3,500 kg***(103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH253, Hints: H724)	s	s	s	s	s
BASIC EQUIPMENT					
Chassis	FIAT	FIAT	FIAT	FIAT	FIAT
Engine power	103 kW / 140 PS	103 kW / 140 PS	103 kW / 140 PS	103 kW / 140 PS	103 kW / 140 PS
Gearbox	man.	man.	man.	man.	man.
Total length (cm)	694	694	694	748	748
Width (outside) (cm)	232	232	232	232	232
Width (inside) (cm)	218	218	218	218	218
Height (outside) (cm)	294	294	294	294	294
Height (inside) (cm)	215	215	215	215	215
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140)	2.945 (2.797 - 3.092)	2.975 (2.826 - 3.123)	2.960 (2.812 - 3.108)	3.050 (2.897 - 3.202)	3.070 (2.916 - 3.223)
Technically maximum authorised laden mass (kg)	3.500	3.500	3.500	3.500	3.500
Maximum payload (kg)	40	37	40	-14	3
Towing load (kg)	2.000	2.000	2.000	2.000	2.000
Technically permissible maximum laden mass of the vehicle combination	5.500	5.500	5.500	5.500	5.500
Wheelbase (cm)	380	380	380	403	403
Tyre size	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 15 onwards.

Technical Data	650 MG	650 MF	650 MEG	700 MEG	700 DX
	15 C 109 R Allwetterreifen	15 C 109 R Allwetterreifen	15 C 109 R Allwetterreifen	15 C 109 R Allwetterreifen	15 C 109 R Allwetterreifen
Rim size	6J x 16 H2, 6J x 15 Alu Fiat, 6J x 15	6J x 16 H2, 6J x 15 Alu Fiat, 6J x 15	6J x 16 H2, 6J x 15 Alu Fiat, 6J x 15	6J x 16 H2, 6J x 15 Alu Fiat, 6J x 15	6J x 16 H2, 6J x 15 Alu Fiat, 6J x 15
Number of persons allowed in driving operation	4	4	4	4	4
Beds (Hints: H141)	6	6	5	6	4
Max. number of beds (Hints: H142)	6	6	5	5	6
Automatic three-point belts, height-adjustable	2	2	2	2	2
Max. belt-secured seats	5	5	4	5	4
BODY					
Total number of hinged windows	5	3	4	5	4
Body door (width x height)	60 x 195	60 x 195	60 x 195	60 x 195	60 x 195
Wall thickness, roof (mm)	32	32	32	32	32
Wall thickness, side wall (mm)	31	31	31	31	31
Wall thickness, floor (mm)	40	40	40	50	50
LIVING AREA					
Three-point belts in driving direction	2	2	2	2	2
Bed size, lifting bed (cm) (Hints: H192)	198 x 124	198 x 124	198 x 122	198 x 124	194 x 130
Bed size, front (cm) (Hints: H192)	209 x 118/84	211 x 118	211 x 118/32	209 x 118/84	212 x 102/92
Bed size, rear (cm) (Hints: H192)	212 x 147/135	207 x 141	202 x 78; 197 x 78	199 x 78; 205 x 78	196 x 162
Single bed	–	–	s	s	–
Transverse bed	s	–	–	–	–
Queen-size bed	–	–	–	–	s
French double bed	–	s	–	–	–
Drop-down bed	s	s	s	s	s
WATER					
Waste water volume in liters	95	95	95	95	95
Fresh water volume in liters (Hints: H711, H712C)	100	100	100	100	100
Fill level of the fresh water tank (liter)	10	10	10	10	10
KITCHEN					
Refrigerator (ltr.)	142	142	142	150	150
ELECTRICAL SUPPLY					
Living area battery	80	80	80	100Ah	100Ah
Number of 230 V socket(s)	6	6	6	6	6
Number of USB socket(s)	3	3	3	3	3

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 15 onwards.

Art. No.		List price [GBP]*
210250	TV package 27" (incl. external LTE / W-LAN antenna) (7 kg)	
253609	27" SMART TV set with HD tuner	991,-
253651	External LTE / WIFI antenna	868,-
	Total price options	1.859,-
	Package Price	1.486,-
	Saving	373,-

Art. No.		List price [GBP]*
221013	Arctic Package (4 kg)	
202392	Seat heating for driver's and passenger's seats	
203734	Heated windscreen	
352966	Heating control panel ALDE LCD	
550592	Windscreen insulation mat set (exterior)	
	Package Price	3.849,-

Art. No.		List price [GBP]*
210140	10" Navigation Package (2 kg)	
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	408,-
203725	Virtual cockpit	512,-
203727	Inductive charging cradle	230,-
204681	10" FIAT sat-nav	982,-
	Total price options	2.132,-
	Package Price	1.920,-
	Saving	212,-

Art. No.		List price [GBP]*
210059	Light and Visibility Package (-9 kg)	
202164	Rain and light sensors with automatic dimming	285,-
203723	Full LED front lighting (low beam, high beam and indicators)	879,-
203729	Electric parking brake	515,-
	Total price options	1.679,-
	Package Price	1.394,-
	Saving	285,-

Please note the hints and dependencies from page 15 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.		List price [GBP]*
210028	Lounge package	
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	408,-
203725	Virtual cockpit	512,-
203727	Inductive charging cradle	230,-
	Total price options	1.150,-
	Package Price	1.043,-
	Saving	107,-

Please note the hints and dependencies from page 15 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MG	650 MF	650 MEG	700 MEG	700 DX
		Motorisation / Drive / Gearing / Load increase							
		Motorisation / Drive							
		3.500 kg Chassis light							
204364-01		FIAT Ducato 3,500 kg***(103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH253, Hints: H724)			s	s	s	s	s
204365-01		FIAT Ducato 3,500 kg***(132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH253, ABH033, Hints: H724)		2.622,-	o	o	o	o	o
		4.000 kg Chassis							
204366-01		FIAT Ducato 4,000 kg***(132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH023, ABH252, ABH034, Hints: H724)	35	4.288,-	-	-	-	o	o
		Heavy Duty Chassis							
203116		FIAT Ducato 3,500 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH023, ABH253, Hints: H724)	35	1.184,-	o	o	o	o	o
204367		FIAT Ducato 4.000 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro VI HD (103 kW/140 HP) (Dependencies: ABH023, ABH255, ABH025, Hints: H724)	35	1.561,-	o	o	o	o	o
203114		FIAT Ducato 4,000 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH023, ABH252, ABH025, Hints: H724)	60	2.525,-	-	o	o	o	o
		Gearing							
202826		6-speed manual gearbox			s	s	s	s	s
204383		8-speed automatic gearbox (Dependencies: ABH023, ABH253)	35	3.235,-	o	o	o	o	o
		Load Increase							
201781-01		Load increase from 3.500 kg*** to 3.650 kg*** (Dependencies: ABH013, Hints: H724)		329,-	o	o	o	o	o
201781-02		Load increase from 3.500 kg*** to 3.850 kg*** (Dependencies: ABH014, Hints: H724)		329,-	-	-	-	o	o
201869-01		Load increase from 4.000 kg*** to 4.250 kg*** (Dependencies: ABH018, Hints: H724)		276,-	o	o	o	o	o
201869-02		Load increase from 4.000 kg*** to 4,400 kg*** (Dependencies: ABH019, Hints: H724)		276,-	-	-	-	o	o
204634		Chassis downgrade from 4,000 kg to 3,500 kg (Dependencies: ABH018)		276,-	o	o	o	o	o
952791		Reduction of the number of permitted seats in operation from 4 to 3 people			o	o	o	o	o
551773		Additional belt-secured seat, pluggable (Dependencies: ABH263)	14	525,-	o	o	-	o	-
		Chassis / Climate Control / Multimedia							
202843		Wide-track chassis			s	s	s	s	s
200318		Right-hand drive FIAT with speedometer mph			s	s	s	s	s
204487	203114, 203116, 204366-01, 204367, 204383	verstärkte Achsen und Bremsanlage (Dependencies: ABH256)	25		o	o	o	o	o
203722		Plastic leaf springs (Dependencies: ABH254)	-15	380,-	o	o	o	o	o
		Paints							
202852-01		Chassis uni paint: White			o	o	o	o	o
201786-01		Chassis in metallic paint: Campovolo Grey		745,-	o	o	o	o	o
201786-05		Chassis in metallic paint: Black			s	s	s	s	s
203720-01		Spoiler (skid-plate) (Dependencies: ABH027)			s	s	s	s	s
202139		Headlights in black frame			s	s	s	s	s
204390		Radiator grille cover painted black			s	s	s	s	s
201788		Front bumper painted in chassis colour (Dependencies: ABH015)			s	s	s	s	s
		Tyres							
202132	203114, 203116, 204366-01, 204367, 204383	16" tyres (Dependencies: ABH020, ABH021)			s	s	s	s	s
203808		All-weather tyres			s	s	s	s	s
201815		Alloy rims for standard tyres (Dependencies: ABH016, ABH017)			s	s	s	s	s
		Air Conditioning / Interior							
200176		Air conditioning in cab, manual including pollen filter and outside temperature display			s	s	s	s	s
201686	210028, 210140	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)		408,-	o	o	o	o	o
201862		Driver airbag			s	s	s	s	s
200501		Passenger airbag			s	s	s	s	s
201952-01		Driver's seat height adjustment			s	s	s	s	s
201952		Passenger's seat height adjustment			s	s	s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 15 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MG	650 MF	650 MEG	700 MEG	700 DX
201519-01		Techno leather steering wheel and gear knob			s	s	s	s	s
203730		Instrument panel in Techno design (aluminium)			s	s	s	s	s
200975-01		Original FIAT Captainchair seats with armrests			s	s	s	s	s
204386		Storage tray under the driver's seat			s	s	s	s	s
201789		High-quality fitted seat covers for driver's/passenger's seat in KNAUS fabric style			s	s	s	s	s
200633		Cab seats swivelling			s	s	s	s	s
202392	221013	Seat heating for driver's and passenger's seats	1	693,-	o	o	o	o	o
550592	221013	Windscreen insulation mat set (exterior)	2	145,-	o	o	o	o	o
203734	221013	Heated windscreen	1	447,-	o	o	o	o	o
550610		Front and side window blackout			s	s	s	s	s
		Assistance Systems							
200567		Tempomat ® - Cruise Control			s	s	s	s	s
204387		Adaptive cruise control > 30 km/h (Dependencies: ABH036)			s	s	s	s	s
202871		ESP			s	s	s	s	s
202872		Hill Holder (Hill Start Assist)			s	s	s	s	s
202873		ABS			s	s	s	s	s
202874		Electronic immobiliser			s	s	s	s	s
202876		Electromechanical power steering			s	s	s	s	s
203755		Trailer Stability Control System			s	s	s	s	s
203756		Post Collision Braking System			s	s	s	s	s
222881		Crosswind Assist			s	s	s	s	s
201787		"Traction Plus" traction aid, including Hill Descent Assist			s	s	s	s	s
202150		Tyre pressure monitoring system			s	s	s	s	s
202879		Emergency Brake Assist			s	s	s	s	s
204691		Active Lane Keeping Assist			s	s	s	s	s
204692		Fatigue detection			s	s	s	s	s
204693		Intelligent Speed Assistant with traffic sign recognition			s	s	s	s	s
202164	210059	Rain and light sensors with automatic dimming		285,-	o	o	o	o	o
203729	210059	Electric parking brake	-9	515,-	o	o	o	s	s
		Lighting / Technology							
200178-01		Front fog lights with cornering light (Dependencies: ABH011)			s	s	s	s	s
201043		Spare tyre	35	282,-	o	o	o	o	o
204388		Fuel tank 60 litres			-	-	-	s	s
202712		Fuel tank 90 ltr.		89,-	s	s	s	o	o
202891		Car key with remote control for central locking for cab doors			s	s	s	s	s
202227		Additional car key with remote control (Dependencies: ABH022)			s	s	s	s	s
200488		Electrically adjustable and heated exterior mirrors			s	s	s	s	s
202901-01		Daytime running light with series headlamps			s	s	s	s	s
203723	210059	Full LED front lighting (low beam, high beam and indicators) (Dependencies: ABH029)		879,-	o	o	o	o	o
		Multimedia / Navigation							
250233-02		Radio preparation incl. 2 loudspeakers in living area			s	s	s	s	s
204389		Preparation for multimedia			s	s	s	s	s
204672		7-inch media centre with Apple CarPlay and Android Auto			s	s	s	s	s
204681	210140	10" FIAT sat-nav (Dependencies: ABH039)	2	982,-	o	o	o	o	o
204695		Rear view camera			s	s	s	s	s
203727	210028, 210140	Inductive charging cradle (Dependencies: ABH031)		230,-	o	o	o	o	o
203725	210028, 210140	Virtual cockpit (Dependencies: ABH030)		512,-	o	o	o	o	o
		Transport Systems							
102273-01		Maximum load capacity of the rear garage: 150 kg			s	s	s	s	s
102273	200188	Maximum load capacity of the rear garage: 250 kg	20	1.165,-	o	o	o	o	o
200188		Trailer hitch, rigid (Dependencies: ABH012)	46	1.482,-	o	o	o	o	o
203933		Preparation for towbar hitch			s	s	s	s	s
102514		Bicycle carrier for 2 bikes, rear: THULE LIFT V16 (Dependencies: ABH008, Hints: H157)	17	744,-	o	o	o	o	o
102515		Bicycle carrier for 3 bikes, rear: THULE LIFT V16 (Dependencies: ABH008, Hints: H157)	18	815,-	o	o	o	o	o
		Packages							

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 15 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MG	650 MF	650 MEG	700 MEG	700 DX
210250		TV package 27" (incl. external LTE / W-LAN antenna)	7	1.486,-	o	o	o	o	-
221013		Arctic Package	4	3.849,-	o	o	o	o	o
210140		10" Navigation Package (Dependencies: ABH041)	2	1.920,-	o	o	o	o	o
210059		Light and Visibility Package	-9	1.394,-	o	o	o	-	-
210028		Lounge package (Dependencies: ABH040)		1.043,-	o	o	o	o	o
		Doors							
102564		Body door: KNAUS PREMIUM (Dependencies: ABH009)			s	s	s	s	s
102576		Body door: KNAUS EXkLUSIV (Dependencies: ABH009)	2	320,-	o	o	o	o	o
102577	102564, 102576	Multifunctional bag in KNAUS design (Dependencies: ABH010)			s	s	s	s	s
100602		Insect screen door			s	s	s	s	s
100212		Electrical entry step	7	517,-	s	s	s	s	o
102840		One-key locking system			s	s	s	s	s
		Service hatches / Garage doors							
102911		Service/storage space hatches and garage door/hatch with one-hand operation			s	s	s	s	s
		Front							
252578	352533-01	External battery storage box for 2 on-board batteries (Dependencies: ABH042)		333,-	o	o	o	o	-
102915-13		KNAUS ServiceBox			s	s	s	s	s
102916-01		Service hatch for ServiceBox 53 x 37.5 cm, bow left			s	s	s	s	s
		Centre							
102914-14	102914-10	Easy access to gas locker via the service door located in side wall, position lengthwise (Dependencies: ABH063)			-	s	s	o	-
102914-10		Gas locker for 2 x 11 kg gas bottles (Dependencies: ABH061, ABH250, ABH251)			s	s	s	o	o
102914-01	102914-07	Easy access to gas locker via the service door located in side wall (Dependencies: ABH248)			s	s	s	s	s
102914-07		Gas locker for gas bottle reserves 1 x 5 kg (Dependencies: ABH249)			-	-	-	s	s
		Rear							
100526-15		Garage door 80 x 110 cm, left (Dependencies: ABH005)			s	-	s	s	-
100526-13	551711	Garage door 80 x 80 cm, left (Dependencies: ABH001, ABH241)	4	460,-	-	-	o	o	-
100526-33		Garage door 55 x 110 cm, left			-	-	-	-	s
100526-16		Garage door 80 x 110 cm, right			s	-	s	s	-
100526-14	551711	Garage door 80 x 80 cm, right (Dependencies: ABH242, ABH243)	4	460,-	-	s	o	o	-
100526-30		Garage door 72.5 x 110 cm, right			-	-	-	-	s
		Windows / Roof Hoods / Ventilation							
101820		Frame window SEITZ S7P			s	s	s	s	s
		Front							
102619-01		Roof hood 40 x 40 cm with insect screen and blackout, clear (bow)			s	s	s	s	s
101779		Sliding window on passenger side, height of seating group	8	460,-	o	o	-	o	o
101721		Hinged window in roof hood, with insect screen and blackout (bow)			s	s	s	s	s
		Centre							
102619-02	101944	Roof hood 40 x 40 cm with insect screen and blackout, clear (centre)	3	189,-	-	-	o	o	o
		Rear							
102619-03		Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)			s	s	s	s	s
101944		Panorama skylight 130 x 45 cm (rear) (Dependencies: ABH246, ABH247)	12 - 15	604,-	-	-	o	o	o
101019-02		Hinged window 70 x 40 cm, (rear left) (Dependencies: ABH245)			s	-	s	s	-
101019-01		Hinged window 90 x 52 cm (rear left) (Dependencies: ABH244)	7	346,-	-	-	o	o	s
		Toilet Room							
100960-04		Roof hood 28 x 28 cm with insect screen, (toilet room)			s	s	s	s	s
101848		Roof hood (lift-tilt) 40 x 40 cm with insect screen and blackout, in shower/toilet room	3	206,-	-	-	-	-	o
101666		Hinged window 52 x 50 cm with insect screen and blackout, toilet room	6	276,-	o	-	-	o	o
		Materials / Vehicle Graphics							
		Materials							
100887		GRP roof with reduced hail sensitivity			s	s	s	s	s
102926-18		FoldXpand rear concept: full-plastic rear wall with flush integrated taillight carrier			s	s	s	s	s
103717		Plain sheet side walls, Campovolo Grey			s	s	s	s	s
102928-05		Resistant underfloor coating			s	s	s	s	s
224480-01		Frame of the service hatch, heating chimney and external sockets in grey, door frame of the superstructure and garage doors in silver			s	s	s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 15 onwards.

* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MG	650 MF	650 MEG	700 MEG	700 DX
		Vehicle Graphics							
103551-01		Special foil graphics "PLATINUM SELECTION"			s	s	s	s	s
103760-01		KNAUS emblems rear, black/chrome			o	o	o	o	o
		Lighting / Technology							
102933-01		KNAUS CATEYE evolution – taillight with exclusive night signature and dynamic indicator in LED technology			s	s	s	s	s
102933-12		Third brake light integrated at the rear			s	s	s	s	s
252937		Awning light with motion sensor LED			s	s	s	s	s
		Furniture / Surfaces							
552940-31		Furniture decor: Modern Oak			s	s	s	s	s
552940-33		Furniture decor: Samoa Dark			s	s	s	s	s
552941-02		Ventilated cabinets and cupboards			s	s	s	s	s
552944		Vinyl flooring			s	s	s	s	s
552492		Metal furniture locking system			s	s	s	s	s
552941-16		Storage locker hatches with soft-close function			s	s	s	s	s
		Living / Sleeping / Upholstery and Fabrics							
		Living							
551770		L-shaped seating group with telescopic single-column lifting table (Dependencies: ABH055)			s	s	s	s	-
552960-11		Face-to-face seating group			-	-	-	-	s
552686-01		Two folding seats with 3-point seat belts, facing the direction of travel			-	-	-	-	s
552247		ISOFIX system (2 child seats)			s	s	s	s	s
		Sleeping							
552945-01		EvoPore HRC mattress, fixed beds only			s	s	s	s	s
552574		EvoPore HRC mattress incl. WaterGEL topper, fixed beds only	6	431,-	o	o	o	o	o
551746		Lifting bed with high-quality lifting mechanism (Hints: H147)			s	s	s	s	s
551711		Low single bed, incl. cabinet above the end of the bed (Dependencies: ABH262)	-19		-	-	o	o	-
552473		Queen-sized bed electrically height-adjustable	30	1.394,-	-	-	-	-	o
551234		Bed extension in foot area, layouts with F-bed			-	s	-	-	-
551796		Bed extension to make one large sleeping surface			-	-	s	s	-
552198	551770	Bed conversion of the seating group (Dependencies: ABH056)	2	115,-	-	-	o	-	o
552198-02	551770	Bed conversion of the seating group (Dependencies: ABH056)	2	115,-	o	o	-	o	-
552369		Fitted sheet set, precisely fitting for the mattress shape - for 2 beds (fixed beds)	1	87,-	o	o	o	o	o
		Upholstery / Fabrics / Carpets							
		Upholstery Variants							
552188-04		Upholstery selection: ACTIVE ROCK		402,-	o	o	o	o	o
554642-02		Special upholstery: SOFT GRAPHITE 'PLATINUM SELECTION'			s	s	s	s	s
		COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner							
550660-15		COZY HOME pack URBAN SAND	3	200,-	o	o	o	o	o
550660-16		COZY HOME pack NORDIC DOTS	3	200,-	o	o	o	o	o
550660-17		COZY HOME pack SCANDIC GREEN	3	200,-	o	o	o	o	o
		Carpets							
201074		Floor mat set in driver's cab in KNAUS design	2	104,-	o	o	o	o	o
550235		Carpet floor in living area	6	415,-	o	o	o	o	o
		Kitchen / Bathroom							
		Kitchen							
402985-01		3-burner cooker with glass cover, stainless steel sink, recessed (Dependencies: ABH051)			s	s	s	s	-
402985-06		Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover (Dependencies: ABH051)			-	-	-	-	s
552941-17		Kitchen drawers with soft-close function			s	s	s	s	s
402767		Refrigerator 142 ltr.			s	s	s	-	-
402602		Compressor refrigerator 150 ltr. (incl. 17 ltr. freezer compartment), with external soundproofed compressor unit			-	-	-	s	s
402417		Automatic energy selection for refrigerator (AES)			s	s	s	-	-
400369-01		Gas oven incl. grill function (installation location in the kitchen block)			s	s	s	s	-
		Bathroom Area							
451777		Wooden grate for shower tray	2	259,-	o	-	-	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 15 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MG	650 MF	650 MEG	700 MEG	700 DX
453502-07		High-quality fittings			s	s	s	s	s
453509-07		Folding clothes rail in the toilet room or shower			s	s	s	s	s
453505-21		L!VE bathroom with separate shower			-	-	-	-	s
453505-16		Comfort bathroom with shower and washbasin			-	-	s	-	-
453505-15		Longitudinal washroom with shower			s	s	-	s	-
453503-03		Cassette toilet DOMETIC swivelling			s	-	-	s	-
453503-04		Cassette toilet Thetford swivelling			-	-	-	-	s
453503-01		Bench toilet Thetford			-	s	s	-	-
		Heating / Air conditioning / Gas Supply / Water Supply							
		Gas Supply							
302973		Gas system 30 mbar			s	s	s	s	s
302976		Gas hose version UK			s	s	s	s	s
302980		Gas regulator version UK			s	s	s	s	s
301057		Remote display DuoC (Ice Ex integrated) (Dependencies: ABH048)		173,-	o	o	o	o	o
301957		TRUMA DuoControl CS (incl. gas filter) (Dependencies: ABH260, ABH049)	1	438,-	s	s	s	o	o
551327		Smoke detector			s	s	s	s	s
300518		External gas socket	1	235,-	o	o	o	o	o
		Heating / Air conditioning							
551054		Air circulation system 12 V			s	s	s	s	s
351166		Heating TRUMA Combi 6			s	s	s	-	-
351274		Heating TRUMA Combi E (Dependencies: ABH214)			s	s	s	-	-
354173		Diesel heating TRUMA Combi 6 D			-	-	-	s	s
352379		Electrical heating element for TRUMA Combi D (Dependencies: ABH079)			-	-	-	s	s
352533-01		ALDE hot water heating incl. booster (Dependencies: ABH052, ABH063, ABH261, Hints: H160)	49	2.429,-	o	o	o	o	o
550825		Electric underfloor heating	8	744,-	o	o	o	o	o
352966	221013, 352533-01	Heating control panel ALDE LCD (Dependencies: ABH042)			o	o	o	o	o
352059		TRUMA CP-Plus digital heating control panel (Hints: H149)			s	s	s	s	s
450740		Insulating hood waste water tank, heatable			s	s	s	s	s
554394-01		DOMETIC FJZ4 2200 FS air conditioner, black (Dependencies: ABH057, ABH058, Hints: H145)	30	2.453,-	o	o	o	o	o
		Water Supply							
453510-01		Water supply with submerged pump			s	s	s	s	s
453510-03		Hot water supply with single-lever mixer tap			s	s	s	s	s
453510-07		Water pipes laid in insulated area			s	s	s	s	s
		Electronics / Multimedia / Safety							
		Electronics							
253523-02		Power supply / interior lighting with 230 V and 12 V, various interior sockets			s	s	s	s	s
253526-01		Control panel with touch function			s	s	s	s	s
253530		Circuit breaker			s	s	s	s	s
232667-01		Charger with 25A charging capacity, suitable for lithium batteries			s	s	s	s	s
252723		Charging booster for on-board battery			s	s	s	s	s
253520		230 V SCHUKO sockets "UK" version			s	s	s	s	s
250072-06		230 V SCHUKO socket, additional 1 pc. in kitchen			s	s	s	s	s
252729		230 V SCHUKO socket, additional 1 pc. in garage			s	s	s	s	s
252524		Atmospheric ambient lighting			s	s	s	s	s
254702-01		LiFePO4-board battery (100 Ah) (Dependencies: ABH257)			-	-	-	s	s
254702		LiFePO4-on-board battery (instead of standard battery) (100 Ah) (Dependencies: ABH044, ABH045)	-12	868,-	o	o	o	-	-
254705		Additional LiFePO4-on-board battery (100 Ah) (Dependencies: ABH258, ABH259, ABH045)	12	956,-	o	o	o	o	o
254706		LiFePO4-board battery (100 Ah) (Dependencies: ABH047)	12	956,-	o	o	o	-	-
253782		Solar system (200 W)	17	1.662,-	o	o	o	o	o
		Multimedia							
253609	210250	27" SMART TV set with HD tuner (Dependencies: ABH043)	4	991,-	o	o	o	o	o
254632		Pre-wiring for TV (living area)			s	s	s	s	s
252479		Pre-cabling for TV in the sleeping area			s	s	s	s	s
252405		TV holder			s	s	s	s	s
253651	210250	External LTE / WIFI antenna	3	868,-	o	o	o	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 15 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MG	650 MF	650 MEG	700 MEG	700 DX
		Awning / Awning Accessories							
		Awning THULE OMNISTOR							
500893-01		Awning 355 x 250 cm, anthracite			s	-	-	-	-
501333-01		Awning 405 x 250 cm, anthracite			-	s	s	s	s
		Miscellaneous							
953542-06		Operating instruction (English)			s	s	s	s	s
951036		MOT and registration document			s	s	s	s	s
		Accessories							
953543		10-year leak-proofness guarantee			s	s	s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 15 onwards.

* List Price = List price in GBP including 20% VAT

HINTS

H140	Incl. indication of production-related tolerances of ±5%
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H147	Maximum loadability 250 kg
H149	If ALDE hot water heating is selected, panel is replaced by ALDE LCD control panel.
H157	Please note that mounting the bicycle carrier on the rear wall limits the field of view of the reversing camera.
H160	Depending on the layout, one or more boosters are included to increase the heat output
H192	The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).
H711	The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 10 ltr. (suggested filling for running order)
H712C	The fresh water tank capacity is 100 ltr. with the overflow valve closed.
H724	*** The weight stated is the technically permissible total mass.

DEPENDENCIES

ABH001	Only with 551711
ABH005	Not with 551711
ABH008	Not with 100237
ABH009	Contains 102577
ABH010	Not with 102839
ABH011	Only with 203720-01 and 201788
ABH012	Contains 102273
ABH013	Only with 204363-01 or 204364-01 or 204365-01
ABH014	Only with 204417 or 203116
ABH015	Only with 203720-01 and 200178-01
ABH016	Only with 202132
ABH017	Replaces 202200 along with 200868
ABH018	Only with 204366-01 or 204368 or 204367 or 203114
ABH019	Only with 204366-01 or 204368 or 203114
ABH020	Not with 204363-01
ABH021	Only with (204364-01:201815 and 202826:201815) or 204383 or 204365-01 or 204366-01 or 204417 or 203116 or 204367 or 203114 or 204368
ABH022	Not with 202541
ABH023	Contains 202132 along with 204487
ABH025	Only with 203587
ABH027	Only with 201788 and 200178-01
ABH029	Only with 202139
ABH030	Only with 201686 and 203727
ABH031	Only with 201686 and 203725
ABH033	Only with 204383
ABH034	Only with 204383 and 203587
ABH036	Only with 202710-01 and 201519-01 along with 203720-01 or 201788 or 200178-01
ABH039	Only with 201686 or 210028 or 210140
ABH040	Not with 210140
ABH041	Not with 210028
ABH042	Only with 550566-01 or 352533-01
ABH043	Only with 252405
ABH044	Not with 914707 along with 254706
ABH045	Replaces 253749
ABH047	Not with 914707 along with 254702
ABH048	Only with 301957
ABH049	Replaces 302978 along with 302979 along with 302980 along with 302981
ABH051	Contains 953554 along with 953555
ABH052	Contains 352966 along with 252578
ABH055	Contains 552198 along with 552198-02
ABH056	Only with 551770
ABH057	Not with 914395 or 914395-01
ABH058	Replaces 102619-02
ABH061	Contains 102914-14
ABH063	Only with 102914-10
ABH079	Only with 354173
ABH214	Only with 351166
ABH241	Replaces FR1544377*, FR1549377*:100526-15
ABH242	Only with FR1544377*, FR1549377*:551711
ABH243	Replaces FR1544377*, FR1549377*:100526-16
ABH244	Only with FR1549377*, FR1544377*, FR15493772799, FR15443772799:551711
ABH245	Not with FR1549377*, FR1544377*, FR15493772799, FR15443772799:551711
ABH246	Contains FR1548399*:102619-02
ABH247	Not with FR1544377*:252793
ABH248	Only with 102914-07
ABH249	Contains 102914-01
ABH250	Only with FR1548399*, FR1549377*:550566-01 or 352533-01
ABH251	Replaces 102914-07 along with 102914-01
ABH252	Not with 203722 along with FR15443872799, FR15443452799, FR15443772799, FR15493772799, FR15483992799:152828 and 212561-01
ABH253	Not with FR15443872799, FR15443452799, FR15443772799, FR15493772799, FR15483992799:152828 and 212561-01
ABH254	Only with 202843 along with 204363-01 or 204364-01 or 204365-01 or 203116
ABH255	Not with 203722 along with 200318 along with FR15443872799, FR15443452799, FR15443772799, FR15493772799, FR15483992799:152828 and 212561-01
ABH256	Only with 204383 or 204366-01 or 204367 or 204368 or 204417 or 203116
ABH257	Not with 254702 along with 914707 along with 254706
ABH258	Not with 914708
ABH259	Only with 254706 or 254702 or 254702-01 or 914707 or 914709
ABH260	Only with FR1549377*, FR1548399*:550566-01 or 352533-01
ABH261	Replaces 351274 along with 204386 along with 354173 along with 352379
ABH262	Contains 100526-14 along with FR15493772799, FR15443772799:100526-13
ABH263	Not with 952791



facebook.knaus.com

@knaus_official

@knaus_official

youtube.knaus.com

schwalbenblog.knaus.com

shop.knaus.com

knaus.com

Knaus Tabbert AG Helmut-Knaus-Str. 1 D–94118 Jandelsbrunn

KNAUS

FREIHEIT, DIE BEWEGT.