KNAUS

FREIHEIT, DIE BEWEGT.

Price List Model Year 2027-1

YASEO

EN | DE

Data as of: 11.11.2026

IMPORTANT TECHNICAL AND LEGAL INFORMATION

I. General

This document is valid from July 2026 for vehicles of model year 2027. Any previous price lists, brochure information and technical data shall cease to be valid with respect to the vehicles contained herein. Errors and misprints excepted. Before purchasing a vehicle, you must obtain comprehensive advice from an authorized dealer regarding the information in our price lists and catalogues, any changes that may have occurred after the printing date, as well as the topics listed below.

II. Extras & Option Packs

Certain combinations of options and extras may not always be possible.

III. Images

Some images show options and extras that are not included in the standard equipment and can only be ordered at additional cost (options & extras). Also, some equipment featured is only found in prototypes or specific country models and do not correspond to the standard equipment, nor can they be ordered as an option or extra. Slight colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded for printing reasons. The decoration shown in the catalogue is not part of the equipment supplied.

IV. Retrofitting

In order not to jeopardise your safety and/or the operating licence of your vehicle, we advise you to have attachments, conversions or installations carried out exclusively by an authorised dealer and to insist on original parts. Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. We reserve the right to make reasonable changes to the design, colour and equipment, insofar as these serve technical progress and/or safety. We reserve the right to make changes to fittings, technical data, series equipment and prices. After conclusion of the contract, we reserve the right to make reasonable technical changes within the scope of the design, insofar as they serve technical progress. Reasonable deviations in colour and quality are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material. (e.g. colour deviations of up to approx. 2.0 ΔE between paint on sheet metal and paint on GRP/plastic).

Important technical and legal information regarding caravan configuration and weight-related data

In road traffic, each caravan is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your caravan when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022: EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your caravan. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your caravan. Our retail partners will also be happy to help you select and configure your caravan.

Information regarding the vehicle's dimensions

The vehicle dimensions (overall length, width and height) stated in the technical specifications are nominal values based on the standard factory specification for the relevant layout. These figures are subject to manufacturing tolerances. The permissible tolerances are derived – in accordance with the regulations on weight declarations – from the same relevant EU regulations (in particular Implementing Regulation (EU) 2021/535 (previously Regulation (EU) No 1230/2012) and amount to up to ± 3 %.

Please note that the factory installation of additional equipment, as well as the retrofitting of accessories (e.g. roof-mounted air conditioning units, awnings, aerials, bike racks or roof boxes), may alter the external dimensions of your vehicle. In particular, the overall height and length of the vehicle may be increased by such attachments.

You must be aware of your vehicle's actual external dimensions when driving on public roads, particularly when passing through areas with height restrictions (e.g. underpasses, bridges, tunnels or car park entrances), when using ferries, and when choosing parking spaces and campsites. It is your responsibility to ensure that the vehicle complies with the applicable size limits. We recommend that you check the actual external dimensions of your vehicle, including any attachments, before setting off and take these into account.

1. The technically permissible maximum mass of the caravan

The 'technically permissible maximum mass' of the caravan is shown in Part I of the registration certificate and refers to the maximum mass that your caravan may weigh when loaded (e.g. 1,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your caravan prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the caravan in running order

The 'mass in running order' refers to the mass of the caravan including the body and standard factory equipment (or 'basic equipment') including a full aluminium gas cylinder, a full fresh water tank, a full flush toilet water tank and a full water heater.
For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the caravan, including operating materials such as lubricants, oils and coolants, as well as on-board tools;
- the standard factory equipment, i.e. the basic configuration of the caravan equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank;
- 100% filled aluminium gas cylinder with a capacity of 2.7 kg/5 kg/11 kg and a total weight of 6 kg/10 kg/23 kg;
- 100% filled flush toilet tank;
- 100% filled fresh water heater.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your caravan and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your caravan.

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the caravan in running order plus the mass of any optional factory-fitted equipment on a particular caravan.

4. The maximum number of sleeping places

The 'maximum number of sleeping places' for each layout is shown in the technical data.

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a caravan equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level. Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration. The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the caravan by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the caravan by you or your retail partner after the manufacturer has delivered the caravan. Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration. Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass. European legislation stipulates a fixed 'minimum pay-mass' for caravans that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your caravan and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)

Where 'n' = maximum number of sleeping places and 'L' = total length of the vehicle body, without drawbar, in metres.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by first subtracting the mass in running order and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity and/or deselect optional equipment in the caravan configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your caravan cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be completely ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your caravan and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your caravan.

Example:

Mass in running order according to technical data:1,320 kg

Legally permissible tolerance of ± 5%: 66 kg

Legally permissible range of mass in running order 1,254 to 1,386 kg

Based on the above example, if you order the caravan with optional equipment with a total weight of 50 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 130 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your caravan is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 130 kg to 117 kg:

Example:

	1,500 kg	Technically permissible maximum mass
-	1,333 kg	Actual weight of the caravan in running order
	(+ 1% compared to the mass in running order of 1,320 kg stated in the sales literature)	
-	50 kg	Optional equipment ordered for the specifically configured caravan
=	117 kg	Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded caravan prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.

YASEO (2027)

Important Notes

Please note when selecting and configuring your caravan that the factory installation of additional equipment increases the actual mass of the caravan and reduces the payload. The weight specified on the following pages for the additional equipment ("packages", "features" and "options") corresponds to the additional weight compared to the standard equipment of the respective floor plan. The total weight of the configured additional equipment must not exceed the manufacturer-defined maximum mass of additional equipment specified in the technical data. This is a value calculated for each floor plan, with which Knaus Tabbert AG, as manufacturer, defines the maximum mass available for factory-installed additional equipment. The "mass in running order" specified in the technical data is a calculated nominal value subject to production-related variations of up to ± 5 %. These production-related tolerances of up to ± 5 % are legally permissible and are separately indicated in the technical data following the calculated value. Since these legally permissible tolerances directly affect the actual mass of your caravan and thus also the maximum mass of additional equipment, you should ensure that these are factored in when configuring your caravan. The manufacturer-defined maximum mass of additional equipment is intended to ensure that the statutory minimum payload for luggage and other accessories is actually available for loading after delivery of a caravan by the manufacturer. If the actual vehicle mass increases through the selection of additional equipment to such an extent that, calculated between the actual vehicle mass and the technically permissible gross vehicle mass, there is no longer sufficient loading capacity for the transport of the permitted occupants and the minimum payload, you have, as part of the configuration, in principle the option to select a vehicle uprating (upgrade to a higher permissible gross mass) or to deselect additional equipment. In our configurator, this is then a prerequisite for being able to continue the configuration. If this does not occur, the configuration cannot be continued. Detailed technical and legal information on the subject of "vehicle weights" can be found from page 2 onwards and at "configurator.knaus.com".





Technical Data	340 PX	500 DK
List price in EUR including 19% VAT	24.290,-	30.490,-
BASIC EQUIPMENT		
Total length incl. drawbar (cm)	549	729
Overall length of the body length (cm)	430	610
Width (outside) (cm)	220	220
Width (inside) (cm)	204	204
Height (outside) (cm)	260	260
Height (inside) (cm)	196	196
Awning dimensions (cm) (Hints: H139)	817	997
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140)	923 (876 - 969)	1.193 (1.133 - 1.252)
Technically maximum authorised laden mass (kg)	1.100	1.400
Maximum payload (kg)	51	19
Tyre size	195/70 R14 96 M	185 R14C 102 M
Rim size	5,5Jx14 H2 (Stahl) - Silber, 6Jx14 H2 (Alu) - Silber	5,5Jx14 H2 (Stahl) - Silber
Beds (Hints: H141)	2	4
Max. number of beds (Hints: H142)	2	5
BODY		
Total number of hinged windows (Hints: H716)	4	6
Body door (width x height)	60 x 181	60 x 181
Wall thickness, roof (mm)	31	31
Wall thickness, side wall (mm)	31	31
Wall thickness, floor (mm)	38	38
LIVING AREA		
Bed size, front (cm) (Hints: H192)	–	200 x 156

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 13 onwards.

Technical Data	340 PX	500 DK
Bed size, rear (cm) (Hints: H192)	200 x 156	199 x 122/108
Drop-down bed	s	s
WATER		
Fresh water volume in liters	45	45
KITCHEN		
Refrigerator (ltr.)	92	150
ELECTRICAL SUPPLY		
Number of 230 V socket(s)	5	5

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 13 onwards.

Art. No.		List price [EUR]*
114515	Design Package - mono-axle (41 kg)	
100570	Drawbar cover	159,-
101604-01	Side walls in smooth sheet metal - mono-axle	1.666,-
103760	KNAUS emblems front and rear, black/chrome	
152545	17" alloy rims - mono-axle, black gloss front-polished in exclusive KNAUS design	840,-
	Total price options	2.665,-
	Package Price	1.390,-
	Saving	1.275,-

Art. No.		List price [EUR]*
114250	Smart A Mover package (61 kg)	
154667	TRUMA Mover Smart A	2.790,-
250376-01	Mobile system 12 V with AGM battery, automatic charger, main switch and fresh water level indicator	1.281,-
	Total price options	4.071,-
	Package Price	2.890,-
	Saving	1.181,-

Art. No.		List price [EUR]*
114715	Transport Package (16 kg - 18 kg)	
100612	Additional service hatch	308,-
101958-04	Garage door 62.5 x 110 cm, right	495,-
104322	Lashing eyelets and lashing rails in the living room	129,-
554321	Variable seating area for bicycle transport	790,-
	Total price options	1.722,-
	Package Price	1.105,-
	Saving	617,-

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.		List price [EUR]*
114710	Ambience and storage package (3 kg)	
252524	Atmospheric ambient lighting	540,-
554320	Variable shelves under storage cabinets	410,-
	Total price options	950,-
	Package Price	890,-
	Saving	60,-

Art. No.		List price [EUR]*
114552	Gas Package (15 kg - 18 kg)	
102914-03	Gas locker with outer hatch, equippable with 2 x 11 kg gas bottles	
302973	Gas system 30 mbar	
302974	Gas hose version D/AT/ES/FI/BE/IT/NL/DK	
302978	Gas regulator version D/AT/ES/FI/BE/IT/NL/DK	
351166	Heating TRUMA Combi 6	395,-
402767	Refrigerator 142 ltr. (Hints: H128, H184)	249,-
402985-06	Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover	355,-
	Total price options	999,-
	Package Price	355,-
	Saving	644,-

Art. No.		List price [EUR]*
210081	TV Package 24" (8 kg)	
250941	Combi external socket (electricity + TV)	130,-
251261-01	TV holder	235,-
252594-01	24" SMART TV set with HD tuner	997,-
253651	External LTE / WIFI antenna	990,-
	Total price options	2.352,-
	Package Price	0,-
	Saving	2.352,-

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	340 PX	500 DK
		Packages				
114515		Design Package - mono-axle (Dependencies: ABH485)	41	1.390,-	o	o
114250		Smart A Mover package	61	2.890,-	-	o
114715		Transport Package	16 - 18	1.105,-	o	o
114710		Ambience and storage package (Dependencies: ABH485)	3	890,-	o	o
114552		Gas Package (Dependencies: ABH486)	15 - 18	355,-	o	o
210081		TV Package 24"	8		o	o
		Chassis / Load Increase				
152831		AL-KO chassis with semi-trailing arm axle			s	s
150997		AL-KO Trailer Control-ATC - Anti-skid system (2.0)	4	1.061,-	o	o
152589		AL-KO AAA Premium Brake			s	s
152834		Mono-axle			s	s
151110		Support wheel with integrated support load display			s	s
150065		AL-KO heavy-duty crank supports			s	s
100570	114515	Drawbar cover	4	159,-	o	o
150267		Stabiliser safety coupling (Dependencies: ABH372)			s	s
152836		Hydraulic wheel shock absorbers			s	s
152837		Automatic reverse drive			s	s
152838		Servo-assisted handbrake			s	s
		Load Increase				
150111-22		Load increase to 1.100 kg*** (1.300 kg chassis) (Hints: H724)			s	-
150111-05		Load increase to 1.200 kg*** (1.300 kg chassis) (Hints: H724)		130,-	o	-
150111-06		Load increase to 1.300 kg*** (1.300 kg chassis) (Hints: H724)		130,-	o	-
150111-24		Load increase to 1.400 kg*** (1.500 kg chassis) (Hints: H724)			-	s
150112-02		Load increase to 1.400 kg*** (1.500 kg chassis) (Hints: H724)	12	665,-	o	-
150111-09		Load increase to 1.500 kg*** (1.500 kg chassis) (Hints: H724)		130,-	-	o
150112-03		Load increase to 1.500 kg*** (1.500 kg chassis) (Hints: H724)	12	665,-	o	-
150112-08		Load increase to 1.600 kg*** (1.700 kg chassis) (Hints: H724)	30	665,-	-	o
150112-09		Load increase to 1.700 kg*** (1.700 kg chassis) (Hints: H724)	30	665,-	-	o
150112-18		Load increase to 1.800 kg*** (1.800 kg chassis) (Dependencies: ABH443, Hints: H724)	30	665,-	-	o
		Tyres				
152827		14" tyres			s	s
152828-01		15" tyres (Dependencies: ABH379)			-	o
152829		Steel rims (Dependencies: ABH380)			s	s
151634		wheel covers in KNAUS Design (Dependencies: ABH373)			s	s
150109		Alloy rims - mono-axle (Dependencies: ABH441)		512,-	o	o
152545	114515	17" alloy rims - mono-axle, black gloss front-polished in exclusive KNAUS design (Dependencies: ABH376)	21	840,-	o	o
		Transport Systems				
104673		Bicycle rack for 2 bikes, tow bar: THULE Superb XT, black	10	489,-	o	o
104322	114715	Lashing eyelets and lashing rails in the living room	3	129,-	o	o
154667	114250	TRUMA Mover Smart A	32	2.790,-	-	o
		Spare Tyre				
150122		Spare tyre (steel rim) incl. jack (Dependencies: ABH487, ABH371)	21	275,-	o	o
152565		Spare tyre 17" alloy rim in KNAUS design incl. jack (Dependencies: ABH488)	31	649,-	o	o
150027		Spare tyre holder in the gas locker	1	73,-	o	o
		Doors				
103588		Body door: KNAUS PREMIUM			s	s
100832		Insect screen door			s	s
102840		One-key locking system			s	s
		Service hatches / Garage doors				
		Front				
102914-03	114552	Gas locker with outer hatch, equippable with 2 x 11 kg gas bottles (Dependencies: ABH482, ABH483)			o	o
103774		Bow storage box (Dependencies: ABH484)			s	s
100612-01		Service hatch 70 x 30.5 cm, bow left			-	s
100612-06		Service hatch 70 x 30.5 cm, bow right			-	s
		Centre				

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	340 PX	500 DK
101958-03		Garage door 62.5 x 110 cm, left (Dependencies: ABH480)	5	495,-	o	o
101958-04	114715	Garage door 62.5 x 110 cm, right (Dependencies: ABH481)	5	495,-	o	o
100612-10		Service hatch 70 x 30.5 cm, centre left (Dependencies: ABH474)	1	308,-	-	o
100612-12		Service hatch 100 x 30.5 cm, centre left (Dependencies: ABH475)	2	308,-	-	o
100612-15		Service hatch 70 x 30.5 cm, centre right (Dependencies: ABH476)	1	308,-	-	o
		Rear				
100612-19		Service hatch 70 x 30.5 cm, rear left	1	308,-	-	o
100612-31	114715	Service hatch 70 x 30.5 cm, rear left (Dependencies: ABH477, ABH479)	1	308,-	o	-
100612-21		Service hatch 100 x 30.5 cm, rear left			s	-
100612-23	114715	Service hatch 70 x 30.5 cm, rear right (Dependencies: ABH477, ABH478)	1	308,-	o	-
100612-25		Service hatch 100 x 30.5 cm, rear right			s	-
		Windows / Roof Hoods / Ventilation				
102923-04		Windows with double glazing tinted, curtained and hinged (with insect screen and blackout)			s	s
		Front				
102619-01		Roof hood 40 x 40 cm with insect screen and blackout, clear (bow)	3	215,-	o	-
100170-01		Roof hood (lift-tilt) 96 x 65 cm with insect screen and blackout (bow)			-	s
101944-01		Panorama skylight 130 x 45 cm (bow)	12	689,-	-	o
100918		Hinged window (bow)			s	s
		Rear				
100750		Roof hood (lift-tilt) 70 x 50 cm with insect screen and darkening			s	-
102017		Hinged window (rear)	6	570,-	o	o
		Toilet Room				
100960-04		Roof hood 28 x 28 cm with insect screen, (toilet room)			s	s
101666		Hinged window 52 x 50 cm with insect screen and blackout, toilet room			s	s
		Materials / Vehicle Graphics				
		Materials				
100887		GRP roof with reduced hail sensitivity			s	s
102926-16		Aluminium hammer effect sheet on side walls			s	s
103776		White body design — mono-axle			s	s
101604-01	114515	Side walls in smooth sheet metal - mono-axle	17	1.666,-	o	o
		Vehicle Graphics				
103760	114515	KNAUS emblems front and rear, black/chrome			o	o
		Lighting / Technology				
252936		Awning light LED			s	s
102933-13		Third brake light in LED			s	s
102933-23		{BRAND} CATEYE evolution rear light, with exclusive night signature and dynamic indicators in full LED technology			s	s
104331		LED clearance lighting	4	570,-	o	o
		Furniture / Surfaces				
552941-02		Ventilated cabinets and cupboards			s	s
552940-31		Furniture decor: Modern Oak			s	s
552944		Vinyl flooring			s	s
		Living / Sleeping / Upholstery and Fabrics				
		Living				
552954-06		Textile room divider			-	s
554321	114715	Variable seating area for bicycle transport (Dependencies: ABH493)	10	790,-	o	o
554320	114710	Variable shelves under storage cabinets		410,-	o	o
		Sleeping				
552945-15		EvoPore HRC mattress (only in the main bed)			s	s
554323		Spacious double bed, foldable			s	s
554324		Single bed / lounge corner in the rear extendable to a double bed			-	s
554328		Storage box with folding bed function (cot)	19	990,-	-	o
552369		Fitted sheet set, precisely fitting for the mattress shape - for 2 beds (fixed beds)	1	99,-	o	o
		Upholstery / Fabrics / Carpets				
		Upholstery Variants				
552335-84		Upholstery selection: ELEGANT SILVER (Hints: FH03)			s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	340 PX	500 DK
552335-85		Upholstery selection: BRIGHT GRANIT (Hints: FH03)			o	o
552335-86		Upholstery selection: MODERN STONE (Hints: FH03)			o	o
552188-04		Upholstery selection: ACTIVE ROCK (Hints: FH03)		459,-	o	o
		COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner				
550660-15		COZY HOME pack URBAN SAND (Hints: FH03)	3	228,-	o	o
550660-16		COZY HOME pack NORDIC DOTS (Hints: FH03)	3	228,-	o	o
550660-17		COZY HOME pack SCANDIC GREEN (Hints: FH03)	3	228,-	o	o
		Carpets				
550075		Carpet floor - body length up to 460	6	259,-	o	-
550076		Carpet floor - body length 470 to 590	6	319,-	-	o
		Kitchen / Bathroom				
		Kitchen				
402985-20		Induction double hot plate (Dependencies: ABH053)			s	s
402985-06	114552	Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover (Dependencies: ABH053)		355,-	o	o
402989		Refrigerator 92 ltr.			s	-
402767	114552	Refrigerator 142 ltr. (Dependencies: ABH492, ABH482, Hints: H128, H184)	3	249,-	-	o
403773-01		Refrigerator 150 ltr., compressor			-	s
402417-01	402767	Automatic energy selection for refrigerator (AES) (Dependencies: ABH491)	3	153,-	-	o
		Bathroom Area				
450520-02		Shower extension longitudinal and angular washroom, consisting of: Shower fitting, shower rail/holder, shower curtain	2	296,-	o	o
454326		Multifunctional T-room with variable shower			-	s
453509-07		Folding clothes rail in the toilet room or shower			s	s
453502-06		KNAUS washbasin fitting			s	s
453503-03		Cassette toilet DOMETIC swivelling			s	s
		Heating / Air conditioning / Gas Supply / Water Supply				
		Gas Supply				
302973	114552	Gas system 30 mbar (Dependencies: ABH391)			o	o
302974	114552	Gas hose version D/AT/ES/FI/BE/IT/NL/DK			o	o
302978	114552	Gas regulator version D/AT/ES/FI/BE/IT/NL/DK			o	o
301956		TRUMA MonoControl CS (incl. gas filter) (Dependencies: ABH482, ABH051)	1	370,-	o	o
301957		TRUMA DuoControl CS (incl. gas filter) (Dependencies: ABH482, ABH051)	1	499,-	o	o
551327		Smoke detector		39,-	o	o
300518		External gas socket (Dependencies: ABH482)	1	268,-	o	o
		Heating / Air conditioning				
551054-02		Air circulation system			s	s
351166	114552	Heating TRUMA Combi 6 (Dependencies: ABH392, ABH482, ABH407)	15	395,-	o	o
353769		Heating / air conditioning DOMETIC Freshwell 3000 (OEM)			s	s
550279-01		Electric floor heating - up to body length 500	11	749,-	o	o
352059	351166	TRUMA CP-Plus digital heating control panel (Dependencies: ABH482)		149,-	o	o
554394		DOMETIC FJZ4 2200 FS air conditioner, white (Dependencies: ABH473, ABH482)	30	2.798,-	o	o
		Water Supply				
453510-01		Water supply with submerged pump			s	s
453510-03		Hot water supply with single-lever mixer tap			s	s
453510-04		Central waste water pipe laying, one external drain under floor			s	s
450083		TRUMA Therme with connection for kitchen and washroom (230 V operation only)			s	s
450623		Fresh water tank 45 ltr., fixed installation			s	s
450092		Waste water tank 25 ltr., rollable			s	s
451443		City water connection (Dependencies: ABH457)	2	386,-	o	o
		Electronics / Multimedia / Safety				
		Electronics				
253525		Electric coupling plug to the towing vehicle, Jäger 13-pin			s	s
253534-03		Interior lighting in LED technology			s	s
250941	210081	Combi external socket (electricity + TV)		130,-	o	o
253528-03		Converter 240 VA			s	s
253517		230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version			s	s
252547		Sockets Plus Package		309,-	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	340 PX	500 DK
253775		Intelligent electronic control			s	s
253534-32		Gooseneck lamps dimmable and with night light			s	s
252524	114710	Atmospheric ambient lighting	3	540,-	o	o
251729-01		Mobile system 12 V with automatic charger, main switch and level indicator for fresh water (Dependencies: ABH382, ABH385)	5	905,-	o	o
250376-01	114250	Mobile system 12 V with AGM battery, automatic charger, main switch and fresh water level indicator (Dependencies: ABH382, ABH383)	29	1.281,-	o	o
		Multimedia				
252594-01	210081	24" SMART TV set with HD tuner (Dependencies: ABH386)	3	997,-	o	o
251261-01	210081	TV holder	2	235,-	o	o
250006		TV preparation with socket and cable laying / feed-through			s	s
253651	210081	External LTE / WIFI antenna	3	990,-	o	o
252583		Complete antenna system Oyster 60 Premium, Twin (Dependencies: ABH489, ABH490, Hints: H145)	15	2.985,-	o	o
		Awning / Awning Accessories				
		Awning THULE OMNISTOR				
500654		Awning 305 x 250 cm - on-roof mounting, white	26	1.144,-	o	-
501997		Awning 455 x 250 cm - on-roof mounting, white	33	1.872,-	-	o
		Miscellaneous				
953542-01		Operating instruction (German)			s	s
951036		MOT and registration document		229,-	o	o
		Accessories				
953543		10-year leak-proofness guarantee			s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.knaus.com“.

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

HINTS

FH03	In Great Britain it is a legal requirement that all upholstery is fire retardant. This means both fabrics but also foams and fleeces among the fabrics. Also the fabric covered spacer boards and cushions as well as inlays. For mattresses, only innersprings are to be offered fire-retardant for England. On all these parts the label fire-retardant has to be applied in a clearly visible way from the outside. Carpets, curtains and room dividers are not affected.
H128	Gas operation while driving only permitted with Mono or Duo Control
H139	The specified perimeter of the awning is determined by the use of vehicles with standard equipment; this perimeter may vary if certain optional extras are selected (e.g. load increases / tyres).
H140	Incl. indication of production-related tolerances of ±5%
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H184	This refrigerator cannot be operated with 12 V, the existing AES function only works to a limited extent. Your KNAUS dealer will tell you more about this.
H192	The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).
H716	Inner surface with insect screen and blackout
H724	*** The weight stated is the technically permissible total mass.

DEPENDENCIES

ABH051	Replaces 302978 along with 302979 along with 302980 along with 302981
ABH053	Contains 953554 along with 953555
ABH371	Only with 150027
ABH372	Contains 953557
ABH373	Only with 152829
ABH376	Replaces 150109 along with 152829 along with 151634
ABH379	Only with 150112-18
ABH380	Only with 152827 or 152828-01
ABH382	Contains 450563
ABH383	Not with 251248-01 or 253753
ABH385	Not with 114250 or 919065
ABH386	Only with 251261-01 and 250006
ABH391	Contains 302983
ABH392	Contains 352059
ABH407	Replaces 450083
ABH441	Replaces 152829 along with 151634 along with 152828-01 along with 152827 along with 152591
ABH443	Only with 150109 or 152545 or 152591 or 152828-01
ABH457	Only with 450623
ABH473	Not with 914395
ABH474	Not with 100612-12
ABH475	Not with 554321 or 114552 or 100612-10
ABH476	Not with 554321
ABH477	Only with FW0934298*:114715
ABH478	Replaces 100612-25
ABH479	Replaces 100612-21
ABH480	Only with FW0952207*:114715
ABH481	Only with 114715
ABH482	Only with 114552
ABH483	Replaces 103774
ABH484	Replaces 102914-03
ABH485	Not with 114720
ABH486	Replaces 253775 along with 403773-01 along with 450083
ABH487	Not with 152545 or 152591
ABH488	Only with 152713 or 150027 and (152545 or 152591)
ABH489	Not with 253651 along with FW0934298*:100750 along with FW0952207*:914395 or 353769 or 354399 or 554394
ABH490	Only with 252594-01
ABH491	Only with 402767
ABH492	Contains 402417-01
ABH493	Not with 100612-12 along with 550279-01



facebook.knaus.com

@knaus_official

@knaus_official

youtube.knaus.com

schwalbenblog.knaus.com

shop.knaus.com

knaus.com

Knaus Tabbert AG Helmut-Knaus-Str. 1 D–94118 Jandelsbrunn

KNAUS

FREIHEIT, DIE BEWEGT.