

KNAUS
FREIHEIT, DIE BEWEGT.



Price List Model Year 2027-1

NORDWIND

EN | DE

Data as of: 14.10.2026



IMPORTANT TECHNICAL AND LEGAL INFORMATION

I. General

This document is valid from July 2026 for vehicles of model year 2027. Any previous price lists, brochure information and technical data shall cease to be valid with respect to the vehicles contained herein. Errors and misprints excepted. Before purchasing a vehicle, you must obtain comprehensive advice from an authorized dealer regarding the information in our price lists and catalogues, any changes that may have occurred after the printing date, as well as the topics listed below.

II. Extras & Option Packs

Certain combinations of options and extras may not always be possible.

III. Images

Some images show options and extras that are not included in the standard equipment and can only be ordered at additional cost (options & extras). Also, some equipment featured is only found in prototypes or specific country models and do not correspond to the standard equipment, nor can they be ordered as an option or extra. Slight colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded for printing reasons. The decoration shown in the catalogue is not part of the equipment supplied.

IV. Retrofitting

In order not to jeopardise your safety and/or the operating licence of your vehicle, we advise you to have attachments, conversions or installations carried out exclusively by an authorised dealer and to insist on original parts. Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. We reserve the right to make reasonable changes to the design, colour and equipment, insofar as these serve technical progress and/or safety. We reserve the right to make changes to fittings, technical data, series equipment and prices. After conclusion of the contract, we reserve the right to make reasonable technical changes within the scope of the design, insofar as they serve technical progress. Reasonable deviations in colour and quality are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material. (e.g. colour deviations of up to approx. 2.0 ΔE between paint on sheet metal and paint on GRP/plastic).

Important technical and legal information regarding caravan configuration and weight-related data

In road traffic, each caravan is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your caravan when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022: EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your caravan. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your caravan. Our retail partners will also be happy to help you select and configure your caravan.

Information regarding the vehicle's dimensions

The vehicle dimensions (overall length, width and height) stated in the technical specifications are nominal values based on the standard factory specification for the relevant layout. These figures are subject to manufacturing tolerances. The permissible tolerances are derived – in accordance with the regulations on weight declarations – from the same relevant EU regulations (in particular Implementing Regulation (EU) 2021/535 (previously Regulation (EU) No 1230/2012) and amount to up to $\pm 3\%$.

Please note that the factory installation of additional equipment, as well as the retrofitting of accessories (e.g. roof-mounted air conditioning units, awnings, aerials, bike racks or roof boxes), may alter the external dimensions of your vehicle. In particular, the overall height and length of the vehicle may be increased by such attachments.

You must be aware of your vehicle's actual external dimensions when driving on public roads, particularly when passing through areas with height restrictions (e.g. underpasses, bridges, tunnels or car park entrances), when using ferries, and when choosing parking spaces and campsites. It is your responsibility to ensure that the vehicle complies with the applicable size limits. We recommend that you check the actual external dimensions of your vehicle, including any attachments, before setting off and take these into account.

1. The technically permissible maximum mass of the caravan

The 'technically permissible maximum mass' of the caravan is shown in Part I of the registration certificate and refers to the maximum mass that your caravan may weigh when loaded (e.g. 1,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your caravan prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the caravan in running order

The 'mass in running order' refers to the mass of the caravan including the body and standard factory equipment (or 'basic equipment') including a full aluminium gas cylinder, a full fresh water tank, a full flush toilet water tank and a full water heater. For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the caravan, including operating materials such as lubricants, oils and coolants, as well as on-board tools;
- the standard factory equipment, i.e. the basic configuration of the caravan equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank;
- 100% filled aluminium gas cylinder with a capacity of 2.7 kg/5 kg/11 kg and a total weight of 6 kg/10 kg/23 kg;
- 100% filled flush toilet tank;
- 100% filled fresh water heater.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to $\pm 5\%$. These legally permissible tolerances can have a direct impact on the actual mass of your caravan and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your caravan.

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the caravan in running order plus the mass of any optional factory-fitted equipment on a particular caravan.

4. The maximum number of sleeping places

The 'maximum number of sleeping places' for each layout is shown in the technical data.

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a caravan equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level. Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration. The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the caravan by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the caravan by you or your retail partner after the manufacturer has delivered the caravan. Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration. Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass. European legislation stipulates a fixed 'minimum pay-mass' for caravans that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your caravan and is calculated using the following formula:

Minimum pay-mass in kg $\geq 10 * (n + L)$

Where 'n' = maximum number of sleeping places and 'L' = total length of the vehicle body, without drawbar, in metres.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by first subtracting the mass in running order and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to $\pm 5\%$ (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity and/or deselect optional equipment in the caravan configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your caravan cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to $\pm 5\%$. These production-related tolerances of up to $\pm 5\%$ are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be completely ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your caravan and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your caravan.

Example:

Mass in running order according to technical data: 1,320 kg

Legally permissible tolerance of $\pm 5\%$: 66 kg

Legally permissible range of mass in running order 1,254 to 1,386 kg

Based on the above example, if you order the caravan with optional equipment with a total weight of 50 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 130 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your caravan is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 130 kg to 117 kg:

Example:

	1,500 kg	Technically permissible maximum mass
-	1,333 kg	Actual weight of the caravan in running order
	(+ 1% compared to the mass in running order of 1,320 kg stated in the sales literature)	
-	50 kg	Optional equipment ordered for the specifically configured caravan
=	117 kg	Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded caravan prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.

Important Notes

Please note when selecting and configuring your caravan that the factory installation of additional equipment increases the actual mass of the caravan and reduces the payload. The weight specified on the following pages for the additional equipment ("packages", "features" and "options") corresponds to the additional weight compared to the standard equipment of the respective floor plan. The total weight of the configured additional equipment must not exceed the manufacturer-defined maximum mass of additional equipment specified in the technical data. This is a value calculated for each floor plan, with which Knaus Tabbert AG, as manufacturer, defines the maximum mass available for factory-installed additional equipment. The "mass in running order" specified in the technical data is a calculated nominal value subject to production-related variations of up to $\pm 5\%$. These production-related tolerances of up to $\pm 5\%$ are legally permissible and are separately indicated in the technical data following the calculated value. Since these legally permissible tolerances directly affect the actual mass of your caravan and thus also the maximum mass of additional equipment, you should ensure that these are factored in when configuring your caravan. The manufacturer-defined maximum mass of additional equipment is intended to ensure that the statutory minimum payload for luggage and other accessories is actually available for loading after delivery of a caravan by the manufacturer. If the actual vehicle mass increases through the selection of additional equipment to such an extent that, calculated between the actual vehicle mass and the technically permissible gross vehicle mass, there is no longer sufficient loading capacity for the transport of the permitted occupants and the minimum payload, you have, as part of the configuration, in principle the option to select a vehicle uprating (upgrade to a higher permissible gross mass) or to deselect additional equipment. In our configurator, this is then a prerequisite for being able to continue the configuration. If this does not occur, the configuration cannot be continued. Detailed technical and legal information on the subject of "vehicle weights" can be found from page 2 onwards and at "configurator.knaus.com".



Technical Data	660 PXB	660 UDF
List price in EUR including 19% VAT	49.900,-	52.500,-
BASIC EQUIPMENT		
Total length incl. drawbar (cm)	865	865
Overall length of the body length (cm)	739	739
Width (outside) (cm)	250	250
Width (inside) (cm)	234	234
Height (outside) (cm)	262	262
Height (inside) (cm)	196	196
Awning dimensions (cm) (Hints: H139)	1.101	1.101
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H717)	1.901 (1.805 - 1.996)	1.966 (1.867 - 2.064)
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H717)	1.901 (1.805 - 1.996)	1.966 (1.867 - 2.064)
Technically maximum authorised laden mass (kg) (Hints: H717)	2.200	2.200
Maximum payload (kg) (Hints: H717)	165	80
Tyre size	195/70 R14 96 M	195/70 R14 96 M
Rim size	6Jx14 H2 (Alu) - Silber	6Jx14 H2 (Alu) - Silber
Beds (Hints: H141)	3	5
Max. number of beds (Hints: H142)	3	6
BODY		
Total number of hinged windows (Hints: H716)	6	7
Body door (width x height)	70 x 181	60 x 181
Wall thickness, roof (mm)	31	31
Wall thickness, side wall (mm)	31	31
Wall thickness, floor (mm)	50	50

Technical Data	660 PxB	660 UDF
LIVING AREA		
Bed size, front (cm) (Hints: H192)	–	216 x 175/133
Bed size, middle (cm) (Hints: H192)	204 x 107	185 x 102
Bed size, rear (cm) (Hints: H192)	200 x 146	205 x 148
Queen-size bed	s	–
French double bed	–	s
WATER		
Waste water volume in liters	25	25
Fresh water volume in liters	45	45
KITCHEN		
Refrigerator (ltr.)	157	157
ELECTRICAL SUPPLY		
Number of 230 V socket(s)	6	5
Number of USB socket(s)	6	4

Art. No.		List price [EUR]*
210083	TV Package 27" (9 kg)	
250941	Combi external socket (electricity + TV)	130,-
251261-01	TV holder	235,-
253609	27" SMART TV set with HD tuner (Hints: H145)	1.130,-
253651	External LTE / WIFI antenna	990,-
Total price options		2.485,-
Package Price		2.175,-
Saving		310,-

Art. No.		List price [EUR]*
114109	Winter Package (9 kg)	
102864	Drawbar cover in aluminium checker plate	199,-
104720	Winter cover for gas tank, including a cover for the parking brake mechanism and handbrake lever	490,-
304685	Gas inlet socket in the bow area – for winter camping	305,-
Total price options		994,-
Package Price		649,-
Saving		345,-

Art. No.		List price [EUR]*
114760	Design-Paket Silver Metallic - tandem-axle (47 kg)	
100570	Drawbar cover	159,-
104675	Body design: Silver Metallic – Single-axle	2.990,-
152519	17" light alloy rims - tandem-axle, black gloss front-polished in exclusive KNAUS design	1.570,-
Total price options		4.719,-
Package Price		2.990,-
Saving		1.729,-

Art. No.	In Package / Option		kg	List price [EUR]*	660 PxB	660 UDF
		Packages				
210083		TV Package 27"	9	2.175,-	o	o
114109		Winter Package	9	649,-	o	o
114760		Design-Paket Silver Metallic - tandem-axle	47	2.990,-	o	o
		Chassis / Load Increase				
152831		AL-KO chassis with semi-trailing arm axle			s	s
152589		AL-KO AAA Premium Brake			s	s
150997		AL-KO Trailer Control-ATC - Anti-skid system (2.0)	4	1.061,-	o	o
152835		Tandem-axle			s	s
151110		Support wheel with integrated support load display			s	s
150065		AL-KO heavy-duty crank supports			s	s
100570	114760	Drawbar cover	4	159,-	o	o
102864	114109	Drawbar cover in aluminium checker plate	6	199,-	o	o
104720	114109	Winter cover for gas tank, including a cover for the parking brake mechanism and handbrake lever	3	490,-	o	o
150267		Stabiliser safety coupling (Dependencies: ABH367)			s	s
152836		Hydraulic wheel shock absorbers			s	s
152837		Automatic reverse drive			s	s
152838		Servo-assisted handbrake			s	s
151678		Hydraulic supports (levelling system)	46	4.350,-	o	o
		Load Increase				
150111-28		Load increase to 2.200 kg*** (2.500 kg chassis) (Hints: H724)			s	s
150111-40		Load increase to 2.300 kg*** (2.500 kg chassis) (Hints: H724)		130,-	o	o
150111-14		Load increase to 2.500 kg*** (2.500 kg chassis) (Hints: H724)		130,-	o	o
		Tyres				
152827		14" tyres			s	s
150110		Alloy rims - tandem-axle (Dependencies: ABH489)			s	s
152519	114760	17" light alloy rims - tandem-axle, black gloss front-polished in exclusive KNAUS design (Dependencies: ABH491)	43	1.570,-	o	o
		Transport Systems				
104673		Bicycle rack for 2 bikes, tow bar: THULE Superb XT, black	10	489,-	o	o
102514		Bicycle carrier for 2 bikes, rear: THULE LIFT V16	17	849,-	o	o
152071		TRUMA Mover XT 2 (Dependencies: ABH490, ABH369)	28	4.925,-	o	o
152072		TRUMA Mover XT 4 (Dependencies: ABH369)	60	7.690,-	o	o
		Spare Tyre				
150122		Spare tyre (steel rim) incl. jack (Dependencies: ABH365, ABH366)	21	275,-	o	o
152565		Spare tyre 17" alloy rim in KNAUS design incl. jack (Dependencies: ABH372)	31	649,-	o	o
150027		Spare tyre holder in the gas locker	1	73,-	o	o
152713		Spare tyre holder for 17" alloy rim in KNAUS design, mounted on underbody (Dependencies: ABH373)	7	309,-	o	o
		Doors				
102564		Body door: KNAUS PREMIUM			s	s
102577		Multifunctional bag in KNAUS design			s	s
100832		Insect screen door			s	s
102840		One-key locking system			s	s
		Service hatches / Garage doors				
		Front				
102914-03		Gas locker with outer hatch, equippable with 2 x 11 kg gas bottles			s	s
102435-06		Service hatch 34.9 x 29.6 cm, bow left			s	s
100612-03		Service hatch 100 x 30.5 cm, bow left (Dependencies: ABH487)	2	308,-	-	o
100612-08		Service hatch 100 x 30.5 cm, bow right	2	308,-	-	o
100612-28		Service flap front left 70 x 40,5 cm			s	-
		Rear				
102915-04		KNAUS ServiceBox			s	s
100612-22		Service hatch 100 x 40.5 cm, rear left (Dependencies: ABH350)			s	-
100612-26		Service hatch 100 x 40.5 cm, rear right			-	s
		Windows / Roof Hoods / Ventilation				
101820		Frame window SEITZ S7P			s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.knaus.com".

Please note the hints and dependencies from page 12 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	660 PxB	660 UDF
		Front				
100918		Hinged window (bow)			s	s
104662		No panoramic window in the front (Dependencies: ABH488)			-	o
102619-01		Roof hood 40 x 40 cm with insect screen and blackout, clear (bow)	3	215,-	s	o
100170-01		Roof hood (lift-tilt) 96 x 65 cm with insect screen and blackout (bow)			-	s
		Centre				
102619-02		Roof hood 40 x 40 cm with insect screen and blackout, clear (centre)	3	215,-	o	s
100170-02		Roof hood (lift-tilt) 96 x 65 cm with insect screen and blackout (centre)			s	-
		Rear				
102017		Hinged window (rear)	6	570,-	-	o
102619-03		Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)			s	s
101944		Panorama skylight 130 x 45 cm (rear)	12	689,-	o	-
		Toilet Room				
100960-04		Roof hood 28 x 28 cm with insect screen, (toilet room)			s	s
454674		Mould-preventing ventilator with an electric fan in the shower			s	s
101666-22		Hinged window 52 x 50 cm with insect screen and blackout, toilet room			s	s
		Materials / Vehicle Graphics				
		Materials				
100887		GRP roof with reduced hail sensitivity			s	s
104675	114760	Body design: Silver Metallic – Single-axle		2.990,-	o	o
101605-01		Side walls in smooth sheet metal - tandem-axle			s	s
103776-02		Body design white — tandem axle			s	s
102925-06		Edge trim with trim panel – front and rear			s	s
		Vehicle Graphics				
103551-42		High-quality product graphic in Charcoal Grey Metallic			s	s
103760-04		{BRAND} badges on the front and rear, black			s	s
		Lighting / Technology				
252936		Awning light LED			s	s
252938-01		LED navigation lights at the bow			s	s
252938-02		LED contour lighting			s	s
102933-23		{BRAND} CATEYE evolution rear light, with exclusive night signature and dynamic indicators in full LED technology			s	s
102933-20		* flush integration into the rear carrier * particularly homogeneous light pattern * luminaire length over almost the entire width of the vehicle * increased driving safety due to optimum visibility			s	s
104688		Integrated contour lighting, dimmable (awning side)	2	340,-	o	o
		Furniture / Surfaces				
552941-02		Ventilated cabinets and cupboards			s	s
552941-40		Rear ventilation and raised floors optimised for the ALDE heating system. Optimal air circulation throughout the vehicle.			s	s
552940-38		Furniture decor: Nogal Mediterraneo			s	s
552944-02		Vinyl flooring - Natural Oak			s	s
552941-16		Storage locker hatches with soft-close function			s	s
552941-17		Kitchen drawers with soft-close function			s	s
552941-41		Pharmacy cabinet in the kitchen unit with a soft-close mechanism			s	s
		Living / Sleeping / Upholstery and Fabrics				
		Living				
552954-06		Textile room divider			s	s
552009		Flexible table shifting function	4	206,-	o	o
552954-15		Textile wall panelling with wall lamps in the seating area			s	s
552954-16		Textile wall panelling used as a headboard with wall lamps			s	s
554677		Relax function: Extendable seat cushions and reclining backrest		199,-	o	o
554678		Built-in drawers beneath the seating area (Dependencies: ABH503)		129,-	o	o
551966		Wall cladding above bed			s	s
552960-16		Dinette with ceiling cupboard			-	s
		Sleeping				
552574		EvoPore HRC mattress incl. WaterGEL topper, fixed beds only			s	s
552945-17		EvoPore HRC mattress, not with folding bed (Dependencies: ABH501)			-	o
554638		Slatted frame with disc springs			s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.knaus.com".

Please note the hints and dependencies from page 12 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	660 PxB	660 UDF
551687		Bunk bed (double) (Dependencies: ABH498, ABH499)		131,-	-	o
554737		Klappbett anstatt Deckenschrank über Dinette (Dependencies: ABH504, ABH499)			-	o
552369		Fitted sheet set, precisely fitting for the mattress shape - for 2 beds (fixed beds)	1	99,-	-	o
552370-01		Fitted sheet set, designed to fit the mattress perfectly – for 3 or 5 sleeping spots (fixed bed, bunk bed, and fold-out bed) (Dependencies: ABH500)		153,-	o	o
552370		Fitted sheet set, precisely fitting for the mattress shape - for 4 or 5 beds (fixed bed and bunk bed) (Dependencies: ABH411)	1	153,-	-	o
		Upholstery / Fabrics / Carpets				
		Upholstery Variants				
554679-01		Upholstery: COSY TOUCH			s	s
554679-02		Upholstery: DARK OAT			o	o
552188-15		Upholstery: ACTIVE PINE		459,-	o	o
		COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner				
550660-15		COZY HOME pack URBAN SAND	3	228,-	o	o
550660-16		COZY HOME pack NORDIC DOTS	3	228,-	o	o
550660-17		COZY HOME pack SCANDIC GREEN	3	228,-	o	o
		Carpets				
550077		Carpet floor - body length from 600	6	449,-	o	o
		Kitchen / Bathroom				
		Kitchen				
404553		Combination hob with gas and induction hobs (can only be used with 230 V)			s	s
404554-01		Refrigerator 157 litre compressor with double door hinge (Hints: H128, H184)			s	s
402806		Refrigerator 133 ltr. (Hints: H128, H184)		435,-	o	o
NEU					s	s
404684		3-in-1 oven		429,-	o	o
		Bathroom Area				
453503-03		Cassette toilet DOMETIC swivelling			s	s
450520-04	450098-01	Comfort washroom consisting of: Shower fitting, shower rail/holder, shower door			s	s
453509-07		Folding clothes rail in the toilet room or shower			s	s
		Heating / Air conditioning / Gas Supply / Water Supply				
		Gas Supply				
302973		Gas system 30 mbar (Dependencies: ABH386)			s	s
302974		Gas hose version D/AT/ES/FI/BE/IT/NL/DK			s	s
302978		Gas regulator version D/AT/ES/FI/BE/IT/NL/DK			s	s
301057		Remote display DuoC (Ice Ex integrated) (Dependencies: ABH050)		197,-	o	o
301956		TRUMA MonoControl CS (incl. gas filter) (Dependencies: ABH051)	1	370,-	o	o
301957		TRUMA DuoControl CS (incl. gas filter) (Dependencies: ABH051)	1	499,-	o	o
304685	114109	Gas inlet socket in the bow area – for winter camping (Dependencies: ABH495)		305,-	o	o
300518		External gas socket	1	268,-	o	o
		Heating / Air conditioning				
450098-01		ALDE hot water heating (Dependencies: ABH496)			s	s
351967		ALDE hot water underfloor heating (Dependencies: ABH389)			s	s
352966	450098-01	Heating control panel ALDE LCD (Dependencies: ABH389)			s	s
554394		DOMETIC FJZ4 2200 FS air conditioner, white (Dependencies: ABH407)	30	2.798,-	o	o
554394-01		DOMETIC FJZ4 2200 FS air conditioner, black (Dependencies: ABH502)	30	2.798,-	o	o
552078		Preparation for air conditioning			s	s
		Water Supply				
453510-01		Water supply with submerged pump			s	s
453510-03		Hot water supply with single-lever mixer tap			s	s
450623		Fresh water tank 45 ltr., fixed installation			s	s
450092	450098-01	Waste water tank 25 ltr., rollable			s	s
454686		Waste water tank, 45 litres, insulated and built-in	7	199,-	o	o
454687		Integrated mains water connection with direct supply	3	165,-	o	o
450563	250376-01, 251729-01	Level indicator for fresh water tank		215,-	o	o
		Electronics / Multimedia / Safety				
		Electronics				

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.knaus.com".

Please note the hints and dependencies from page 12 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	660 PxB	660 UDF
253525		Electric coupling plug to the towing vehicle, Jäger 13-pin			s	s
253534-03		Interior lighting in LED technology			s	s
250941	210083	Combi external socket (electricity + TV)		130,-	o	o
253517		230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version			s	s
251729-01		Mobile system 12 V with automatic charger, main switch and level indicator for fresh water (Dependencies: ABH377)	5	905,-	o	o
250376-01		Mobile system 12 V with AGM battery, automatic charger, main switch and fresh water level indicator (Dependencies: ABH377, ABH492)	29	1.281,-	o	o
252524		Atmospheric ambient lighting			s	s
254706		LiFePO4-board battery (100 Ah) (Dependencies: ABH494, ABH384)	12	1.090,-	o	o
		Multimedia				
250006-06		TV preparation with socket and cable laying			s	s
552597		TV furniture incl. 32" TV and TV holder	1	1.550,-	o	-
252583		Complete antenna system Oyster 60 Premium, Twin (Dependencies: ABH045, Hints: H145)	15	2.985,-	o	o
253609	210083	27" SMART TV set with HD tuner (Dependencies: ABH493, Hints: H145)	4	1.130,-	o	o
251261-01	210083	TV holder	2	235,-	o	o
252905		KNAUS Bluetooth sound system			s	s
253651	210083	External LTE / WIFI antenna	3	990,-	o	o
		Awning / Awning Accessories				
		Awning THULE OMNISTOR				
501997		Awning 455 x 250 cm - on-roof mounting, white (Dependencies: ABH453, ABH407)	33	1.872,-	o	o
501997-01		Awning 455 x 250 cm - on-roof mounting, anthracite (Dependencies: ABH453, ABH497)	33	1.872,-	o	o
		Miscellaneous				
953542-01		Operating instruction (German)			s	s
951036		MOT and registration document		229,-	o	o
		Accessories				
953543		10-year leak-proofness guarantee			s	s
150620		Breakdown service set	2	130,-	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.knaus.com".

Please note the hints and dependencies from page 12 onwards.
* List Price = List price in EUR including 19% VAT

IMPORTANT HINTS AND DEPENDENCIES

HINTS

H128	Gas operation while driving only permitted with Mono or Duo Control
H139	The specified perimeter of the awning is determined by the use of vehicles with standard equipment; this perimeter may vary if certain optional extras are selected (e.g. load increases / tyres).
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your KNAUS dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H184	This refrigerator cannot be operated with 12 V, the existing AES function only works to a limited extent. Your KNAUS dealer will tell you more about this.
H192	The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your KNAUS dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).
H716	Inner surface with insect screen and blackout
H717	Maximum vehicle payload (kg) as defined in the KNAUS catalogue indications = difference between technically permissible total mass and mass in running order. Please refer to the further notes and explanations on page [Seitenzahl].
H724	*** The weight stated is the technically permissible total mass.

DEPENDENCIES

ABH045	Only with 253609	ABH488	Replaces 101944
ABH050	Only with 301957	ABH489	Replaces 151634
ABH051	Replaces 302978 along with 302979 along with 302980 along with 302981	ABH490	Not with 150111-14 or 150112-25
ABH350	Not with 100526-21	ABH491	Replaces 150110 along with 152829 along with 151634 along with 152827
ABH365	Not with 152545 or 152519	ABH492	Not with 254706
ABH366	Only with 150027	ABH493	Only with 251261-01
ABH367	Contains 953557	ABH494	Not with 152072 or 919067
ABH369	Only with 250376-01	ABH495	Only with 301956 or 301957 or 302465
ABH372	Only with 152713 or 150027	ABH496	Contains 352966 along with 450520-04 along with 450092
ABH373	Only with 152545 or 152519	ABH497	Only with 104675 or 104676 or 224724
ABH377	Contains 450563	ABH498	Not with 554737
ABH384	Only with 251729 or 251729-01	ABH499	Replaces 552960-16
ABH386	Contains 302983	ABH500	Only with 554737
ABH389	Only with 450098-01	ABH501	Only with 554737 or 551687
ABH407	Only with 103776-02 or 103776-03	ABH502	Only with 104675
ABH411	Only with 551687	ABH503	Not with 100612-08
ABH453	Not with 100577	ABH504	Not with 551687
ABH487	Replaces 102435-06		



 facebook.knaus.com

 [@knaus_official](https://www.instagram.com/knaus_official)

 [@knaus_official](https://www.tiktok.com/@knaus_official)

 youtube.knaus.com

 schwalbenblog.knaus.com

 shop.knaus.com

knaus.com

Knaus Tabbert AG Helmut-Knaus-Str. 1 D-94118 Jandelsbrunn

KNAUS
FREIHEIT, DIE BEWEGT.