WEINSBERG

Dein Urlaub!

Price List Model Year 2027-1

CaraOne

EN | DE

Data as of: 29.10.2026

IMPORTANT TECHNICAL AND LEGAL INFORMATION

I. General

This document is valid from July 2026 for vehicles of model year 2027. Any previous price lists, brochure information and technical data shall cease to be valid with respect to the vehicles contained herein. Errors and misprints excepted. Before purchasing a vehicle, you must obtain comprehensive advice from an authorized dealer regarding the information in our price lists and catalogues, any changes that may have occurred after the printing date, as well as the topics listed below.

II. Extras & Option Packs

Certain combinations of options and extras may not always be possible.

III. Images

Some images show options and extras that are not included in the standard equipment and can only be ordered at additional cost (options & extras). Also, some equipment featured is only found in prototypes or specific country models and do not correspond to the standard equipment, nor can they be ordered as an option or extra. Slight colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded for printing reasons. The decoration shown in the catalogue is not part of the equipment supplied.

IV. Retrofitting

In order not to jeopardise your safety and/or the operating licence of your vehicle, we advise you to have attachments, conversions or installations carried out exclusively by an authorised dealer and to insist on original parts. Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. We reserve the right to make reasonable changes to the design, colour and equipment, insofar as these serve technical progress and/or safety. We reserve the right to make changes to fittings, technical data, series equipment and prices. After conclusion of the contract, we reserve the right to make reasonable technical changes within the scope of the design, insofar as they serve technical progress. Reasonable deviations in colour and quality are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material. (e.g. colour deviations of up to approx. 2.0 ΔE between paint on sheet metal and paint on GRP/plastic).

Important technical and legal information regarding caravan configuration and weight-related data

In road traffic, each caravan is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your caravan when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022: EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your caravan. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your caravan. Our retail partners will also be happy to help you select and configure your caravan.

Information regarding the vehicle's dimensions

The vehicle dimensions (overall length, width and height) stated in the technical specifications are nominal values based on the standard factory specification for the relevant layout. These figures are subject to manufacturing tolerances. The permissible tolerances are derived – in accordance with the regulations on weight declarations – from the same relevant EU regulations (in particular Implementing Regulation (EU) 2021/535 (previously Regulation (EU) No 1230/2012) and amount to up to ± 3 %.

Please note that the factory installation of additional equipment, as well as the retrofitting of accessories (e.g. roof-mounted air conditioning units, awnings, aerials, bike racks or roof boxes), may alter the external dimensions of your vehicle. In particular, the overall height and length of the vehicle may be increased by such attachments.

You must be aware of your vehicle's actual external dimensions when driving on public roads, particularly when passing through areas with height restrictions (e.g. underpasses, bridges, tunnels or car park entrances), when using ferries, and when choosing parking spaces and campsites. It is your responsibility to ensure that the vehicle complies with the applicable size limits. We recommend that you check the actual external dimensions of your vehicle, including any attachments, before setting off and take these into account.

1. The technically permissible maximum mass of the caravan

The 'technically permissible maximum mass' of the caravan is shown in Part I of the registration certificate and refers to the maximum mass that your caravan may weigh when loaded (e.g. 1,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your caravan prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the caravan in running order

The 'mass in running order' refers to the mass of the caravan including the body and standard factory equipment (or 'basic equipment') including a full aluminium gas cylinder, a full fresh water tank, a full flush toilet water tank and a full water heater.
For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the caravan, including operating materials such as lubricants, oils and coolants, as well as on-board tools;
- the standard factory equipment, i.e. the basic configuration of the caravan equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank;
- 100% filled aluminium gas cylinder with a capacity of 2.7 kg/5 kg/11 kg and a total weight of 6 kg/10 kg/23 kg;
- 100% filled flush toilet tank;
- 100% filled fresh water heater.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your caravan and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your caravan.

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the caravan in running order plus the mass of any optional factory-fitted equipment on a particular caravan.

4. The maximum number of sleeping places

The 'maximum number of sleeping places' for each layout is shown in the technical data.

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a caravan equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level. Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration. The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the caravan by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the caravan by you or your retail partner after the manufacturer has delivered the caravan. Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration. Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass. European legislation stipulates a fixed 'minimum pay-mass' for caravans that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your caravan and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)

Where 'n' = maximum number of sleeping places and 'L' = total length of the vehicle body, without drawbar, in metres.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by first subtracting the mass in running order and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity and/or deselect optional equipment in the caravan configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your caravan cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be completely ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your caravan and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your caravan.

Example:

Mass in running order according to technical data:1,320 kg

Legally permissible tolerance of ± 5%: 66 kg

Legally permissible range of mass in running order 1,254 to 1,386 kg

Based on the above example, if you order the caravan with optional equipment with a total weight of 50 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 130 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your caravan is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 130 kg to 117 kg:

Example:

	1,500 kg	Technically permissible maximum mass
-	1,333 kg	Actual weight of the caravan in running order
	(+ 1% compared to the mass in running order of 1,320 kg stated in the sales literature)	
-	50 kg	Optional equipment ordered for the specifically configured caravan
=	117 kg	Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded caravan prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.

Important Notes

Please note when selecting and configuring your caravan that the factory installation of additional equipment increases the actual mass of the caravan and reduces the payload. The weight specified on the following pages for the additional equipment ("packages", "features" and "options") corresponds to the additional weight compared to the standard equipment of the respective floor plan. The total weight of the configured additional equipment must not exceed the manufacturer-defined maximum mass of additional equipment specified in the technical data. This is a value calculated for each floor plan, with which Knaus Tabbert AG, as manufacturer, defines the maximum mass available for factory-installed additional equipment. The "mass in running order" specified in the technical data is a calculated nominal value subject to production-related variations of up to ± 5 %. These production-related tolerances of up to ± 5 % are legally permissible and are separately indicated in the technical data following the calculated value. Since these legally permissible tolerances directly affect the actual mass of your caravan and thus also the maximum mass of additional equipment, you should ensure that these are factored in when configuring your caravan. The manufacturer-defined maximum mass of additional equipment is intended to ensure that the statutory minimum payload for luggage and other accessories is actually available for loading after delivery of a caravan by the manufacturer. If the actual vehicle mass increases through the selection of additional equipment to such an extent that, calculated between the actual vehicle mass and the technically permissible gross vehicle mass, there is no longer sufficient loading capacity for the transport of the permitted occupants and the minimum payload, you have, as part of the configuration, in principle the option to select a vehicle uprating (upgrade to a higher permissible gross mass) or to deselect additional equipment. In our configurator, this is then a prerequisite for being able to continue the configuration. If this does not occur, the configuration cannot be continued. Detailed technical and legal information on the subject of "vehicle weights" can be found from page 2 onwards and at "configurator.knaus.com".



Technical Data	390 QD	400 LK	420 QD	450 FU
List price in EUR including 19% VAT	16.650,-	16.790,-	17.890,-	20.290,-
BASIC EQUIPMENT				
Total length incl. drawbar (cm)	592	592	634	658
Overall length of the body length (cm)	460	460	502	526
Width (outside) (cm)	220	220	220	232
Width (inside) (cm)	204	204	204	216
Height (outside) (cm)	257	257	257	257
Height (inside) (cm)	196	196	196	196
Awning dimensions (cm) (Hints: H139)	855	855	897	921
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140, H719)	943 (895 - 990)	948 (900 - 995)	1.063 (1.009 - 1.116)	1.053 (1.000 - 1.105)
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140, H719)	946 (898 - 993)	951 (903 - 998)	1.066 (1.012 - 1.119)	1.056 (1.003 - 1.108)
Technically maximum authorised laden mass (kg) (Hints: H719)	1.200	1.200	1.350	1.350
Maximum payload (kg)	143	138	173	181
Tyre size	195/70 R14 96 M	195/70 R14 96 M	195/70 R14 96 M	195/70 R14 96 M
Rim size	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber
Beds (Hints: H141)	4	4	4	4
Max. number of beds (Hints: H142)	4	5	4	4
BODY				
Total number of hinged windows	5	5	5	6
Body door (width x height)	60 x 181	60 x 181	70 x 181	60 x 181
Wall thickness, roof (mm)	33	33	33	33
Wall thickness, side wall (mm)	33	33	33	33
Wall thickness, floor (mm)	40	40	40	40
LIVING AREA				
Bed size, front (cm) (Hints: H192)	196 x 140/128	185 x 152/146	196 x 140	199 x 137

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.


Please note the hints and dependencies from page 14 onwards.

Technical Data	390 QD	400 LK	420 QD	450 FU
Bed size, middle (cm) (Hints: H192)	–	–	–	–
Bed size, rear (cm) (Hints: H192)	187 x 117/88	199 x 74; 199 x 70	181 x 117/88	199 x 152/128
Single bed	–	–	–	–
Transverse bed	s	–	s	–
French double bed	–	–	–	s
Bunk beds	–	s	–	–
WATER				
Fresh water volume in liters	15	15	15	15
KITCHEN				
Refrigerator (ltr.)	98	98	98	98
ELECTRICAL SUPPLY				
Number of 230 V socket(s)	2	2	2	2

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 14 onwards.

CaraOne (2027)



Technical Data	480 EU	480 QDK	500 FDK	550 QDK
List price in EUR including 19% VAT	21.450,-	21.890,-	22.290,-	23.530,-
BASIC EQUIPMENT				
Total length incl. drawbar (cm)	706	706	722	760
Overall length of the body length (cm)	574	574	586	628
Width (outside) (cm)	232	232	232	232
Width (inside) (cm)	216	216	216	216
Height (outside) (cm)	257	257	257	257
Height (inside) (cm)	196	196	196	196
Awning dimensions (cm) (Hints: H139)	969	969	981	1.021
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140, H719)	1.153 (1.095 - 1.210)	1.153 (1.095 - 1.210)	1.148 (1.090 - 1.205)	1.248 (1.185 - 1.310)
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140, H719)	1.156 (1.098 - 1.213)	1.156 (1.098 - 1.213)	1.151 (1.093 - 1.208)	1.251 (1.188 - 1.313)
Technically maximum authorised laden mass (kg) (Hints: H719)	1.350	1.350	1.400	1.500
Maximum payload (kg)	71	61	103	111
Tyre size	195/70 R14 96 M	195/70 R14 96 M	185 R14C 102 M	185 R14C 102 M
Rim size	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber
Beds (Hints: H141)	4	5	5	5
Max. number of beds (Hints: H142)	4	7	7	7
BODY				
Total number of hinged windows	6	6	6	6
Body door (width x height)	60 x 181	70 x 181	70 x 181	70 x 181
Wall thickness, roof (mm)	33	33	33	33
Wall thickness, side wall (mm)	33	33	33	33
Wall thickness, floor (mm)	40	40	40	40
LIVING AREA				
Bed size, front (cm) (Hints: H192)	212 x 85; 194 x 85	208 x 140	198 x 137	208 x 139
Bed size, middle (cm) (Hints: H192)	–	183 x 95/124	183 x 95/124	183 x 94/124
Bed size, rear (cm) (Hints: H192)	199 x 140/128	211 x 74; 211 x 70	211 x 74; 211 x 70	187 x 76; 188 x 70
Single bed	s	–	–	–
Transverse bed	–	s	–	s
French double bed	–	–	s	–
Bunk beds	–	s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 14 onwards.

Technical Data	480 EU	480 QDK	500 FDK	550 QDK
WATER				
Fresh water volume in liters	15	15	15	15
KITCHEN				
Refrigerator (ltr.)	98	133	133	133
ELECTRICAL SUPPLY				
Number of 230 V socket(s)	2	2	2	2

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 14 onwards.

Art. No.		List price [EUR]*
151010	Smart Package (22 kg)	
101712	Combination roller blinds on the windows (blackout and insect screen)	269,-
150267	Stabiliser safety coupling	448,-
450623	Fresh water tank 45 ltr., fixed installation	299,-
551054	Air circulation system 12 V	342,-
	Total price options	1.358,-
	Package Price	945,-
	Saving	413,-

Art. No.		List price [EUR]*
151015	Advanced Package (17 kg)	
100750	Roof hood (lift-tilt) 70 x 50 cm with insect screen and darkening	509,-
100832	Insect screen door	329,-
450083	TRUMA Therme with connection for kitchen and washroom (230 V operation only)	399,-
450092	Waste water tank 25 ltr., rollable	165,-
450520	Shower extension washroom (shower fitting with holder and shower curtain)	296,-
	Total price options	1.698,-
	Package Price	1.090,-
	Saving	608,-

Art. No.		List price [EUR]*
151105	Exterior package (21 kg)	
100570	Drawbar cover	159,-
101604	Side walls in plain sheet, white - mono-axle	1.666,-
103551	Special Foil Graphics	
150109	Alloy rims - mono-axle	512,-
	Total price options	2.337,-
	Package Price	990,-
	Saving	1.347,-

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	390 QD	400 LK	420 QD	450 FU	480 EU	480 QDK	500 FDK	550 QDK
		Packages										
151010		Smart Package	22	945,-	o	o	o	o	o	o	o	o
151015		Advanced Package	17	1.090,-	o	o	o	o	o	o	o	o
151105		Exterior package	21	990,-	o	o	o	o	o	o	o	o
		Chassis / Load Increase										
152832		AL-KO chassis with trailing arm axle			s	s	s	s	s	s	s	s
150997		AL-KO Trailer Control-ATC - Anti-skid system (2.0)	4	1.061,-	o	o	o	o	o	o	o	o
152834		Mono-axle			s	s	s	s	s	s	s	s
152850-01		Stand fixation with crank supports			s	s	s	s	s	s	s	s
150065-01		Heavy load crank supports	2	165,-	o	o	o	o	o	o	o	o
100570	151105	Drawbar cover	4	159,-	o	o	o	o	o	o	o	o
150267	151010	Stabiliser safety coupling (Dependencies: ABH248)	4	448,-	o	o	o	o	o	o	o	o
151110		Support wheel with integrated support load display		79,-	o	o	o	o	o	o	o	o
152836		Hydraulic wheel shock absorbers			s	s	s	s	s	s	s	s
152862		5-point wheel mounting			s	s	s	s	s	s	s	s
152837		Automatic reverse drive			s	s	s	s	s	s	s	s
152838		Servo-assisted handbrake			s	s	s	s	s	s	s	s
		Load Increase										
150111-03		Load increase to 1.200 kg*** (1.350 kg chassis) (Hints: H724, H81)			s	s	-	-	-	-	-	-
150111-07		Load increase to 1.250 kg*** (1.350 kg chassis) (Hints: H724, H81)		130,-	-	-	o	-	o	o	-	-
150111-44		Load increase to 1.300 kg*** (1.350 kg chassis) (Hints: H724, H81)		130,-	-	-	o	o	o	o	-	-
150111-04		Load increase to 1.350 kg*** (1.350 kg chassis) (Hints: H724, H81)		130,-	o	o	s	s	s	s	-	-
150111-24		Load increase to 1.400 kg*** (1.500 kg chassis) (Hints: H724, H81)		130,-	-	-	-	-	-	-	-	o
150112-02		Load increase to 1.400 kg*** (1.500 kg chassis) (Hints: H724, H81)	12	665,-	-	-	-	o	o	o	s	-
150111-09		Load increase to 1.500 kg*** (1.500 kg chassis) (Hints: H724, H81)			-	-	-	-	-	-	-	s
150112-03		Load increase to 1.500 kg*** (1.500 kg chassis) (Hints: H724, H81)	12	665,-	-	-	-	o	o	o	o	-
150112-08		Load increase to 1.600 kg*** (1.700 kg chassis) (Hints: H724, H81)	30	665,-	-	-	-	-	-	-	o	o
150112-09		Load increase to 1.700 kg*** (1.700 kg chassis) (Hints: H724, H81)	30	665,-	-	-	-	-	-	-	o	o
		Tyres										
152827		14" tyres			s	s	s	s	s	s	s	s
152829		Steel rims (Dependencies: ABH253)			s	s	s	s	s	s	s	s
150109	151105	Alloy rims - mono-axle		512,-	o	o	o	o	o	o	o	o
151634		wheel covers in WEINSBERG Design (Dependencies: ABH249, ABH250)	1	79,-	o	o	o	o	o	o	o	o
152748		17" alloy rims - mono-axle, anthracite painted in exclusive WEINSBERG design (Dependencies: ABH252)	21	899,-	o	o	o	o	o	o	o	o
152750		17" alloy rims - mono-axle, black gloss front-polished in exclusive WEINSBERG design (Dependencies: ABH252)	21	899,-	o	o	o	o	o	o	o	o
		Transport Systems										
104673		Bicycle rack for 2 bikes, tow bar: THULE Superb XT, black	10	489,-	o	o	o	o	o	o	o	o
		Spare Tyre										
150122		Spare tyre (steel rim) incl. jack (Dependencies: ABH246, ABH247)	21	275,-	o	o	o	o	o	o	o	o
151728		Spare tyre alloy rim with standard tyres (Dependencies: ABH251)	21	367,-	o	o	o	o	o	o	o	o
150027		Spare tyre holder in the gas locker	1	73,-	o	o	o	o	o	o	o	o
		Doors										
102906		Body door: WEINSBERG TREND			s	s	s	s	s	s	s	s
100832	151015	Insect screen door	4	329,-	o	o	o	o	o	o	o	o
102840		One-key locking system			s	s	s	s	s	s	s	s
		Service hatches / Garage doors										
		Front										
100612-02		Service hatch 70 x 40.5 cm, bow left	2	308,-	o	-	o	-	-	-	-	-
100612-04		Service hatch 100 x 40.5 cm, bow left	2	308,-	-	-	-	o	o	o	o	o
100612-08		Service hatch 100 x 30.5 cm, bow right	2	308,-	-	o	-	-	-	-	-	-
100612-09		Service hatch 100 x 40.5 cm, bow right	2	308,-	o	-	o	-	o	o	-	o
102914-02		Gas locker with outer hatch and metal floor, equippable with 2 x 11 kg gas bottles			s	s	s	s	s	s	s	s
		Rear										
100612-19		Service hatch 70 x 30.5 cm, rear left	1	308,-	-	-	-	o	o	-	-	-

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 14 onwards.

* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	390 QD	400 LK	420 QD	450 FU	480 EU	480 QDK	500 FDK	550 QDK
100612-22		Service hatch 100 x 40.5 cm, rear left (Dependencies: ABH239)	2	308,-	-	-	-	-	-	-	-	o
101958-01		Garage door 60 x 95 cm, left (Dependencies: ABH241)	4	495,-	-	o	-	-	-	o	o	-
100612-23		Service hatch 70 x 30.5 cm, rear right	1	308,-	-	-	-	o	o	-	-	-
101958-02		Garage door 60 x 95 cm, right (Dependencies: ABH241)	4	495,-	-	o	-	-	-	o	o	-
100526-21		Garage door 100 x 120 cm, left (Dependencies: ABH236, ABH237, ABH238)	8	525,-	-	-	-	-	-	-	-	o
		Windows / Roof Hoods / Ventilation										
101712	151010	Combination roller blinds on the windows (blackout and insect screen)	11	269,-	o	o	o	o	o	o	o	o
102923-01		Windows with double glazing tinted, curtained and hinged (window in kitchen area with insect screen and blackout)			s	s	s	s	s	s	s	s
103770		3 windows on bunk bed (triple), lateral (Dependencies: ABH244, ABH245)	12		-	-	-	-	-	-	-	o
		Front										
102619-01		Roof hood 40 x 40 cm with insect screen and blackout, clear (bow)			-	s	-	s	s	s	s	s
100750-01	151015	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (bow)	8	509,-	-	o	-	-	-	-	-	-
102920-01		Mushroom fan (bow)			s	-	s	-	-	-	-	-
101850		Hinged window (bow)	6	495,-	o	o	o	o	o	o	o	o
		Centre										
102619-02		Roof hood 40 x 40 cm with insect screen and blackout, clear (centre) (Dependencies: ABH242)	3	215,-	o	-	o	-	-	s	s	s
100750-02	151015	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (centre)	8	509,-	-	-	-	-	-	o	o	o
		Rear										
102619-03		Roof hood 40 x 40 cm with insect screen and blackout, clear (rear) (Dependencies: ABH243, ABH240)	3	215,-	s	o	s	s	s	o	o	s
100750-03	151015	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (rear) (Dependencies: ABH240)	8	509,-	o	-	o	o	o	-	-	-
102920-02		Mushroom fan (rear)			-	s	-	-	-	s	s	-
		Toilet Room										
100960-04		Roof hood 28 x 28 cm with insect screen, (toilet room)			s	s	s	-	s	s	-	-
102920-03		Mushroom fan (toilet room)			-	-	-	s	-	-	s	s
101666		Hinged window 52 x 50 cm with insect screen and blackout, toilet room	6	315,-	o	o	o	s	o	o	s	s
		Materials / Vehicle Graphics										
		Materials										
100887		GRP roof with reduced hail sensitivity			s	s	s	s	s	s	s	s
102926-15		Aluminium hammer effect sheet on side walls; bow and rear in plain sheet			s	s	s	s	s	s	s	s
101604	151105	Side walls in plain sheet, white - mono-axle	17	1.666,-	o	o	o	o	o	o	o	o
		Vehicle Graphics										
103552-04		Foil graphics "WEINSBERG"			s	s	s	s	s	s	s	s
103551	151105	Special Foil Graphics			o	o	o	o	o	o	o	o
		Lighting / Technology										
252936		Awning light LED			s	s	s	s	s	s	s	s
102933-15		Third brake light			s	s	s	s	s	s	s	s
		Furniture / Surfaces										
552940-32		Furniture decor: Oak Salinas			s	s	s	s	s	s	s	s
552944		Vinyl flooring			s	s	s	s	s	s	s	s
		Living / Sleeping / Upholstery and Fabrics										
		Living										
552115		Ceiling cabinets instead of rear storage compartments left/right	3	300,-	-	-	-	o	o	-	-	-
552116		Ceiling cabinets instead of front storage compartments left/right	3	300,-	-	o	o	-	o	o	o	o
552683		Luggage rack (2 pcs) at bunk bed	1	99,-	-	o	-	-	-	o	o	o
		Sleeping										
552945-01		EvoPore HRC mattress, fixed beds only			s	s	s	s	s	s	s	s
552964-03		Corner shelves at U-shaped seating group			s	s	s	s	s	s	s	s
552952		Lighting without canopy above kitchen			s	s	s	s	s	s	s	s
552954-05		Curtain as room divider			s	s	s	s	s	s	s	s
551687		Bunk bed (double) (Dependencies: ABH264)			-	s	-	-	-	s	s	s
550590		Bunk bed (triple) (Dependencies: ABH264, ABH265)	10	397,-	-	o	-	-	-	o	o	-
552682		Multifunctional bunk bed (triple) (Dependencies: ABH269, ABH265)	10	719,-	-	-	-	-	-	-	-	o
553766		Multifunctional bunk bed (double) (Dependencies: ABH270, ABH271, ABH265)	2	219,-	-	-	-	-	-	-	-	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 14 onwards.

* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	390 QD	400 LK	420 QD	450 FU	480 EU	480 QDK	500 FDK	550 QDK
552317		Seating group with folding bed (Dependencies: ABH266, ABH265)	5	639,-	-	o	-	-	-	-	-	-
552413		Seating group with ceiling cabinet in the rear (Dependencies: ABH267, ABH268)		248,-	-	o	-	-	-	-	-	-
551965		Move-out/extension for bed conversion including levelling cushion	3	325,-	o	-	o	-	-	o	o	o
551408		Rollable slatted frame for single beds	4	445,-	-	-	-	-	o	-	-	-
552414		Lateral bed instead of seating group in the front	5	117,-	-	o	-	-	-	-	-	-
		Upholstery / Fabrics / Carpets										
		Upholstery Variants										
552335-10		Upholstery selection: FOREST			s	s	s	s	s	s	s	s
552335-11		Upholstery selection: STONE WATER			o	o	o	o	o	o	o	o
552335-13		Upholstery selection: DUSK			o	o	o	o	o	o	o	o
552188-07		Imitation leather: FIFTY SHADES		459,-	o	o	o	o	o	o	o	o
		COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner										
550660-15		COZY HOME pack URBAN SAND	3	228,-	o	o	o	o	o	o	o	o
550660-16		COZY HOME pack NORDIC DOTS	3	228,-	o	o	o	o	o	o	o	o
550660-17		COZY HOME pack SCANDIC GREEN	3	228,-	o	o	o	o	o	o	o	o
		Carpets										
550075		Carpet floor - body length up to 460	6	259,-	o	o	o	o	-	-	-	-
550076		Carpet floor - body length 470 to 590	6	319,-	-	-	-	-	o	o	o	o
		Kitchen / Bathroom										
		Kitchen										
402985-01		3-burner cooker with glass cover, stainless steel sink, recessed (Dependencies: ABH029)			s	s	s	s	s	s	s	s
400541		Foldable worktop extension on kitchen block	1	129,-	o	o	o	o	o	o	o	o
400369-07		Gas oven (installation location in the kitchen block) (Dependencies: ABH261)	13	880,-	-	-	o	-	-	o	o	o
400060-05		Microwave (in kitchen block) (Dependencies: ABH260)	14	355,-	-	-	o	-	-	o	o	o
402991-09		Refrigerator 98 ltr. (Hints: H128)			s	s	s	s	s	-	-	-
402806		Refrigerator 133 ltr. (Hints: H128, H184)		435,-	-	-	o	-	-	s	s	s
		Bathroom Area										
453509-05		Wooden cabinet with shelves			s	s	s	s	s	s	s	s
450520	151015	Shower extension washroom (shower fitting with holder and shower curtain) (Dependencies: ABH262)	2	296,-	o	o	o	o	o	o	o	o
453503-03		Cassette toilet DOMETIC swivelling			s	s	s	s	s	s	s	s
		Heating / Air conditioning / Gas Supply / Water Supply										
		Gas Supply										
302973		Gas system 30 mbar			s	s	s	s	s	s	s	s
302974		Gas hose version D/AT/ES/FI/BE/IT/NL/DK			s	s	s	s	s	s	s	s
302978		Gas regulator version D/AT/ES/FI/BE/IT/NL/DK			s	s	s	s	s	s	s	s
301956		TRUMA MonoControl CS (incl. gas filter) (Dependencies: ABH108)	1	370,-	o	o	o	o	o	o	o	o
301957		TRUMA DuoControl CS (incl. gas filter) (Dependencies: ABH108)	1	499,-	o	o	o	o	o	o	o	o
300518		External gas socket	1	268,-	o	o	o	o	o	o	o	o
		Heating / Air conditioning										
551054	151010	Air circulation system 12 V	3	342,-	o	o	o	o	o	o	o	o
352968-01		Gas heating TRUMA S 3004			s	s	s	s	s	s	s	s
550086		TRUMA Ultraheat (Dependencies: ABH263)	2	465,-	o	o	o	o	o	o	o	o
450083	151015	TRUMA Therme with connection for kitchen and washroom (230 V operation only)	2	399,-	o	o	o	o	o	o	o	o
550279		Electric underfloor heating - up to body length 550	11	749,-	o	o	o	o	o	o	o	o
554394		DOMETIC FJZ4 2200 FS air conditioner, white (Dependencies: ABH272, ABH273, Hints: H145)	30	2.798,-	o	o	o	o	o	o	o	o
		Water Supply										
453510-01		Water supply with submerged pump			s	s	s	s	s	s	s	s
453510-08		Water supply with single-lever mixer tap			s	s	s	s	s	s	s	s
453510-04		Central waste water pipe laying, one external drain under floor			s	s	s	s	s	s	s	s
453513		Fresh water tank 15 ltr.			s	s	s	s	s	s	s	s
450623	151010	Fresh water tank 45 ltr., fixed installation	4	299,-	o	o	o	o	o	o	o	o
451443		City water connection (Dependencies: ABH254)	2	386,-	-	-	-	-	-	-	-	o
450092	151015	Waste water tank 25 ltr., rollable	4	165,-	o	o	o	o	o	o	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 14 onwards.

* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	390 QD	400 LK	420 QD	450 FU	480 EU	480 QDK	500 FDK	550 QDK
		Electronics / Multimedia / Safety										
		Electronics										
253525		Electric coupling plug to the towing vehicle, Jäger 13-pin			s	s	s	s	s	s	s	s
253534-01		Interior lighting completely in 12 V version			s	s	s	s	s	s	s	s
253522		CEE external socket for 230 V, with circuit breaker			s	s	s	s	s	s	s	s
250941		Combi external socket (electricity + TV)		130,-	o	o	o	o	o	o	o	o
253529		Ground fault circuit interrupter			s	s	s	s	s	s	s	s
253528-02		Converter 350 VA			s	s	s	s	s	s	s	s
253517		230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version			s	s	s	s	s	s	s	s
252547-01		Sockets Plus Package		309,-	o	o	o	o	o	o	o	o
552424-01		Atmospheric ambient lighting (Hints: H31)		770,-	o	o	o	o	o	o	o	o
253539		Lamp in the sleeping area at bunk beds incl. USB socket			s	s	s	s	s	s	s	s
251729		Mobile system 12 V with automatic charger, main switch and level indicator for fresh water (Dependencies: ABH254)	5	905,-	o	o	o	o	o	o	o	o
250376-01		Mobile system 12 V with AGM battery, automatic charger, main switch and fresh water level indicator (Dependencies: ABH254)	29	1.281,-	o	o	o	o	o	o	o	o
254706		LiFePO4-board battery (100 Ah) (Dependencies: ABH259)	12	1.090,-	o	o	o	o	o	o	o	o
		Multimedia										
252583		Complete antenna system Oyster 60 Premium, Twin (Dependencies: ABH256, ABH257, Hints: H145)	15	2.985,-	o	o	o	o	o	o	o	o
252594-01		24" SMART TV set with HD tuner (Dependencies: ABH258)	3	997,-	o	o	o	o	o	o	o	o
251261-01		TV holder (Dependencies: ABH255)	2	235,-	o	o	o	o	o	o	o	o
250006		TV preparation with socket and cable laying / feed-through		72,-	o	o	o	o	o	o	o	o
253651		External LTE / WIFI antenna	3	990,-	o	o	o	o	o	o	o	o
		Awning / Awning Accessories										
		Awning THULE OMNISTOR										
500654		Awning 305 x 250 cm - on-roof mounting, white	26	1.144,-	o	o	o	-	-	-	-	-
500655		Awning 355 x 250 cm - on-roof mounting, white	28	1.299,-	-	-	-	o	-	-	-	-
500657		Awning 405 x 250 cm - on-roof mounting, white	31	1.666,-	-	-	-	-	o	o	o	-
501997		Awning 455 x 250 cm - on-roof mounting, white	33	1.872,-	-	-	-	-	-	-	-	o
		Miscellaneous										
953542-01		Operating instruction (German)			s	s	s	s	s	s	s	s
951036		MOT and registration document		229,-	o	o	o	o	o	o	o	o
		Accessories										
953543		10-year leak-proofness guarantee			s	s	s	s	s	s	s	s
150620		Breakdown service set	2	130,-	o	o	o	o	o	o	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 14 onwards.
* List Price = List price in EUR including 19% VAT

HINTS

H128	Gas operation while driving only permitted with Mono or Duo Control
H139	The specified perimeter of the awning is determined by the use of vehicles with standard equipment; this perimeter may vary if certain optional extras are selected (e.g. load increases / tyres).
H140	Incl. indication of production-related tolerances of ±5%
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your WEINSBERG dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H184	This refrigerator cannot be operated with 12 V, the existing AES function only works to a limited extent. Your WEINSBERG dealer will tell you more about this.
H192	The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).
H31	Front panel fabric blind omitted with option 101850 (bow window)
H719	Please refer to the notes and explanations on the back
H724	*** The weight stated is the technically permissible total mass.
H81	Possible up to 3 months before production

DEPENDENCIES

ABH029	Contains 953554 along with 953555
ABH108	Replaces 302978 along with 302979 along with 302980 along with 302981
ABH236	Not with 100612-22 or 103770
ABH237	Only with 553766 or 552682
ABH238	Replaces 100612-22
ABH239	Not with 100526-21 or 553766
ABH240	Replaces 102920-02
ABH241	Not with FW5140237*:552317 or 552413 along with 550590
ABH242	Not with FW514025327, FW514425327:554394 or 914395
ABH243	Not with FW5140237*:552413
ABH244	Not with 100526-21 or 100612-22
ABH245	Only with 552682
ABH246	Not with 152748 or 152750 or 150109
ABH247	Only with 150027 or 152713-01
ABH248	Contains 953557
ABH249	Not with 150109
ABH250	Only with 152829
ABH251	Only with 150109
ABH252	Replaces 152829 along with 150109 along with 151634
ABH253	Only with 152827
ABH254	Only with 450623
ABH255	Only with 250006
ABH256	Not with FW5140237*:914395 or 914339 or 554394 or 554605 or 554606
ABH257	Only with 252594-01 and 250006
ABH258	Only with 251261-01 and 250006
ABH259	Only with 251729
ABH260	Not with 400369-07
ABH261	Not with 400060-05
ABH262	Only with 450083
ABH263	Only with 551054
ABH264	Not with 552317 or 552413
ABH265	Replaces 551687
ABH266	Not with 552413 or 550590
ABH267	Not with 552317 or 550590
ABH268	Replaces 551687 along with 102619-03
ABH269	Not with 553766
ABH270	Not with 552682
ABH271	Only with 100526-21
ABH272	Not with FW514025327, FW514425327:102619-02 along with 914395
ABH273	Replaces FW5140253*, FW5144253*:102619-02


WEINSBERG
Dein Urlaub!
facebook.weinsberg.com
instagram.weinsberg.com
youtube.weinsberg.com
www.weinsberg.com
Knaus Tabbert AG Helmut-Knaus-Str. 1 D–94118 Jandelsbrunn