

WEINSBERG

Dein Urlaub!

Price List Model Year 2027-1

CaraLife

EN | DE

Data as of: 14.10.2026



IMPORTANT TECHNICAL AND LEGAL INFORMATION

I. General

This document is valid from July 2026 for vehicles of model year 2027. Any previous price lists, brochure information and technical data shall cease to be valid with respect to the vehicles contained herein. Errors and misprints excepted. Before purchasing a vehicle, you must obtain comprehensive advice from an authorized dealer regarding the information in our price lists and catalogues, any changes that may have occurred after the printing date, as well as the topics listed below.

II. Extras & Option Packs

Certain combinations of options and extras may not always be possible.

III. Images

Some images show options and extras that are not included in the standard equipment and can only be ordered at additional cost (options & extras). Also, some equipment featured is only found in prototypes or specific country models and do not correspond to the standard equipment, nor can they be ordered as an option or extra. Slight colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded for printing reasons. The decoration shown in the catalogue is not part of the equipment supplied.

IV. Retrofitting

In order not to jeopardise your safety and/or the operating licence of your vehicle, we advise you to have attachments, conversions or installations carried out exclusively by an authorised dealer and to insist on original parts. Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. We reserve the right to make reasonable changes to the design, colour and equipment, insofar as these serve technical progress and/or safety. We reserve the right to make changes to fittings, technical data, series equipment and prices. After conclusion of the contract, we reserve the right to make reasonable technical changes within the scope of the design, insofar as they serve technical progress. Reasonable deviations in colour and quality are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material. (e.g. colour deviations of up to approx. 2.0 ΔE between paint on sheet metal and paint on GRP/plastic).

Important technical and legal information regarding caravan configuration and weight-related data

In road traffic, each caravan is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your caravan when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022: EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your caravan. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your caravan. Our retail partners will also be happy to help you select and configure your caravan.

Information regarding the vehicle's dimensions

The vehicle dimensions (overall length, width and height) stated in the technical specifications are nominal values based on the standard factory specification for the relevant layout. These figures are subject to manufacturing tolerances. The permissible tolerances are derived – in accordance with the regulations on weight declarations – from the same relevant EU regulations (in particular Implementing Regulation (EU) 2021/535 (previously Regulation (EU) No 1230/2012) and amount to up to $\pm 3\%$.

Please note that the factory installation of additional equipment, as well as the retrofitting of accessories (e.g. roof-mounted air conditioning units, awnings, aerials, bike racks or roof boxes), may alter the external dimensions of your vehicle. In particular, the overall height and length of the vehicle may be increased by such attachments.

You must be aware of your vehicle's actual external dimensions when driving on public roads, particularly when passing through areas with height restrictions (e.g. underpasses, bridges, tunnels or car park entrances), when using ferries, and when choosing parking spaces and campsites. It is your responsibility to ensure that the vehicle complies with the applicable size limits. We recommend that you check the actual external dimensions of your vehicle, including any attachments, before setting off and take these into account.

1. The technically permissible maximum mass of the caravan

The 'technically permissible maximum mass' of the caravan is shown in Part I of the registration certificate and refers to the maximum mass that your caravan may weigh when loaded (e.g. 1,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your caravan prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the caravan in running order

The 'mass in running order' refers to the mass of the caravan including the body and standard factory equipment (or 'basic equipment') including a full aluminium gas cylinder, a full fresh water tank, a full flush toilet water tank and a full water heater. For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the caravan, including operating materials such as lubricants, oils and coolants, as well as on-board tools;
- the standard factory equipment, i.e. the basic configuration of the caravan equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank;
- 100% filled aluminium gas cylinder with a capacity of 2.7 kg/5 kg/11 kg and a total weight of 6 kg/10 kg/23 kg;
- 100% filled flush toilet tank;
- 100% filled fresh water heater.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to $\pm 5\%$. These legally permissible tolerances can have a direct impact on the actual mass of your caravan and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your caravan.

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the caravan in running order plus the mass of any optional factory-fitted equipment on a particular caravan.

4. The maximum number of sleeping places

The 'maximum number of sleeping places' for each layout is shown in the technical data.

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a caravan equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level. Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration. The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the caravan by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the caravan by you or your retail partner after the manufacturer has delivered the caravan. Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration. Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass. European legislation stipulates a fixed 'minimum pay-mass' for caravans that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your caravan and is calculated using the following formula:

$$\text{Minimum pay-mass in kg} \geq 10 * (n + L)$$

Where 'n' = maximum number of sleeping places and 'L' = total length of the vehicle body, without drawbar, in metres.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by first subtracting the mass in running order and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to $\pm 5\%$ (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity and/or deselect optional equipment in the caravan configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your caravan cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to $\pm 5\%$. These production-related tolerances of up to $\pm 5\%$ are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be completely ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your caravan and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your caravan.

Example:

Mass in running order according to technical data: 1,320 kg

Legally permissible tolerance of $\pm 5\%$: 66 kg

Legally permissible range of mass in running order 1,254 to 1,386 kg

Based on the above example, if you order the caravan with optional equipment with a total weight of 50 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 130 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your caravan is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 130 kg to 117 kg:

Example:

	1,500 kg	Technically permissible maximum mass
-	1,333 kg	Actual weight of the caravan in running order
	(+ 1% compared to the mass in running order of 1,320 kg stated in the sales literature)	
-	50 kg	Optional equipment ordered for the specifically configured caravan
=	117 kg	Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded caravan prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.

Important Notes

Please note when selecting and configuring your caravan that the factory installation of additional equipment increases the actual mass of the caravan and reduces the payload. The weight specified on the following pages for the additional equipment ("packages", "features" and "options") corresponds to the additional weight compared to the standard equipment of the respective floor plan. The total weight of the configured additional equipment must not exceed the manufacturer-defined maximum mass of additional equipment specified in the technical data. This is a value calculated for each floor plan, with which Knaus Tabbert AG, as manufacturer, defines the maximum mass available for factory-installed additional equipment. The "mass in running order" specified in the technical data is a calculated nominal value subject to production-related variations of up to $\pm 5\%$. These production-related tolerances of up to $\pm 5\%$ are legally permissible and are separately indicated in the technical data following the calculated value. Since these legally permissible tolerances directly affect the actual mass of your caravan and thus also the maximum mass of additional equipment, you should ensure that these are factored in when configuring your caravan. The manufacturer-defined maximum mass of additional equipment is intended to ensure that the statutory minimum payload for luggage and other accessories is actually available for loading after delivery of a caravan by the manufacturer. If the actual vehicle mass increases through the selection of additional equipment to such an extent that, calculated between the actual vehicle mass and the technically permissible gross vehicle mass, there is no longer sufficient loading capacity for the transport of the permitted occupants and the minimum payload, you have, as part of the configuration, in principle the option to select a vehicle uprating (upgrade to a higher permissible gross mass) or to deselect additional equipment. In our configurator, this is then a prerequisite for being able to continue the configuration. If this does not occur, the configuration cannot be continued. Detailed technical and legal information on the subject of "vehicle weights" can be found from page 2 onwards and at "configurator.knaus.com".



Technical Data	390 QD	450 FU	470 EU	470 QDK	500 QDK
List price in EUR including 19% VAT	15.550,-	17.490,-	18.190,-	18.750,-	19.700,-
BASIC EQUIPMENT					
Total length incl. drawbar (cm)	592	658	682	682	720
Overall length of the body length (cm)	460	526	550	550	528
Width (outside) (cm)	220	232	232	232	232
Width (inside) (cm)	204	216	216	216	216
Height (outside) (cm)	257	257	257	257	257
Height (inside) (cm)	196	196	196	196	196
Awning dimensions (cm) (Hints: H139)	855	921	945	945	981
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140, H719)	870 (826 - 913)	970 (921 - 1.018)	965 (916 - 1.013)	1.050 (997 - 1.102)	1.095 (1.040 - 1.149)
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140, H719)	873 (829 - 916)	973 (924 - 1.021)	968 (919 - 1.016)	1.053 (1.000 - 1.105)	1.098 (1.043 - 1.152)
Technically maximum authorised laden mass (kg) (Hints: H719)	1.100	1.200	1.200	1.350	1.350
Maximum payload (kg)	111	104	107	162	119
Tyre size	195/70 R14 96 M	195/70 R14 96 M	195/70 R14 96 M	195/70 R14 96 M	195/70 R14 96 M
Rim size	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber	5,5Jx14 H2 (Stahl) - Silber
Beds (Hints: H141)	4	4	4	5	5
Max. number of beds (Hints: H142)	4	4	4	7	7
BODY					
Total number of hinged windows	3	3	3	5	5
Body door (width x height)	57 x 172	57 x 172	57 x 172	57 x 172	57 x 172
Wall thickness, roof (mm)	33	33	33	33	33
Wall thickness, side wall (mm)	33	33	33	33	33
Wall thickness, floor (mm)	40	40	40	40	40

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.

CaraLife (2027)

Technical Data	390 QD	450 FU	470 EU	470 QDK	500 QDK
LIVING AREA					
Bed size, front (cm) (Hints: H192)	196 x 140/128	200 x 138	186 x 86; 198 x 86	208 x 140/128	208 x 140/122
Bed size, middle (cm) (Hints: H192)	–	–	–	198 x 95	190 x 95
Bed size, rear (cm) (Hints: H192)	187 x 117/88	198 x 152/128	198 x 125/119	210 x 70; 210 x 74	187 x 76; 190 x 70
Single bed	–	–	S	–	–
Transverse bed	S	–	–	S	S
French double bed	–	S	–	–	–
Bunk beds	–	–	–	S	S
WATER					
Fresh water volume in liters	15	15	15	15	15
KITCHEN					
Refrigerator (ltr.)	83	83	83	133	133
ELECTRICAL SUPPLY					
Number of 230 V socket(s)	1	2	1	1	2
Number of USB socket(s)				2	2

Art. No.		List price [EUR]*
151070-01	CaraLife Package (19 kg)	
101712	Combination roller blinds on the windows (blackout and insect screen)	269,-
150267	Stabiliser safety coupling	448,-
152836	Hydraulic wheel shock absorbers	109,-
253764	Awning light with rain gutter LED	115,-
450623	Fresh water tank 45 ltr., fixed installation	299,-
Total price options		1.240,-
Package Price		750,-
Saving		490,-

Art. No.		List price [EUR]*
151075	Gas Package (gas facility) (-4 kg)	
302973	Gas system 30 mbar	
303581	Gas locker with big exterior hatch, solid floor, equippable with 2 x 11 kg gas bottles	
353579	TRUMA S gas heating incl. air circulation	
403563	Refrigerator (gas / 12 V / 230 V)	
403580	2-burner cooker in gas operation	
Package Price		360,-

Art. No.		List price [EUR]*
151080	Shower extension Package (12 kg)	
450083	TRUMA Therme with connection for kitchen and washroom (230 V operation only)	399,-
450092	Waste water tank 25 ltr., rollable	165,-
450520	Shower extension washroom (shower fitting with holder and shower curtain)	296,-
453604	Shower tray	159,-
Total price options		1.019,-
Package Price		990,-
Saving		29,-

Art. No.		List price [EUR]*
151090	Socket plus Package	
250072-02	230 V SCHUKO socket, additional 1 pc. in seating group	105,-
250072-03	230 V SCHUKO socket, additional 1 pc. in sleeping area	105,-
250072-06	230 V SCHUKO socket, additional 1 pc. in kitchen	105,-
251949-03	USB socket in seating group (1 pc.)	66,-
251949-04	USB socket in sleeping area (1 pc.)	66,-
Total price options		447,-
Package Price		390,-
Saving		57,-

Art. No.		List price [EUR]*
114540	Lithium Package (17 kg)	
251729	Mobile system 12 V with automatic charger, main switch and level indicator for fresh water	905,-
254706	LiFePO4-board battery (100 Ah)	1.090,-
Total price options		1.995,-
Package Price		1.690,-
Saving		305,-

Art. No.	In Package / Option		kg	List price [EUR]*	390 QD	450 FU	470 EU	470 QDK	500 QDK
		Packages							
151070-01		CaraLife Package (Dependencies: ABH286)	19	750,-	o	o	o	o	o
151075		Gas Package (gas facility) (Dependencies: ABH287, Hints: H159)	-4	360,-	o	o	o	o	o
151080		Shower extension Package (Dependencies: ABH288)	12	990,-	o	o	o	o	o
151090		Socket plus Package		390,-	o	o	o	o	o
114540		Lithium Package	17	1.690,-	o	o	o	o	o
		Chassis / Load Increase							
152832		AL-KO chassis with trailing arm axle			s	s	s	s	s
150997		AL-KO Trailer Control-ATC - Anti-skid system (2.0)	4	1.061,-	o	o	o	o	o
152834		Mono-axle			s	s	s	s	s
152850-01		Stand fixation with crank supports			s	s	s	s	s
150065-01		Heavy load crank supports	2	165,-	o	o	o	o	o
100570		Drawbar cover	4	159,-	o	o	o	o	o
150267	151070-01	Stabiliser safety coupling (Dependencies: ABH249)	4	448,-	o	o	o	o	o
151110		Support wheel with integrated support load display		79,-	o	o	o	o	o
152836	151070-01	Hydraulic wheel shock absorbers		109,-	o	o	o	o	o
152862		5-point wheel mounting			s	s	s	s	s
152837		Automatic reverse drive			s	s	s	s	s
152838		Servo-assisted handbrake			s	s	s	s	s
		Load Increase							
150111-34		Load increase to 1.100 kg*** (1.350 kg chassis) (Hints: H724, H81)			s	-	-	-	-
150111-46		Load increase to 1.150 kg*** (1.350 kg chassis) (Hints: H724, H81)		130,-	-	o	-	-	-
150111-03		Load increase to 1.200 kg*** (1.350 kg chassis) (Hints: H724, H81)		130,-	o	s	s	-	-
150111-07		Load increase to 1.250 kg*** (1.350 kg chassis) (Hints: H724, H81)		130,-	-	o	o	o	o
150111-44		Load increase to 1.300 kg*** (1.350 kg chassis) (Hints: H724, H81)		130,-	-	o	o	o	o
150111-04		Load increase to 1.350 kg*** (1.350 kg chassis) (Hints: H724, H81)		130,-	o	o	o	s	s
150112-02		Load increase to 1.400 kg*** (1.500 kg chassis) (Hints: H724, H81)	12	665,-	-	o	o	o	o
150112-03		Load increase to 1.500 kg*** (1.500 kg chassis) (Hints: H724, H81)	12	665,-	-	o	o	o	o
150112-08		Load increase to 1.600 kg*** (1.700 kg chassis) (Hints: H724, H81)	30	665,-	-	-	-	-	o
150112-09		Load increase to 1.700 kg*** (1.700 kg chassis) (Hints: H724, H81)	30	665,-	-	-	-	-	o
		Tyres							
152827		14" tyres			s	s	s	s	s
152829		Steel rims (Dependencies: ABH254)			s	s	s	s	s
151634		wheel covers in WEINSBERG Design (Dependencies: ABH251)	1	79,-	o	o	o	o	o
152748		17" alloy rims - mono-axle, anthracite painted in exclusive WEINSBERG design (Dependencies: ABH289)	21	899,-	o	o	o	o	o
152750		17" alloy rims - mono-axle, black gloss front-polished in exclusive WEINSBERG design (Dependencies: ABH289)	21	899,-	o	o	o	o	o
		Transport Systems							
104673		Bicycle rack for 2 bikes, tow bar: THULE Superb XT, black (Dependencies: ABH283)	10	489,-	o	o	o	o	o
		Spare Tyre							
150122		Spare tyre (steel rim) incl. jack (Dependencies: ABH284, ABH285)	21	275,-	o	o	o	o	o
150027		Spare tyre holder in the gas locker	1	73,-	o	o	o	o	o
152713-01		Spare tyre holder, mounted on underbody	7	309,-	-	-	-	-	o
		Doors							
102906-01		Body door: WEINSBERG CLASSIC			s	s	s	s	s
100832		Insect screen door	4	329,-	o	o	o	o	o
102840		One-key locking system			s	s	s	s	s
		Service hatches / Garage doors							
		Front							
100612-02		Service hatch 70 x 40.5 cm, bow left	2	308,-	o	-	-	-	-
100612-04		Service hatch 100 x 40.5 cm, bow left	2	308,-	-	o	o	o	o
100612-09		Service hatch 100 x 40.5 cm, bow right	2	308,-	o	-	o	o	o
102914-13		Gas locker with exterior hatch and wooden floor			s	s	s	s	s
303581	151075	Gas locker with big exterior hatch, solid floor, equippable with 2 x 11 kg gas bottles			o	o	o	o	o
		Rear							
100612-19		Service hatch 70 x 30.5 cm, rear left	1	308,-	-	o	o	-	-

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	390 QD	450 FU	470 EU	470 QDK	500 QDK
100612-22		Service hatch 100 x 40.5 cm, rear left (Dependencies: ABH240)	2	308,-	-	-	-	-	o
100526-03		Garage door 60 x 95 cm, left (Dependencies: ABH275)	4	525,-	-	-	-	o	-
100612-23		Service hatch 70 x 30.5 cm, rear right	1	308,-	-	o	o	-	-
100526-04		Garage door 60 x 95 cm, right	4	525,-	-	-	-	o	-
100526-21		Garage door 100 x 120 cm, left (Dependencies: ABH276, ABH277)	8	525,-	-	-	-	-	o
		Windows / Roof Hoods / Ventilation							
101712	151070-01	Combination roller blinds on the windows (blackout and insect screen)	11	269,-	o	o	o	o	o
102923-01		Windows with double glazing tinted, curtained and hinged (window in kitchen area with insect screen and blackout)			s	s	s	s	s
		Front							
101351-01		Roof hood (lift-tilt) 40 x 40 cm with insect screen and blackout, clear (bow)			-	s	s	s	s
101850-01		Hinged window 100 x 62.4 cm, with insect screen and blackout (bow)	6	495,-	o	o	o	o	o
103788-01		Hinged window 90 x 52 cm with insect screen and blackout, left front	6	315,-	o	s	s	o	o
103788-02		Hinged window 90 x 52 cm with insect screen and blackout, front right	6	315,-	-	-	o	-	-
103788-03		Hinged window 70 x 51 cm, front right			s	-	-	s	s
		Centre							
103788-04		Hinged window 70 x 35 cm with insect screen and blackout, kitchen			s	s	s	s	s
103788-05		hinged window 90 x 52 cm with insect screen and blackout, centre left			-	-	-	s	s
102619-02		Roof hood 40 x 40 cm with insect screen and blackout, clear (centre) (Dependencies: ABH281)	3	215,-	o	o	o	s	o
100750-02		Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (centre) (Dependencies: ABH278, ABH279)	8	509,-	-	-	-	o	o
		Rear							
102619-03		Roof hood 40 x 40 cm with insect screen and blackout, clear (rear) (Dependencies: ABH282)	3	215,-	s	s	s	o	s
100750-03		Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (rear) (Dependencies: ABH280)	8	509,-	o	o	o	-	-
103788-06		Hinged window 70 x 51 cm with insect screen and blackout, rear left	5	315,-	-	-	o	-	-
103788-07		Hinged window 90 x 52 cm, rear left	6	315,-	s	o	-	-	-
103788-08		Hinged window 70 x 35 cm, rear left			-	-	-	-	s
103788-09		Hinged window 90 x 52 cm, rear right			-	s	-	-	-
103788-10		Hinged window 70 x 51 cm, rear right			-	-	s	-	-
103788-11		Hinged window 90 x 52 cm with insect screen and blackout, rear	6	315,-	o	o	o	-	-
103788-12		Hinged window 70 x 35 cm, rear			-	-	-	s	-
102920-02		Mushroom fan (rear)			-	-	-	s	-
		Toilet Room							
102920-03		Mushroom fan (toilet room)			s	s	s	s	s
101666		Hinged window 52 x 50 cm with insect screen and blackout, toilet room	6	315,-	o	o	-	-	-
101666-02		Hinged window 60 x 52 cm with insect screen and blackout, (toilet room)	6	315,-	-	-	o	-	o
101666-03		Hinged window 50 x 30 cm with insect screen and blackout, (toilet room)	5	315,-	-	-	-	o	-
		Materials / Vehicle Graphics							
		Materials							
102926-19		Aluminium hammer effect sheet on side walls, bow and rear in plain sheet			s	s	s	s	s
100887-03		GRP roof with reduced hail sensitivity instead of roof in smooth sheet metal		669,-	o	o	o	o	o
		Vehicle Graphics							
103552-04		Foil graphics "WEINSBERG"			s	s	s	s	s
		Lighting / Technology							
253764	151070-01	Awning light with rain gutter LED		115,-	o	o	o	o	o
102933-15		Third brake light			s	s	s	s	s
		Furniture / Surfaces							
552940-28		Furniture decor: Walnut Light and Stone Leather, worktop decor: Terrazzo			s	s	s	s	s
552944		Vinyl flooring			s	s	s	s	s
		Living / Sleeping / Upholstery and Fabrics							
		Sleeping							
552945-01		EvoPore HRC mattress, fixed beds only			s	s	s	s	s
552954-05		Curtain as room divider			-	s	s	s	s
551687		Bunk bed (double)			-	-	-	s	s
550590		Bunk bed (triple) (Dependencies: ABH298, ABH266)	10	397,-	-	-	-	o	-
552682		Multifunctional bunk bed (triple) (Dependencies: ABH270, ABH266)	10	719,-	-	-	-	-	o
553766		Multifunctional bunk bed (double) (Dependencies: ABH271, ABH272, ABH266)	2	219,-	-	-	-	-	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	390 QD	450 FU	470 EU	470 QDK	500 QDK
551965		Move-out/extension for bed conversion including levelling cushion	3	325,-	o	-	-	o	o
551408		Rollable slatted frame for single beds	4	445,-	-	-	o	-	-
		Upholstery / Fabrics / Carpets							
		Upholstery Variants							
552335-13		Upholstery selection: DUSK			o	o	o	o	o
552335-68		Upholstery selection: BLUE STONE			s	s	s	s	s
552335-70		Upholstery selection: SPARKLING VELVET			o	o	o	o	o
		COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner							
550660-15		COZY HOME pack URBAN SAND	3	228,-	o	o	o	o	o
550660-16		COZY HOME pack NORDIC DOTS	3	228,-	o	o	o	o	o
550660-17		COZY HOME pack SCANDIC GREEN	3	228,-	o	o	o	o	o
		Carpets							
550075		Carpet floor - body length up to 460	6	259,-	o	o	-	-	-
550076		Carpet floor - body length 470 to 590	6	319,-	-	-	o	o	o
		Kitchen / Bathroom							
		Kitchen							
402985-20		Induction double hot plate (Dependencies: ABH295)			s	s	s	s	s
403580	151075	2-burner cooker in gas operation (Dependencies: ABH029, ABH296)			o	o	o	o	o
400541		Foldable worktop extension on kitchen block	1	129,-	o	-	o	o	o
402986-02		Refrigerator 83 ltr. (12 V compressor) (Dependencies: ABH295)			s	s	s	-	-
403563-01	151075	Refrigerator 106 ltr. (gas / 12 V / 230 V) (Hints: H128, H184)			o	o	o	-	-
402806-02		Refrigerator 133 ltr. 12 V COMPRESSOR			-	-	-	s	s
403563-03	151075	Refrigerator 133 ltr. (gas / 12 V / 230 V) (Hints: H128, H184)			-	-	-	o	o
		Bathroom Area							
453502-02		Corner washbasin with wooden washstand; with mirror			-	s	-	-	-
453509-05		Wooden cabinet with shelves			s	s	s	s	s
453604	151080	Shower tray	4	159,-	o	o	o	o	o
450520	151080	Shower extension washroom (shower fitting with holder and shower curtain) (Dependencies: ABH297)	2	296,-	o	o	o	o	o
453503-03		Cassette toilet DOMETIC swivelling			s	s	s	s	s
		Heating / Air conditioning / Gas Supply / Water Supply							
		Gas Supply							
302973	151075	Gas system 30 mbar (Dependencies: ABH292, ABH290, ABH293)			o	o	o	o	o
302974	302973	Gas hose version D/AT/ES/FI/BE/IT/NL/DK (Dependencies: ABH290)			o	o	o	o	o
302978	302973	Gas regulator version D/AT/ES/FI/BE/IT/NL/DK (Dependencies: ABH290)			o	o	o	o	o
301057		Remote display DuoC (Ice Ex integrated) (Dependencies: ABH291)		197,-	o	o	o	o	o
301956		TRUMA MonoControl CS (incl. gas filter) (Dependencies: ABH290, ABH109)	1	370,-	o	o	o	o	o
301957		TRUMA DuoControl CS (incl. gas filter) (Dependencies: ABH290, ABH109)	1	499,-	o	o	o	o	o
300518		External gas socket (Dependencies: ABH290)	1	268,-	o	o	o	o	o
		Heating / Air conditioning							
551054-02		Air circulation system			s	s	s	s	s
353769		Heating / air conditioning DOMETIC Freshwell 3000 (OEM) (Dependencies: ABH294)			s	s	s	s	s
353579	151075	TRUMA S gas heating incl. air circulation (Dependencies: ABH293)	17		o	o	o	o	o
550086		TRUMA Ultraheat (Dependencies: ABH290)	2	465,-	o	o	o	o	o
550279		Electric underfloor heating - up to body length 550	11	749,-	o	o	o	o	o
554394		DOMETIC FJZ4 2200 FS air conditioner, white (Dependencies: ABH299, ABH293, Hints: H145)	30	2.798,-	o	o	o	o	o
		Water Supply							
453510-01		Water supply with submerged pump			s	s	s	s	s
453510-08		Water supply with single-lever mixer tap			s	s	s	s	s
453510-04		Central waste water pipe laying, one external drain under floor			s	s	s	s	s
450083	151080	TRUMA Therme with connection for kitchen and washroom (230 V operation only)	2	399,-	o	o	o	o	o
453513		Fresh water tank 15 ltr.			s	s	s	s	s
450623	151070-01	Fresh water tank 45 ltr., fixed installation	4	299,-	o	o	o	o	o
450092	151080	Waste water tank 25 ltr., rollable	4	165,-	o	o	o	o	o
		Electronics / Multimedia / Safety							
		Electronics							

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

Art. No.	In Package / Option		kg	List price [EUR]*	390 QD	450 FU	470 EU	470 QDK	500 QDK
253525		Electric coupling plug to the towing vehicle, Jäger 13-pin			s	s	s	s	s
253534-01		Interior lighting completely in 12 V version			s	s	s	s	s
253522		CEE external socket for 230 V, with circuit breaker			s	s	s	s	s
250941		Combi external socket (electricity + TV)		130,-	o	o	o	o	o
253529		Ground fault circuit interrupter			s	s	s	s	s
253528-03		Converter 240 VA			s	s	s	s	s
251949-03	151090	USB socket in seating group (1 pc.)		66,-	o	o	o	o	o
251949-04	151090	USB socket in sleeping area (1 pc.)		66,-	o	o	o	o	o
253517		230 V SCHUKO sockets "D/AT/ES/FI/BE/IT/NL/DK/SE" version			s	s	s	s	s
250072-06	151090	230 V SCHUKO socket, additional 1 pc. in kitchen		105,-	o	o	o	o	o
250072-02	151090	230 V SCHUKO socket, additional 1 pc. in seating group		105,-	o	o	o	o	o
250072-03	151090	230 V SCHUKO socket, additional 1 pc. in sleeping area		105,-	o	o	o	o	o
253578		LED recessed spots above seating group, LED ambient lighting above ceiling cabinet hatches	1	299,-	o	o	o	o	o
251729	114540	Mobile system 12 V with automatic charger, main switch and level indicator for fresh water (Dependencies: ABH255)	5	905,-	o	o	o	o	o
250376-01		Mobile system 12 V with AGM battery, automatic charger, main switch and fresh water level indicator (Dependencies: ABH255)	29	1.281,-	o	o	o	o	o
254706	114540	LiFePO4-board battery (100 Ah) (Dependencies: ABH260)	12	1.090,-	o	o	o	o	o
		Awning / Awning Accessories							
		Awning THULE OMNISTOR							
500654		Awning 305 x 250 cm - on-roof mounting, white	26	1.144,-	o	-	-	-	-
500655		Awning 355 x 250 cm - on-roof mounting, white	28	1.299,-	-	o	o	o	-
500657		Awning 405 x 250 cm - on-roof mounting, white	31	1.666,-	-	-	-	-	o
		Miscellaneous							
953542-01		Operating instruction (German)			s	s	s	s	s
951036		MOT and registration document		229,-	o	o	o	o	o
		Accessories							
953543		10-year leak-proofness guarantee			s	s	s	s	s
150620		Breakdown service set	2	130,-	o	o	o	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in EUR including 19% VAT

IMPORTANT HINTS AND DEPENDENCIES

HINTS

H128	Gas operation while driving only permitted with Mono or Duo Control
H139	The specified perimeter of the awning is determined by the use of vehicles with standard equipment; this perimeter may vary if certain optional extras are selected (e.g. load increases / tyres).
H140	Incl. indication of production-related tolerances of $\pm 5\%$
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your WEINSBERG dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H159	Omission of floor air conditioner, 12 V compressor refrigerator, induction double hotplate
H184	This refrigerator cannot be operated with 12 V, the existing AES function only works to a limited extent. Your WEINSBERG dealer will tell you more about this.
H192	The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).
H719	Please refer to the notes and explanations on the back
H724	*** The weight stated is the technically permissible total mass.
H81	Possible up to 3 months before production

DEPENDENCIES

ABH029	Contains 953554 along with 953555	ABH282	Not with FW5240253*, FW5246317*, FW5249310*:100750-03
ABH109	Replaces 302978 along with 302979 along with 302980 along with 302981	ABH283	Not with FW5252356*:150027
ABH240	Not with 100526-21 or 553766	ABH284	Not with 152748 or 152750
ABH249	Contains 953557	ABH285	Only with 150027
ABH251	Only with 152829	ABH286	Not with 151065-01 or 151019
ABH254	Only with 152827	ABH287	Only with 302974 along with 302975 along with 302976 along with 302977 along with 302978 along with 302979 along with 302980 along with 302981 along with 302973
ABH255	Only with 450623	ABH288	Only with 151070-01 or 151065-01
ABH260	Only with 251729	ABH289	Replaces 152829
ABH266	Replaces 551687	ABH290	Only with 151075 or 151076-01
ABH270	Not with 553766	ABH291	Only with 151075 or 151076-01 or 301957
ABH271	Not with 552682	ABH292	Contains 302974 along with 302975 along with 302976 along with 302977 along with 302978 along with 302979 along with 302980 along with 302981
ABH272	Only with 100526-21	ABH293	Replaces 353769
ABH275	Not with 100526-21	ABH294	Not with 151075
ABH276	Not with 100612-22	ABH295	Not with 151075 or 151076-01
ABH277	Only with 552682 or 553766	ABH296	Replaces 402985-20
ABH278	Not with FW5252356*: 102619-02	ABH297	Only with 453604
ABH279	Replaces FW5249356*:102619-02	ABH298	Not with 100526-03 or 100526-04
ABH280	Replaces FW5240253*, FW5246317*, FW5249310*:102619-03	ABH299	Not with FW5240253*, FW5246317*:102619-02 along with FW5249310*:102619-02 along with 914395
ABH281	Not with FW5240253*, FW5246317*, FW5249310*:554394 or 914339 along with FW5249356*, FW5252356*:100750-02		

WEINSBERG
Dein Urlaub!



facebook.weinsberg.com



instagram.weinsberg.com



youtube.weinsberg.com

www.weinsberg.com

Knaus Tabbert AG Helmut-Knaus-Str. 1 D-94118 Jandelsbrunn