WEINSBERG

Dein Urlaub!

Price List Model Year 2027-1

Camper Vans

EN | UK

Data as of: 29.10.2026

IMPORTANT TECHNICAL AND LEGAL INFORMATION

I. General

This document is valid from July 2026 for vehicles of model year 2027. Any previous price lists, brochure information and technical data shall cease to be valid with respect to the vehicles contained herein. Errors and misprints excepted. Before purchasing a vehicle, you must obtain comprehensive advice from an authorized dealer regarding the information in our price lists and catalogues, any changes that may have occurred after the printing date, as well as the topics listed below.

II. Extras & Option Packs

Certain combinations of options and extras may not always be possible.

III. Images

Some images show options and extras that are not included in the standard equipment and can only be ordered at additional cost (options & extras). Also, some equipment featured is only found in prototypes or specific country models and do not correspond to the standard equipment, nor can they be ordered as an option or extra. Slight colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded for printing reasons. The decoration shown in the catalogue is not part of the equipment supplied.

IV. Retrofitting

In order not to jeopardise your safety and/or the operating licence of your vehicle, we advise you to have attachments, conversions or installations carried out exclusively by an authorised dealer and to insist on original parts. Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. We reserve the right to make reasonable changes to the design, colour and equipment, insofar as these serve technical progress and/or safety. We reserve the right to make changes to fittings, technical data, series equipment and prices. After conclusion of the contract, we reserve the right to make reasonable technical changes within the scope of the design, insofar as they serve technical progress. Reasonable deviations in colour and quality are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material. (e.g. colour deviations of up to approx. 2.0 ΔE between paint on sheet metal and paint on GRP/plastic).

Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022: EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

Information regarding the vehicle's dimensions

The vehicle dimensions (overall length, width and height) stated in the technical specifications are nominal values based on the standard factory specification for the relevant layout. These figures are subject to manufacturing tolerances. The permissible tolerances are derived – in accordance with the regulations on weight declarations – from the same relevant EU regulations (in particular Implementing Regulation (EU) 2021/535 (previously Regulation (EU) No 1230/2012) and amount to up to ± 3 %.

Please note that the factory installation of additional equipment, as well as the retrofitting of accessories (e.g. roof-mounted air conditioning units, awnings, aerials, bike racks or roof boxes), may alter the external dimensions of your vehicle. In particular, the overall height and length of the vehicle may be increased by such attachments.

You must be aware of your vehicle's actual external dimensions when driving on public roads, particularly when passing through areas with height restrictions (e.g. underpasses, bridges, tunnels or car park entrances), when using ferries, and when choosing parking spaces and campsites. It is your responsibility to ensure that the vehicle complies with the applicable size limits. We recommend that you check the actual external dimensions of your vehicle, including any attachments, before setting off and take these into account.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to ± 5%. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg ≥ 10 * (n + L)
Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to ± 5% (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of ± 5%:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:


Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle
= 127 kg	Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.

Important Notes

Please note when selecting and configuring your vehicle that the factory installation of additional equipment increases the actual mass of the vehicle and reduces the payload. The weight specified on the following pages for the additional equipment ("packages", "features" and "options") corresponds to the additional weight compared to the standard equipment of the respective floor plan. The total weight of the configured additional equipment must not exceed the manufacturer-defined maximum mass of additional equipment specified in the technical data. This is a value calculated for each floor plan, with which Knaus Tabbert AG, as manufacturer, defines the maximum mass available for factory-installed additional equipment. The "mass in running order" specified in the technical data is a calculated nominal value subject to production-related variations of up to ± 5%. These production-related tolerances of up to ± 5% are legally permissible and are separately indicated in the technical data following the calculated value. Since these legally permissible tolerances directly affect the actual mass of your vehicle and thus also the maximum mass of additional equipment, you should ensure that these are factored in when configuring your vehicle. The manufacturer-defined maximum mass of additional equipment is intended to ensure that the statutory minimum payload for luggage and other accessories is actually available for loading after delivery of a vehicle by the manufacturer. If the actual vehicle mass increases through the selection of additional equipment to such an extent that, calculated between the actual vehicle mass and the technically permissible gross vehicle mass, there is no longer sufficient loading capacity for the transport of the permitted passengers and the minimum payload, you have, as part of the configuration, in principle (depending on the floor plan), the option to select a vehicle upgrade (uprating), select a reduction in the number of approved seating positions during driving, and/or deselect additional equipment in order to continue the configuration. If this does not occur, the configuration and thus also the ordering process for your vehicle cannot be continued. Detailed technical and legal information on the subject of "vehicle weights" can be found from page 2 onwards and at "configurator.knaus.com".



Technical Data	540 MQ	600 MQ	600 ME	600 DQ
List price in GBP including 20% VAT	63.494,-	65.295,-	66.585,-	72.494,-
FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro VI HD (103 kW/140 HP); 6-speed manual gearbox (Dependencies: ABH131, Hints: H724)	s	-	-	-
FIAT Ducato 3,500 kg***(103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH125, ABH129, Hints: H724)	o	s	s	-
FIAT Ducato 3.500 kg*** MAXI; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW/180 PS); 6-speed manual gearbox (Dependencies: ABH059, ABH133, ABH067, Hints: H724)	-	-	-	s
BASIC EQUIPMENT				
Chassis	FIAT	FIAT	FIAT	FIAT
Engine power	103 kW / 140 PS	103 kW / 140 PS	103 kW / 140 PS	132 kW / 180 PS
Gearbox	man.	man.	man.	autom.
Total length (cm)	541	599	599	599
Width (outside) (cm)	205	205	205	205
Width (inside) (cm)	187	187	187	187
Height (outside) (cm)	258	258	258	282
Height (inside) (cm)	190	190	190	218
Mass in running order (basic model without optional equipment but with basic equipment) (kg)	2.660 (2.527 - 2.793)	2.750 (2.612 - 2.887)	2.770 (2.631 - 2.908)	2.885 (2.740 - 3.029)
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140)	2.657 (2.524 - 2.789)	2.747 (2.609 - 2.884)	2.767 (2.628 - 2.905)	2.882 (2.737 - 3.026)
Technically maximum authorised laden mass (kg)	3.500	3.500	3.500	3.500
Maximum payload (kg)	344	241	226	116
Towing load (kg)	2.500	2.500	2.500	3.000
Technically permissible maximum laden mass of the vehicle combination	6.000	6.000	6.000	6.500
Wheelbase (cm)	345	403	403	403
Tyre size	225/75 R 16 C 116 R, 215/70	225/75 R 16 C 116 R, 215/70	225/75 R 16 C 116 R, 215/70	225/75 R 16 C 116 R, 215/70

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.

Technical Data	540 MQ	600 MQ	600 ME	600 DQ
	R 15 C 109 R Allwetterreifen	R 15 C 109 R Allwetterreifen	R 15 C 109 R Allwetterreifen	R 15 C 109 R Allwetterreifen
Rim size	6J x 16 H2	6J x 16 H2	6J x 16 H2	6J x 16 H2
Number of persons allowed in driving operation	4	4	4	4
Beds (Hints: H141)	2	3	2	5
Max. number of beds (Hints: H142)	4	4	5	5
Automatic three-point belts, height-adjustable	2	2	2	2
Max. belt-secured seats	4	4	4	4
BODY				
Total number of hinged windows	6	6	6	6
Wall thickness, floor (mm)	25	25	25	25
LIVING AREA				
Three-point belts in driving direction	2	2	2	2
Bed size, lifting bed (cm) (Hints: H192)	–	–	196/178 x 173	176 x 130
Bed size, high-roof bed EasySlide (cm) (Hints: H192)	–	–	–	–
Bed size, seating group (spare bed) (cm) (Hints: H192)	145 x 70	180 x 70	145 x 70	180 x 70
Bed size, guest bed optional (cm) (Hints: H192)	180 x 70	180 x 70	180 x 70	180 x 70
Bed size, rear (cm) (Hints: H192)	194 x 140/125	194 x 152/140	180 x 85; 200 x 85	194 x 152/140
Single bed	–	–	s	–
Transverse bed	s	s	–	s
Drop-down bed	–	–	–	s
WATER				
Waste water volume in liters	90	90	90	90
Fresh water volume in liters (Hints: H711A, H712D)	102	102	102	102
Fill level of the fresh water tank (liter)	20	20	20	20
KITCHEN				
Refrigerator (ltr.)	75	95	75	95
ELECTRICAL SUPPLY				
Living area battery	95	95	95	95
Number of 12 V socket(s)	1	1	1	1
Number of 230 V socket(s)	3	3	3	3
Number of USB socket(s)	3	3	3	3

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.







Technical Data	600 MQH	630 ME	630 MEG
List price in GBP including 20% VAT	72.985,-	74.289,-	70.295,-
FIAT Ducato 3,500 kg***(103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH125, ABH129, Hints: H724)	s	-	s
FIAT Ducato 3,500 kg*** MAXI (132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH059, ABH130, ABH067, Hints: H724)	o	s	o
BASIC EQUIPMENT			
Chassis	FIAT	FIAT	FIAT
Engine power	103 kW / 140 PS	132 kW / 180 PS	103 kW / 140 PS
Gearbox	man.	autom.	man.
Total length (cm)	599	636	636
Width (outside) (cm)	205	205	205
Width (inside) (cm)	187	187	187
Height (outside) (cm)	312	258	282
Height (inside) (cm)	238	190	218
Mass in running order (basic model without optional equipment but with basic equipment) (kg)	2.940 (2.793 - 3.087)	2.860 (2.717 - 3.003)	2.880 (2.736 - 3.024)
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140)	2.937 (2.790 - 3.083)	2.857 (2.714 - 2.999)	2.877 (2.733 - 3.020)
Technically maximum authorised laden mass (kg)	3.500	3.500	3.500
Maximum payload (kg)	57	112	130
Towing load (kg)	2.500	3.000	2.500
Technically permissible maximum laden mass of the vehicle combination	6.000	6.500	6.000
Wheelbase (cm)	403	403	403
Tyre size	225/75 R 16 C 116 R, 215/70 R 15 C 109 R Allwetterreifen	225/75 R 16 C 116 R, 215/70 R 15 C 109 R Allwetterreifen	225/75 R 16 C 116 R, 215/70 R 15 C 109 R Allwetterreifen
Rim size	6J x 16 H2	6J x 16 H2	6J x 16 H2
Number of persons allowed in driving operation	4	4	4
Beds (Hints: H141)	5	3	2
Max. number of beds (Hints: H142)	5	4	5
Automatic three-point belts, height-adjustable	2	2	2
Max. belt-secured seats	4	4	4
BODY			
Total number of hinged windows	8	6	4
Wall thickness, floor (mm)	25	25	25
LIVING AREA			

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.

Technical Data	600 MQH	630 ME	630 MEG
Three-point belts in driving direction	2	2	2
Bed size, lifting bed (cm) (Hints: H192)	–	–	–
Bed size, high-roof bed EasySlide (cm) (Hints: H192)	200 x 130	–	–
Bed size, seating group (spare bed) (cm) (Hints: H192)	180 x 70	180 x 70	145 x 70
Bed size, guest bed optional (cm) (Hints: H192)	180 x 70	180 x 70	180 x 70
Bed size, rear (cm) (Hints: H192)	194 x 152/140	195 x 85; 200 x 85	170 x 193/206
Single bed	–	s	s
Transverse bed	s	–	–
Drop-down bed	s	–	–
WATER			
Waste water volume in liters	90	90	90
Fresh water volume in liters (Hints: H711A, H712D)	102	102	102
Fill level of the fresh water tank (liter)	20	20	20
KITCHEN			
Refrigerator (ltr.)	95	95	75
ELECTRICAL SUPPLY			
Living area battery	95	95	95
Number of 12 V socket(s)	1	1	1
Number of 230 V socket(s)	3	3	3
Number of USB socket(s)	3	3	3

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.

Art. No.		List price [GBP]*
210140	10" Navigation Package (2 kg)	
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	408,-
203725	Virtual cockpit	512,-
203727	Inductive charging cradle	230,-
204681	10" FIAT sat-nav	982,-
	Total price options	2.132,-
	Package Price	1.920,-
	Saving	212,-

Art. No.		List price [GBP]*
210059	Light and Visibility Package (-9 kg)	
202164	Rain and light sensors with automatic dimming	285,-
203723	Full LED front lighting (low beam, high beam and indicators)	879,-
203729	Electric parking brake	515,-
	Total price options	1.679,-
	Package Price	1.394,-
	Saving	285,-

Art. No.		List price [GBP]*
210028	Lounge package	
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	408,-
203725	Virtual cockpit	512,-
203727	Inductive charging cradle	230,-
	Total price options	1.150,-
	Package Price	1.043,-
	Saving	107,-

Please note the hints and dependencies from page 17 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.		List price [GBP]*
210029	City & Park Paket (1 kg)	
201609	Electrically folding exterior mirrors	174,-
202762	Cross traffic and Lane Change Assist	573,-
203740	360° parking sensors	463,-
	Total price options	1.210,-
	Package Price	1.008,-
	Saving	202,-

Art. No.		List price [GBP]*
214145	Bike pack for one motorcycle (only 630 MEG) (49 kg)	
102782	Foldable access ramp including transport bracket in the vehicle	324,-
102783	Motorcycle holder for 1 motorcycle	438,-
102784	AirLine rail in the middle including 3 fittings	173,-
102785	Checker plate for garage floor	306,-
	Total price options	1.241,-
	Package Price	868,-
	Saving	373,-

Please note the hints and dependencies from page 17 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	600 DQ	600 MQH	630 ME	630 MEG
		Motorisation / Drive / Gearing / Load increase									
		Motorisation / Drive									
		3.500 kg Chassis light									
204372-01		FIAT Ducato 3,500 kg***(103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH125, ABH129, Hints: H724)		-219,-	o	s	s	-	s	-	s
204373-01		FIAT Ducato 3,500 kg***(132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH125, ABH067, Hints: H724)		2.543,-	-	o	o	-	o	-	-
		3.500 kg Chassis maxi									
204375-01		FIAT Ducato 3,500 kg*** MAXI (132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH059, ABH130, ABH067, Hints: H724)	60 - 62	3.104,-	-	o	o	-	o	s	o
		Heavy Duty Chassis									
204377		FIAT Ducato 3.500 kg***; 2.2 l 140 Multijet; front-wheel drive; Euro VI HD (103 kW/140 HP); 6-speed manual gearbox (Dependencies: ABH131, Hints: H724)			s	-	-	-	-	-	-
203109		FIAT Ducato 3,500 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH125, ABH126, Hints: H724)		965,-	o	-	-	-	-	-	-
203109		FIAT Ducato 3,500 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH125, ABH126, Hints: H724)		-1.955,-	-	-	-	o	-	-	-
203109		FIAT Ducato 3,500 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH125, ABH126, Hints: H724)		1.184,-	-	o	o	-	o	-	o
203109		FIAT Ducato 3,500 kg***(120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH125, ABH126, Hints: H724)		-1.920,-	-	-	-	-	-	o	-
204379		FIAT Ducato 3.500 kg*** MAXI; 2.2 l 140 Multijet; front-wheel drive; Euro VI HD (103 kW/140 HP); 6-speed manual gearbox (Dependencies: ABH059, ABH132, Hints: H724)	60	780,-	-	o	o	-	o	-	-
203119		FIAT Ducato 3,500 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH059, ABH125, ABH127, Hints: H724)	60 - 62	-1.394,-	-	-	-	o	-	-	-
203119		FIAT Ducato 3,500 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH059, ABH125, ABH127, Hints: H724)	60 - 62	1.745,-	-	o	o	-	o	-	o
203119		FIAT Ducato 3,500 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH059, ABH125, ABH127, Hints: H724)	60 - 62	-1.359,-	-	-	-	-	-	o	-
204380		FIAT Ducato 3.500 kg*** MAXI; 2.2 l 180 Multijet; front-wheel drive; Euro VI HD (132 kW/180 PS); 6-speed manual gearbox (Dependencies: ABH059, ABH133, ABH067, Hints: H724)			-	-	-	s	-	-	-
203122		FIAT Ducato 4,000 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH059, ABH125, ABH128, Hints: H724)	60 - 62	-561,-	-	-	-	o	-	-	-
203122		FIAT Ducato 4,000 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH059, ABH125, ABH128, Hints: H724)	60 - 62	2.578,-	-	o	o	-	o	-	o
203122		FIAT Ducato 4,000 kg*** MAXI (120 kW / 160 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH059, ABH125, ABH128, Hints: H724)	60 - 62	-526,-	-	-	-	-	-	o	-
		Gearing									
202826		6-speed manual gearbox			s	s	s	-	s	-	s
204383		8-speed automatic gearbox (Dependencies: ABH072, ABH125)	10 - 35	3.235,-	o	o	o	s	o	s	o
		Load Increase									
952791		Reduction of the number of permitted seats in operation from 4 to 3 people			o	o	o	o	o	o	o
952792		Reduction of the number of permitted seats in operation from 4 to 2 people			o	o	o	o	o	o	o
		Chassis / Climate Control / Multimedia									
204487	203119, 203122, 204375-01, 204379, 204380, 204383	verstärkte Achsen und Bremsanlage (Dependencies: ABH077)	25		-	o	o	s	o	o	o
200318		Right-hand drive FIAT with speedometer mph			s	s	s	s	s	s	s
		Paints									
202852-01		Chassis uni paint: White			s	s	s	s	s	s	s
201786-02		Chassis in metallic paint: Fer Grey	1	745,-	o	o	o	o	o	o	o
201786-05		Chassis in metallic paint: Black	2	745,-	o	o	o	o	o	o	o
201786-06		Chassis in metallic paint: Artense Grey	2	745,-	o	o	o	o	o	o	o
203794-02		Chassis in special paint: Lanzarote Grey	2	563,-	o	o	o	o	o	o	o
203794-01		Chassis in special paint: Campovolo Grey	2	563,-	o	o	o	o	o	o	o
202860		High-roof paint: White			-	-	-	-	s	-	-
102691		High-roof paint: Campovolo Grey (Dependencies: ABH034)		313,-	-	-	-	-	o	-	-
203720-01		Spoiler (skid-plate) (Dependencies: ABH061, ABH062)			s	s	s	-	s	-	s
202139		Headlights in black frame			s	s	s	s	s	s	s
204390		Radiator grille cover painted black			s	s	s	s	s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	600 DQ	600 MQH	630 ME	630 MEG
204385	203119, 203122, 204375-01, 204379, 204380	Black wheel arch linings (Dependencies: ABH134, ABH135)		99,-	-	o	o	o	o	o	o
201788		Front bumper painted in chassis colour (Dependencies: ABH050)			s	s	s	s	s	s	s
		Tyres									
202132	203119, 203122, 204375-01, 204379, 204380, 204383	16" tyres (Dependencies: ABH053, ABH054)			s	s	s	s	s	s	s
203808		All-weather tyres			s	s	s	s	s	s	s
201815		Alloy rims for standard tyres (Dependencies: ABH051, ABH052)			s	s	s	s	s	s	s
		Air Conditioning / Interior									
200176		Air conditioning in cab, manual including pollen filter and outside temperature display			s	s	s	s	s	s	s
201686	210028, 210140	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)		408,-	o	o	o	o	o	o	o
201862		Driver airbag			s	s	s	s	s	s	s
200501		Passenger airbag			s	s	s	s	s	s	s
201952-01		Driver's seat height adjustment			s	s	s	s	s	s	s
201952		Passenger's seat height adjustment			s	s	s	s	s	s	s
201519-01		Techno leather steering wheel and gear knob			s	s	s	s	s	s	s
203730		Instrument panel in Techno design (aluminium)			s	s	s	s	s	s	s
222884		Cupholder in centre console			s	s	s	s	s	s	s
200975-01		Original FIAT Captainchair seats with armrests (Dependencies: ABH048)			s	s	s	s	s	s	s
204386		Storage tray under the driver's seat (Dependencies: ABH075)			s	s	s	s	s	s	s
202392		Seat heating for driver's and passenger's seats (Dependencies: ABH047)	1	693,-	o	o	o	o	o	o	o
201789		High-quality fitted seat covers for driver's/passenger's seat in WEINSBERG fabric style			s	s	s	s	s	s	s
200633		Cab seats swivelling (Dependencies: ABH047)			s	s	s	s	s	s	s
202133		Seat box cladding for cab seats			s	s	s	s	s	s	s
201074		Floor mat set in driver's cab in WEINSBERG design	2	104,-	o	o	o	o	o	o	o
203734		Heated windscreen	1	447,-	o	o	o	o	o	o	o
550610		Front and side window blackout			s	s	s	s	s	s	s
		Assistance Systems									
200567		Tempomat ® - Cruise Control			s	s	s	s	s	s	s
204387		Adaptive cruise control > 30 km/h (Dependencies: ABH076, Hints: H994)		546,-	o	o	o	o	o	o	o
202871		ESP			s	s	s	s	s	s	s
202872		Hill Holder (Hill Start Assist)			s	s	s	s	s	s	s
202873		ABS			s	s	s	s	s	s	s
202874		Electronic immobiliser			s	s	s	s	s	s	s
202876		Electromechanical power steering			s	s	s	s	s	s	s
203755		Trailer Stability Control System			s	s	s	s	s	s	s
203756		Post Collision Braking System			s	s	s	s	s	s	s
222881		Crosswind Assist			s	s	s	s	s	s	s
201787		"Traction Plus" traction aid, including Hill Descent Assist (Dependencies: ABH049)			s	s	s	s	s	s	s
201062		Rear parking aid			s	s	s	s	s	s	s
202762	210029	Cross traffic and Lane Change Assist (Dependencies: ABH056)		573,-	o	o	o	o	o	o	o
203740	210029	360° parking sensors (Dependencies: ABH065)		463,-	o	o	o	o	o	o	o
202150		Tyre pressure monitoring system			s	s	s	s	s	s	s
204690		Level 2 autonomous driving (Dependencies: ABH082, ABH083)		1.482,-	o	o	o	o	o	o	o
202879		Emergency Brake Assist			s	s	s	s	s	s	s
204691		Active Lane Keeping Assist			s	s	s	s	s	s	s
204692		Fatigue detection			s	s	s	s	s	s	s
204693		Intelligent Speed Assistant with traffic sign recognition			s	s	s	s	s	s	s
202164	210059	Rain and light sensors with automatic dimming		285,-	o	o	o	o	o	o	o
203729	210059	Electric parking brake	-9	515,-	o	o	o	o	o	o	o
		Lighting / Technology									
200178-01		Front fog lights with cornering light (Dependencies: ABH045)			s	s	s	-	s	-	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	600 DQ	600 MQH	630 ME	630 MEG
200178-02	203119, 203122, 204375-01, 204380	Fog lights with cornering lights (for heavy chassis) (Dependencies: ABH046)			-	-	-	s	-	s	w
201043		Spare tyre	35	282,-	o	o	o	o	o	o	o
204265		Fix&Go Tire Repair Kit			s	s	s	s	s	s	s
204388		Fuel tank 60 litres			s	s	s	s	s	s	s
202712		Fuel tank 90 ltr.		89,-	o	o	o	o	o	o	o
202891		Car key with remote control for central locking for cab doors			s	s	s	s	s	s	s
202227		Additional car key with remote control (Dependencies: ABH055)		33,-	o	o	o	o	o	o	o
202892-02		Power windows (driver's and passenger's door)			s	s	s	s	s	s	s
200488		Electrically adjustable and heated exterior mirrors			s	s	s	s	s	s	s
201609	210029	Electrically folding exterior mirrors	1	174,-	o	o	o	o	o	o	o
202901-01		Daytime running light with series headlamps			s	s	s	s	s	s	s
203723	210059	Full LED front lighting (low beam, high beam and indicators) (Dependencies: ABH063)		879,-	o	o	o	o	o	o	o
252161		Reading spots in cab			s	s	s	s	s	s	s
		Multimedia / Navigation									
250233-03		Additional speakers in the living area (2 units)			s	s	s	s	s	s	s
204389	204672, 204681	Preparation for multimedia			s	s	s	s	s	s	s
204672		7-inch media centre with Apple CarPlay and Android Auto (Dependencies: ABH078, ABH079)			s	s	s	s	s	s	s
204681	210140	10" FIAT sat-nav (Dependencies: ABH078, ABH080, ABH081)	2	982,-	o	o	o	o	o	o	o
251120		Rear view camera			s	s	s	s	s	s	s
203727	210028, 210140	Inductive charging cradle (Dependencies: ABH064)		230,-	o	o	o	o	o	o	o
203725	210028, 210140	Virtual cockpit		512,-	o	o	o	o	o	o	o
		Transport Systems									
202061		Trailer hitch, ball bar removable	19	956,-	o	o	o	o	o	o	o
104584		Towbar THULE VeloSwing (Dependencies: ABH044)	56	2.191,-	o	o	o	o	o	o	o
203933		Preparation for towbar hitch			s	s	s	s	s	s	s
100597		Bicycle carrier for 2 bikes, rear (Hints: H157)	14	613,-	o	o	o	o	o	o	o
102782	214145	Foldable access ramp including transport bracket in the vehicle	8	324,-	-	-	-	-	-	-	o
102783	214145	Motorcycle holder for 1 motorcycle (Dependencies: ABH035)	24	438,-	-	-	-	-	-	-	o
102783-01		Additional motorcycle holder for 1 motorcycle (Dependencies: ABH036)	24	438,-	-	-	-	-	-	-	o
102784	214145	AirLine rail in the middle including 3 fittings	2	173,-	-	-	-	-	-	-	o
102785	214145	Checker plate for garage floor	15	306,-	-	-	-	-	-	-	o
102333-03		Lashing eyes in the floor			s	s	s	s	s	s	s
103460		Low garage height (Dependencies: ABH037)			-	-	-	-	-	-	o
		Packages									
210140		10" Navigation Package	2	1.920,-	o	o	o	o	o	o	o
210059		Light and Visibility Package	-9	1.394,-	o	o	o	o	o	o	o
210028		Lounge package (Dependencies: ABH084)		1.043,-	o	o	o	o	o	o	o
210029		City & Park Paket	1	1.008,-	o	o	o	o	o	o	o
214145		Bike pack for one motorcycle (only 630 MEG)	49	868,-	-	-	-	-	-	-	o
		Doors									
102064		Insect screen door			s	s	s	s	s	s	s
101080		Electrical entry step, 70 cm wide			s	s	s	s	s	s	s
103745		Electric closing aid (soft-close sliding door) (Dependencies: ABH042)	2	837,-	o	o	o	o	o	o	o
		Service hatches / Garage doors									
		Centre									
102912		Service hatch WC with magnetic holding function on body			s	s	s	s	s	s	s
		Rear									
552964-10		Large variable storage space in the rear (Hints: H181)			s	s	s	s	s	s	s
102914-05		Gas locker for gas bottle reserves 2 x 11 kg			s	s	s	s	s	s	-
102914-07		Gas locker for gas bottle reserves 1 x 5 kg			-	-	-	-	-	-	s
		Windows / Roof Hoods / Ventilation									
102918		Windows with safety lock			s	s	s	s	s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	600 DQ	600 MQH	630 ME	630 MEG
102923-04		Windows with double glazing tinted, curtained and hinged (with insect screen and blackout)			s	s	s	s	s	s	s
102323		Frame window SEITZ S7P (Dependencies: ABH031)		889,-	o	o	o	o	o	o	o
102923-07		Insect screens and blackout blinds in black / anthracite			s	s	s	s	s	s	s
103594-01		WEINSBERG pop-up roof KOMFORT, white (Dependencies: ABH121, ABH122, ABH123, ABH124, Hints: H151, H168)	163	5.516,-	o	o	o	-	-	o	-
104117-01		WEINSBERG pop-up roof komfort Lava Grey (Dependencies: ABH121, ABH122, ABH123, ABH124, Hints: H151, H168)	163	5.928,-	o	o	o	-	-	o	-
		Front									
103586		Panorama window (bow)	-12	1.657,-	o	o	o	-	-	o	-
553744		EasySpace build-out (Dependencies: ABH114)	-12	772,-	o	o	o	-	-	o	-
102619-01		Roof hood 40 x 40 cm with insect screen and blackout, clear (bow)			-	-	-	-	s	-	-
100750-01		Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (bow)			s	s	s	s	-	s	s
		Centre									
102619-02		Roof hood 40 x 40 cm with insect screen and blackout, clear (centre) (Dependencies: ABH120)	3	189,-	-	o	o	o	-	o	o
102690		Lift-tilt roof hood in front and rear instead of clear roof hoods in the high roof (Dependencies: ABH033)			-	-	-	-	s	-	-
		Rear									
102619-03		Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)			s	s	s	s	s	s	s
100750-03		Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout (rear) (Dependencies: ABH030)	8	446,-	-	o	o	o	-	o	o
102689		Panorama skylight (in high roof) and hinged windows (rear)	7	1.069,-	-	-	-	-	o	-	-
551834		Combination roller blinds with insect screen and blackout on rear wing doors			s	s	s	s	s	s	-
101981-01		Hinged window, rear right (with insect screen and blackout)	5	381,-	-	o	o	o	o	o	-
101981-02		Hinged window, rear left (with insect screen and blackout)			s	s	s	s	s	s	-
102921		2 windows on rear doors			s	s	s	s	s	s	-
104712		Optimised door stops on rear doors			s	s	s	s	s	s	s
		Toilet Room									
102920-03		Mushroom fan (toilet room)			s	s	s	s	s	s	s
101666-08		Hinged window with insect screen and blackout, (toilet room)			s	s	s	s	s	s	s
		Materials / Vehicle Graphics									
		Materials									
102926-02		GRP high roof, insulated			-	-	-	-	s	-	-
102927-01		Cold bridge-optimised insulation			s	s	s	s	s	s	s
102927-03		Innovative side wall and roof construction with different insulation materials			s	s	s	s	s	s	s
102928-03		Floor plate in sandwich construction			s	s	s	s	s	s	s
102927-07		Side walls with breathable fabric lining			s	s	s	s	s	s	s
102928-10		Temperature-controlled intermediate floor in seating group			s	s	s	s	s	s	s
		Vehicle Graphics									
103551-28		Special foil graphics „EDITION [FIRE]“			s	s	s	s	s	s	s
		Lighting / Technology									
102497		Gutter above sliding door with dimmable LED lighting			s	s	s	s	s	s	s
		Furniture / Surfaces									
552940-43		Furniture Decor: Manama			s	s	s	s	s	s	s
552941-07		Furniture construction in full carcase design with dowelling technology			s	s	s	s	s	s	s
552941-12		Drawers with full extension and roller guide			s	s	s	s	s	s	s
		Living / Sleeping / Upholstery and Fabrics									
		Living									
552960-17		Multi-section backrest cushion, removable lumbar support cushions with adjustable backrest angle			s	s	s	s	s	s	s
552130	552046	Swivel table, single (without guest bed)			s	s	s	s	s	s	s
552348		Extendable bench seat (Dependencies: ABH111, ABH112, ABH113)			s	s	s	s	s	s	s
552247-01		ISOFIX system (1 child seat) (Dependencies: ABH110)	5	262,-	o	o	o	o	o	o	o
552247		ISOFIX system (2 child seats) (Dependencies: ABH108, ABH109)			s	s	s	s	s	s	s
552960-07		Dinette seat bench with integrated heating			s	s	s	s	s	s	s
552962-02		EasyEntry table with free dinette access			s	s	s	s	s	s	s
552960-09		Comfort function for dinette seating group			s	s	s	s	s	s	s
		Sleeping									
552574		EvoPore HRC mattress incl. WaterGEL topper, fixed beds only			s	s	s	s	s	s	-

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	600 DQ	600 MQH	630 ME	630 MEG
552198-01		Conversion seating group to guest bed (Hints: H169)			-	s	-	s	s	s	-
552046		Additional lateral bed (Dependencies: ABH105)	11	294,-	o	o	o	o	o	o	o
552223		Bed extension to make one large sleeping surface (Dependencies: ABH136)	2	174,-	-	-	o	-	-	o	-
554268		Low bed variant (Dependencies: ABH116)			-	-	-	-	-	-	o
553787		Lifting bed in the rear (Dependencies: ABH115)	29	1.043,-	-	-	o	-	-	-	-
554392		Mattress topper (Dependencies: ABH137)	5	157,-	o	o	o	o	o	o	o
		Upholstery / Fabrics / Carpets									
		Upholstery Variants									
554679-07		Upholstery selection: FUSION GREY – Special upholstery with embroidery, [FIRE] edition			s	s	s	s	s	s	s
		COZY HOME Package consisting of: 2 decorative pillows, 2 sleeping pillows, 2 blankets, table runner									
550660-15		COZY HOME pack URBAN SAND	3	200,-	o	o	o	o	o	o	o
550660-16		COZY HOME pack NORDIC DOTS	3	200,-	o	o	o	o	o	o	o
550660-17		COZY HOME pack SCANDIC GREEN	3	200,-	o	o	o	o	o	o	o
		Carpets									
554393		Carpet in the seating and living area	3	245,-	o	o	o	o	o	o	o
		Kitchen / Bathroom									
		Kitchen									
402985-06		Cooker-sink combination incl. 2-burner cooker with electric ignition and divided glass cover (Dependencies: ABH024)			s	s	s	s	s	s	s
402988		Energy-efficient compressor refrigerator 75 ltr. (incl. 10.2 ltr. freezer compartment), with external soundproofed compressor unit			s	-	s	-	-	-	s
402990		Energy-efficient compressor refrigerator 95 ltr. (incl. 12.8 ltr. freezer compartment), with external soundproofed compressor unit			-	s	-	s	s	s	-
402602		Compressor refrigerator 150 ltr. (incl. 17 ltr. freezer compartment), with external soundproofed compressor unit	18	824,-	-	o	-	o	o	o	-
401940		Kitchen multifunctional back panel			-	s	-	s	s	s	s
402496		Kitchen worktop with foldable extension and 2 bag holders			s	s	s	s	s	s	s
		Bathroom Area									
453505-33		Compact swivel washbasin with pull-out basin (Dependencies: ABH103)			s	-	s	-	-	-	s
453505-32		Swivelling wall pool (Dependencies: ABH103)			-	s	-	s	s	s	-
453504		WC disposal tunnel with full cladding			s	s	s	s	s	s	s
453508		Shower tray with sand dune haptic			s	s	s	s	s	s	s
452495		Folding clothes rail in wet room on ceiling and coat hooks (2 pcs.)			s	s	s	s	s	s	s
452678-02		Outdoor shower, connection in garage	4	271,-	o	o	o	o	o	o	o
453608		Floor insert for shower tray	3	87,-	o	o	o	o	o	o	o
453503-04		Cassette toilet Thetford swivelling			s	s	s	s	s	s	s
		Heating / Air conditioning / Gas Supply / Water Supply									
		Gas Supply									
302976		Gas hose version UK			s	s	s	s	s	s	s
302980		Gas regulator version UK			s	s	s	s	s	s	s
301956		TRUMA MonoControl CS (incl. gas filter) (Dependencies: ABH099)	1	324,-	o	o	o	o	o	o	-
301957		TRUMA DuoControl CS (incl. gas filter) (Dependencies: ABH099)	1	438,-	o	o	o	o	o	o	-
551327		Smoke detector			s	s	s	s	s	s	s
		Heating / Air conditioning									
551054		Air circulation system 12 V			s	s	s	s	s	s	s
352971		Heating TRUMA Combi 4			s	s	s	s	-	-	-
351166		Heating TRUMA Combi 6	15	346,-	o	o	o	o	s	s	-
351274		Heating TRUMA Combi E (Dependencies: ABH101)			s	s	s	s	s	s	-
351231		Diesel heating TRUMA Combi 6 D (Dependencies: ABH100)	16	1.048,-	o	o	o	o	o	o	s
352230		Heating TRUMA Combi 6 D + E (Dependencies: ABH100)	17	1.916,-	o	o	o	o	o	o	-
352379		Electrical heating element for TRUMA Combi D (Dependencies: ABH102, ABH100)			-	-	-	-	-	-	s
550825		Electric underfloor heating	8	744,-	o	o	o	o	o	o	o
352059		TRUMA CP-Plus digital heating control panel			s	s	s	s	s	s	s
450740		Insulating hood waste water tank, heatable	2	311,-	o	o	o	o	o	o	o
552078		Preparation for air conditioning (Dependencies: ABH106)		224,-	o	o	o	o	o	o	o
554394-01		DOMETIC FJZ4 2200 FS air conditioner, black (Dependencies: ABH138, ABH119, Hints: H145, H190)	30	2.453,-	o	o	o	o	o	o	o

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	540 MQ	600 MQ	600 ME	600 DQ	600 MQH	630 ME	630 MEG
		Water Supply									
453510-01		Water supply with submerged pump			s	s	s	s	s	s	s
453510-03		Hot water supply with single-lever mixer tap			s	s	s	s	s	s	s
453510-06		Water pipes laid with circulating air hose			s	s	s	s	s	s	s
		Electronics / Multimedia / Safety									
		Electronics									
253524		Automatic connection/disconnection for starter and on-board battery			s	s	s	s	s	s	s
253533		Electr. automatic charger for body / vehicle battery			s	s	s	s	s	s	s
253522		CEE external socket for 230 V, with circuit breaker			s	s	s	s	s	s	s
253529		Ground fault circuit interrupter			s	s	s	s	s	s	s
253526-06		LED Bord-Control panel with indication of all important functions			s	s	s	s	s	s	s
252723		Charging booster for on-board battery			s	s	s	s	s	s	s
251949-12		USB socket in the entrance area (1 piece)			s	s	s	s	s	s	s
251949-09		USB socket in the rear (1 pc.)			s	s	s	s	s	s	s
251949-07		USB socket in kitchen area (1 pc.)			s	s	s	s	s	s	s
253520		230 V SCHUKO sockets "UK" version			s	s	s	s	s	s	s
250072-02		230 V SCHUKO socket, additional 1 pc. in seating group			s	s	s	s	s	s	s
250072-04		230 V SCHUKO socket, additional 1 pc. in the rear			s	s	s	s	s	s	s
253534-04		LED lighting living area (exception: entrance light + luggage compartment)			s	s	s	s	s	s	s
252498-01		Ambient lighting in living area/washroom			s	s	s	s	s	s	s
254625		Preparation PV (Dependencies: ABH089)			s	s	s	s	-	s	s
254702		LiFePO4-on-board battery (instead of standard battery) (100 Ah) (Dependencies: ABH090, ABH091)	-12	868,-	o	o	o	o	o	o	o
254705		Additional LiFePO4-on-board battery (100 Ah) (Dependencies: ABH096, ABH097, ABH091)	12	956,-	o	o	o	o	o	o	o
254703		LiFePO4-on-board battery (instead of standard battery) (180 Ah) (Dependencies: ABH092, ABH091)	-5	1.307,-	o	o	o	o	o	o	o
254704		Additional LiFePO4-on-board battery (180 Ah) (Dependencies: ABH093, ABH094, ABH091)	19	1.394,-	o	o	o	o	o	o	o
254706		LiFePO4-board battery (100 Ah) (Dependencies: ABH098)	12	956,-	o	o	o	o	o	o	o
254704-01		LiFePO4-on-board battery (180 Ah) (Dependencies: ABH095)	19	1.394,-	o	o	o	o	o	o	o
253802		Solar system (100 W) (Dependencies: ABH087, ABH088)	9	1.035,-	o	o	o	o	-	o	o
		Multimedia									
252448-01		21.5" SMART TV set with HD tuner incl. holder, in sleeping area (Dependencies: ABH086)	10	1.131,-	o	o	o	o	o	o	o
252479	251261	Pre-cabling for TV in the sleeping area	1	87,-	o	o	o	o	o	o	o
252405-01		TV holder in living area incl. combi socket	3	342,-	o	o	o	o	o	o	o
251261	252448-01	TV holder in sleeping area (Dependencies: ABH085)	4	206,-	o	o	o	o	o	o	o
253651		External LTE / WIFI antenna	3	868,-	o	o	o	o	o	o	o
		Awning / Awning Accessories									
		Awning THULE OMNISTOR									
501646-06		Awning 315 x 250 cm, anthracite (Dependencies: ABH104, Hints: H135)			w	-	-	-	-	-	-
501646-01		Awning 325 x 250 cm, anthracite (Dependencies: ABH088, Hints: H135)			s	-	-	-	-	-	-
501646-03		Awning 375 x 250 cm, anthracite (Hints: H135)			-	s	s	s	s	-	-
501646-04		Awning 400 x 250 cm, anthracite (Hints: H135)			-	-	-	-	-	s	s
		Miscellaneous									
953542-06		Operating instruction (English)			s	s	s	s	s	s	s
951036		MOT and registration document			s	s	s	s	s	s	s
		Accessories									
953543		10-year leak-proofness guarantee			s	s	s	s	s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of “vehicle weights“ can be found from page 2 of this price list and at “configurator.weinsberg.com“.

Please note the hints and dependencies from page 17 onwards.
* List Price = List price in GBP including 20% VAT

HINTS

H135	Awning size differs for technical reasons when choosing the pop-up roof
H140	Incl. indication of production-related tolerances of ±5%
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your WEINSBERG dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H151	If this option is selected, the vehicle height increases by approx. 20 cm
H157	Please note that mounting the bicycle carrier on the rear wall limits the field of view of the reversing camera.
H168	Please note that when selecting the pop-up roof and the option "transverse guest bed with additional cushion", simultaneous everyday use is not possible.
H169	The emergency bed function should only be used in exceptional cases. As an additional sleeping place in the seating group, we recommend the option "transverse guest bed with additional cushion".
H181	Garage height 135 cm
H190	Prioritized positioning of the air conditioning system in the center of the vehicle; selection of certain optional equipment may change the positioning.
H192	The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).
H711A	The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 20 ltr. (suggested filling for running order)
H712D	The fresh water tank capacity is 102 ltr. with the overflow valve closed.
H724	*** The weight stated is the technically permissible total mass.
H994	Diese Option ist auch im Autonomes Fahren Level 2 enthalten.

DEPENDENCIES

ABH024	Contains 953554 along with 953555
ABH030	Not with 103594-01, 104117-01:554394-01 along with 103594-01, 104117-01:914395-01 along with 103594-01, 104117-01:914734-02
ABH031	Replaces 104712
ABH033	Replaces 102619-03 along with 102619-01
ABH034	Only with 203794-01
ABH035	Only with 102784
ABH036	Only with 102783
ABH037	Only with 554268
ABH042	Only with 102064
ABH044	Only with 251120
ABH045	Only with 201788 and 203720-01 along with 204371-01 or 204372-01 or 204373-01 or 204377 or 203109 or 204378
ABH046	Not with 203720-01 or 204371-01 or 204372-01 or 204373-01 or 204377 or 203109 or 204378
ABH047	Only with 200975-01
ABH048	Only with 204386 and 201787
ABH049	Only with 200975-01 and 204386
ABH050	Only with (200178-01 and 203720-01) or 200178-02 or 204741
ABH051	Only with 202132
ABH052	Replaces 200868
ABH053	Not with 204371-01
ABH054	Only with (204372-01:201815 and 202826:201815) or 204374-01 or 204375-01 or 204376-01 or 204379 or 203119 or 204380 or 204381 or 203122 or 204382 or 204383
ABH055	Not with 203731
ABH056	Only with 201609
ABH059	Contains 202132, 204385, 200178-02 along with 204741 along with 204487
ABH061	Not with 200178-02 along with 204741
ABH062	Only with 200178-01 and 201788
ABH063	Only with 202139
ABH064	Only with 201686
ABH065	Only with 251120 along with 204385 or 200178-01
ABH067	Only with 204383
ABH091	Replaces 253749
ABH092	Not with 251248 along with 914707 along with 251248-03 along with 254702 along with 254705 along with 914710 or 914709 or 914708
ABH093	Not with 914709 along with 914708 along with 914711 along with 251248-03 along with 254702 along with 254705
ABH094	Only with 254703 or 914711
ABH095	Not with 251248-03 along with 914707 along with 254702 along with 251248 along with 914709 or 914710 or 254703 or 254706
ABH096	Not with 914708 along with 914710 along with 914711 along with 254703 along with 254704 along with 251248-03
ABH097	Only with 254702 or 914708 or 254706 or 914709
ABH098	Not with 251248-03 along with 914707 along with 254702 along with 251248 along with 914709 along with 914710 or 914711 or 254703 or 254704
ABH099	Replaces 302978 along with 302979 along with 302980 along with 302981
ABH100	Replaces 351274
ABH101	Only with 352971 or 351166
ABH102	Only with 351231
ABH103	Replaces 453505-10
ABH104	Only with 103577 or 103594-01 or 104115 or 104117-01
ABH105	Contains 552130
ABH106	Not with 103594-01 along with 104117-01
ABH108	Not with 552247-01
ABH109	Only with 552348 or 552347
ABH110	Not with 552348 or 552347
ABH111	Not with 552347
ABH112	Only with 552247
ABH113	Replaces 552347
ABH114	Not with 103586
ABH115	Not with 552223
ABH116	Only with 103460
ABH119	Replaces 103594-01, 104117-01:102619-03, 102619-03, 100750-03
ABH120	Not with 103594-01 along with 104117-01 along with FR4864077*:554394-01 or 914395-01 or 914734-02
ABH121	Contains FR485405027:501646-06
ABH122	Not with FR4860042*, FR4860050*, FR4864042*:100750-03 or 102619-02 along with FR4854050*:100750-03 or 102619-02 or 554394-01 or 914395-01

DEPENDENCIES

ABH072	Contains 202132 along with 204487
ABH075	Only with 200975-01 and 201787
ABH076	Only with 201519-01 along with 200178-01 or 200178-02 or 204741 along with 200178-02:204385 along with 204741:204385 along with 201815 along with 204739:204385
ABH077	Only with 204383 or 204374-01 or 204375-01 or 204376-01 or 204379 or 204380 or 204381 or 204382 or 203119 or 203122
ABH078	Contains 204389
ABH079	Not with 204680 along with 204681
ABH080	Not with 204672
ABH081	Only with 210028 or 201686
ABH082	Not with 204387
ABH083	Only with 203729 along with 204383 along with 210028 or 210140 along with 201519-01 along with 201788 along with 200178-01 or 200178-02 or 204741 along with 202164 along with 201815
ABH084	Not with 210140
ABH085	Contains 252479
ABH086	Contains 251261
ABH087	Contains 254637
ABH088	Not with 103577 or 103594-01 or 104115 or 104117-01
ABH089	Not with 253802 along with 254726
ABH090	Not with 251248 along with 914707 along with 251248-03 along with 254703 along with 254704 along with 914709 along with 914710 or 914711
ABH123	Only with FR485405027:244165 along with FR48540502797:501646-06
ABH124	Replaces FR48540502797:501646-01 along with 102920-03 along with 102619-03 along with FR4854050*:102619-03 along with 254637 along with 254625
ABH125	Not with FR48600502797, FR48600422797, FR48600512797:152828 and 152830
ABH126	Only with FR4860008*:204383
ABH127	Only with FR4860050*, FR4860042*, FR4860051*, FR4864042*:204383
ABH128	Only with FR4860008*, FR4864042*, FR4864077*:204383
ABH129	Only with FR4854050*:200318:204383
ABH130	Not with FR4860008*:200318 along with 203720-01 along with FR48600502797, FR48600422797, FR48600512797:152828 and 152830
ABH131	Not with 204383 along with FR48600502797, FR48600422797, FR48600512797:152828 and 152830
ABH132	Not with 204383 along with 203720-01 along with FR48600502797, FR48600422797, FR48600512797:152828 and 152830
ABH133	Not with 203720-01 along with FR48600502797, FR48600422797, FR48600512797:152828 and 152830
ABH134	Not with 204371-01 or 204372-01 or 204373-01 or 204377 or 204378
ABH135	Only with 204376-01 or 204380 or 204374-01 or 204375-01 or 204379 or 204381 or 204382 or 203119 or 203122 along with 200178-02 or 204741
ABH136	Not with FR4860042*:553787
ABH137	Only with FR4864077*:554268
ABH138	Not with FR4854050*:103594-01 or 104117-01 along with 103594-01, 104117-01:100750-03


WEINSBERG
Dein Urlaub!
facebook.weinsberg.com
instagram.weinsberg.com
youtube.weinsberg.com
www.weinsberg.com
Knaus Tabbert AG Helmut-Knaus-Str. 1 D–94118 Jandelsbrunn