

WEINSBERG

Dein Urlaub!

Price List Model Year 2027-1

CaraCore

EN | UK

Data as of: 14.10.2026



IMPORTANT TECHNICAL AND LEGAL INFORMATION

I. General

This document is valid from July 2026 for vehicles of model year 2027. Any previous price lists, brochure information and technical data shall cease to be valid with respect to the vehicles contained herein. Errors and misprints excepted. Before purchasing a vehicle, you must obtain comprehensive advice from an authorized dealer regarding the information in our price lists and catalogues, any changes that may have occurred after the printing date, as well as the topics listed below.

II. Extras & Option Packs

Certain combinations of options and extras may not always be possible.

III. Images

Some images show options and extras that are not included in the standard equipment and can only be ordered at additional cost (options & extras). Also, some equipment featured is only found in prototypes or specific country models and do not correspond to the standard equipment, nor can they be ordered as an option or extra. Slight colour deviations between the illustrations in the brochure and the actual vehicle cannot be completely excluded for printing reasons. The decoration shown in the catalogue is not part of the equipment supplied.

IV. Retrofitting

In order not to jeopardise your safety and/or the operating licence of your vehicle, we advise you to have attachments, conversions or installations carried out exclusively by an authorised dealer and to insist on original parts. Any retrofitting of alterations or installations, in so far as they are technically feasible, shall incur a cost. We reserve the right to make reasonable changes to the design, colour and equipment, insofar as these serve technical progress and/or safety. We reserve the right to make changes to fittings, technical data, series equipment and prices. After conclusion of the contract, we reserve the right to make reasonable technical changes within the scope of the design, insofar as they serve technical progress. Reasonable deviations in colour and quality are also reserved - even after conclusion of the contract - insofar as these cannot be avoided due to the material. (e.g. colour deviations of up to approx. 2.0 ΔE between paint on sheet metal and paint on GRP/plastic).

Important technical and legal information regarding vehicle configuration and weight-related data

In road traffic, each vehicle is only approved for a certain maximum weight. This maximum weight must not be exceeded during operation. Therefore, particular attention must be paid to the technical and legal requirements for the weight of your vehicle when configuring and selecting optional equipment ('packages', 'features' and 'options') from our factory-fitted range when configuring your vehicle.

The EU Commission's Implementing Regulation (EU) 2021/535 dated 31 March 2021 (up to and including 06/2022: EU Commission Regulation (EU) No. 1230/2012 dated 12 December 2012) sets out the legal requirements for the weight of your vehicle. In order to provide information that is as transparent and comprehensive as possible about the weight-related data specified in the configurator, the following explanations and information provided by Knaus Tabbert AG are based on the requirements of this Regulation. Please read the following explanations and information regarding weight-related data carefully before configuring and ordering your vehicle. Our retail partners will also be happy to help you select and configure your vehicle.

Information regarding the vehicle's dimensions

The vehicle dimensions (overall length, width and height) stated in the technical specifications are nominal values based on the standard factory specification for the relevant layout. These figures are subject to manufacturing tolerances. The permissible tolerances are derived - in accordance with the regulations on weight declarations - from the same relevant EU regulations (in particular Implementing Regulation (EU) 2021/535 (previously Regulation (EU) No 1230/2012) and amount to up to $\pm 3\%$.

Please note that the factory installation of additional equipment, as well as the retrofitting of accessories (e.g. roof-mounted air conditioning units, awnings, aerials, bike racks or roof boxes), may alter the external dimensions of your vehicle. In particular, the overall height and length of the vehicle may be increased by such attachments.

You must be aware of your vehicle's actual external dimensions when driving on public roads, particularly when passing through areas with height restrictions (e.g. underpasses, bridges, tunnels or car park entrances), when using ferries, and when choosing parking spaces and campsites. It is your responsibility to ensure that the vehicle complies with the applicable size limits. We recommend that you check the actual external dimensions of your vehicle, including any attachments, before setting off and take these into account.

1. The technically permissible maximum mass of the vehicle

The 'technically permissible maximum mass' of the vehicle is shown in Part I of the registration certificate (under point F.1.) and refers to the maximum mass that your vehicle may weigh when loaded (e.g. 3,500 kg) as specified by the manufacturer. This may not be exceeded during any journey. Exceeding the technically permissible maximum mass during operation is punishable by fines in many European countries. In Germany, exceeding the technically permissible maximum mass during operation can constitute an administrative offence punishable by a fine. We therefore recommend that you weigh your vehicle prior to every journey and check that it complies with the technically permissible maximum mass. Compliance with the technically permissible maximum mass is your responsibility.

The technically permissible maximum mass for each layout is shown in the technical data.

2. The mass of the vehicle in running order

The 'mass in running order' refers to the mass of the vehicle including the body and standard factory equipment (or 'basic equipment') including the standard fuel tank filled to 90% of its capacity, as well as operating fluids such as lubricants, oils and coolants, tools and puncture repair kit, plus the driver mass, which is calculated as a fixed weight of 75 kg by law.

For each layout, the mass in running order is shown in the technical data.

The following items are included in the mass in running order:

- the unladen weight of the vehicle, including the body and operating fluids such as lubricants, oils and coolants, tools and puncture repair kit;
- the standard factory equipment, i.e. the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level;
- 100% filled fresh water tank; in running order (the capacity of the fresh water tank is limited to 10, 20 or 40 litres in running order depending on the vehicle model) and a 100% filled aluminium gas cylinder weighing 16 kg;
- the 90% filled standard fuel tank including fuel;
- the driver, whose weight is calculated as a fixed 75 kg.

Please note that the mass in running order specified in the technical data is a calculated nominal value that is subject to production-related tolerances of up to $\pm 5\%$. These legally permissible tolerances can have a direct impact on the actual mass of your vehicle and therefore also the load capacity or remaining pay-mass. So you should always take these tolerances into account when configuring your vehicle.

3. The actual vehicle mass

The 'actual vehicle mass' refers to the mass of the vehicle in running order plus the mass of any optional factory-fitted equipment on a particular vehicle.

4. The mass of the driver and the mass of the passengers

The 'driver mass' is calculated as a fixed weight of 75 kg, regardless of the driver's actual weight. Since the driver mass is already included in the mass in running order, it is not included in the authorised passenger mass.

The 'passenger mass' is based on the permissible number of occupants in running order, as determined by the manufacturer during the type-approval process minus the driver mass, which is calculated as a fixed weight of 75 kg.

For each layout, the permissible number of occupants in running order is shown in the technical data.

The passenger mass is also calculated as a fixed weight of 75 kg per passenger, regardless of their actual weight. For a vehicle with a permissible number of occupants in running order of four, the passenger mass is therefore 225 kg (3x75 kg).

5. Standard equipment and optional equipment

The 'standard equipment' (or 'basic equipment') refers to the basic configuration of a vehicle equipped with all the features required by law, including any fitted equipment that does not require further specifications at a configuration or equipment level.

Details of the standard equipment (or 'basic equipment') are provided for the layout you have selected as part of the configuration.

The 'optional equipment' ('packages', 'features', and 'options') refers to all equipment not included in the standard equipment that is factory fitted to the vehicle by the manufacturer and which can be ordered by the customer. Optional equipment in this sense does not include any other accessories that are fitted to the vehicle by you or your retail partner after the manufacturer has delivered the vehicle.

Details of the (equipment) packages, features, and options that can be ordered from the factory are provided for the layout you have selected as part of the configuration.

Please note that the installation of optional equipment always results in a reduction in pay-mass (see point 6.). The maximum optional equipment mass that can be selected for each layout can be found in the information on the respective layouts (see point 7.).

6. The pay-mass and the minimum pay-mass

The 'pay-mass' is calculated by subtracting the mass in running order, the passenger mass and the manufacturer's maximum optional equipment mass from the technically permissible maximum mass.

European legislation stipulates a fixed 'minimum pay-mass' for motorhomes that must be adhered to for luggage and other accessories not installed by the manufacturer. This must not be reduced when configuring your vehicle and is calculated using the following formula:

Minimum pay-mass in kg $\geq 10 * (n + L)$

Where 'n' = maximum number of passengers plus the driver and 'L' = the overall length of the vehicle in metres.

7. The maximum optional equipment mass

To ensure compliance with the legally prescribed minimum pay-mass, the 'maximum optional equipment mass' is specified by the manufacturer for each layout. This is the mass available for selecting optional factory-fitted equipment ('packages', 'features' and 'options') while complying with the minimum pay-mass required by law.

Knaus Tabbert AG calculates the maximum optional equipment mass by subtracting the mass in running order, the passenger mass and the minimum pay-mass from the technically permissible maximum mass.

However, the mass in running order is a calculated nominal value that may be subject to production-related tolerances of up to $\pm 5\%$ (see point 2.). The occurrence of these production-related tolerances could result in the minimum pay-mass not actually being observed if the calculated optional equipment mass is used.

To prevent such a reduction in the minimum pay-mass, Knaus Tabbert AG therefore takes account of the permissible weight deviations that experience has shown may occur for each layout when determining the maximum optional equipment mass.

In addition, equipment features of national variants/special models that are not part of the standard equipment are also taken into account when calculating the maximum optional equipment mass.

If due to the selection of optional equipment, the maximum optional equipment mass is exceeded, you can generally (depending on the layout) select an increase in vehicle load capacity, reduce the permitted number of seats when driving and/or deselect optional equipment in the configurator in order to continue with the configuration. If you fail to do this, the configuration and therefore the order process for your vehicle cannot be continued.

8. Legally permissible tolerances in the calculation of weight data

The mass in running order figures given in the technical data are calculated nominal values that are subject to production-related tolerances of up to $\pm 5\%$. These production-related tolerances of up to $\pm 5\%$ are legally permissible and result from the use of natural materials such as wood, as well as the manufacturing processes used by some suppliers. Despite optimised production processes, weight fluctuations resulting from the materials used cannot be ruled out. As these legally permissible tolerances have a direct impact on the actual mass of your vehicle and therefore also the possible vehicle load capacity or remaining pay-mass, you should always take these into account when configuring your vehicle.

Example:

Mass in running order according to technical data:	2,968 kg
Legally permissible tolerance of $\pm 5\%$:	148 kg
Legally permissible range of mass in running order	2,820 to 3,116 kg

Based on the above example, if you order the vehicle with optional equipment with a total weight of 150 kg, the nominal value of the mass in running order shown in the technical data results in a pay-mass of 180 kg. However, the actual load capacity may deviate from this value because of the legally permissible tolerances. If the mass in running order of your vehicle is about 1% higher than the nominal value stated in the technical data, the load capacity is reduced from 180 kg to 151 kg:


Example:

3,500 kg	Technically permissible maximum mass
- 2,998 kg	Actual weight of the vehicle in running order (+ 1% compared to the mass in running order of 2,968 kg stated in the technical data)
- 3x75 kg	Passenger mass
- 150 kg	Optional equipment ordered for the specifically configured vehicle
= 127 kg	Remaining load capacity (NB: the remaining load capacity must be greater than the minimum pay-mass, see point 6.)

We therefore recommend that you weigh your loaded vehicle prior to every journey and check that you comply with the technically permissible maximum mass. As the driver of the vehicle, you are responsible for checking this.

Important Notes

Please note when selecting and configuring your vehicle that the factory installation of additional equipment increases the actual mass of the vehicle and reduces the payload. The weight specified on the following pages for the additional equipment ("packages", "features" and "options") corresponds to the additional weight compared to the standard equipment of the respective floor plan. The total weight of the configured additional equipment must not exceed the manufacturer-defined maximum mass of additional equipment specified in the technical data. This is a value calculated for each floor plan, with which Knaus Tabbert AG, as manufacturer, defines the maximum mass available for factory-installed additional equipment. The "mass in running order" specified in the technical data is a calculated nominal value subject to production-related variations of up to $\pm 5\%$. These production-related tolerances of up to $\pm 5\%$ are legally permissible and are separately indicated in the technical data following the calculated value. Since these legally permissible tolerances directly affect the actual mass of your vehicle and thus also the maximum mass of additional equipment, you should ensure that these are factored in when configuring your vehicle. The manufacturer-defined maximum mass of additional equipment is intended to ensure that the statutory minimum payload for luggage and other accessories is actually available for loading after delivery of a vehicle by the manufacturer. If the actual vehicle mass increases through the selection of additional equipment to such an extent that, calculated between the actual vehicle mass and the technically permissible gross vehicle mass, there is no longer sufficient loading capacity for the transport of the permitted passengers and the minimum payload, you have, as part of the configuration, in principle (depending on the floor plan), the option to select a vehicle upgrade (uprating), select a reduction in the number of approved seating positions during driving, and/or deselect additional equipment in order to continue the configuration. If this does not occur, the configuration and thus also the ordering process for your vehicle cannot be continued. Detailed technical and legal information on the subject of "vehicle weights" can be found from page 2 onwards and at "configurator.knaus.com".



Technical Data	650 MF	650 MEG	700 MEG
List price in GBP including 20% VAT	88.995,-	89.985,-	92.485,-
FIAT Ducato 3,500 kg ^{***} (103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Hints: H724)	s	s	s
BASIC EQUIPMENT			
Chassis	FIAT	FIAT	FIAT
Engine power	103 kW / 140 PS	103 kW / 140 PS	103 kW / 140 PS
Gearbox	autom.	autom.	autom.
Total length (cm)	699	699	741
Width (outside) (cm)	232	232	232
Width (inside) (cm)	218	218	218
Height (outside) (cm)	279	279	279
Height (inside) (cm)	200	200	200
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140)	2.930 (2.783 - 3.076)	2.940 (2.793 - 3.087)	2.960 (2.812 - 3.108)
Mass in running order (basic model without optional equipment but with basic equipment) (kg) (Hints: H140)	2.918 (2.772 - 3.063)	2.928 (2.781 - 3.074)	2.948 (2.800 - 3.095)
Technically maximum authorised laden mass (kg)	3.500	3.500	3.500
Maximum payload (kg)	77	53	18
Towing load (kg)	2.000	2.000	2.000
Technically permissible maximum laden mass of the vehicle combination	5.500	5.500	5.500
Wheelbase (cm)	380	380	403
Tyre size	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R 15 C 109 R Allwetterreifen	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R 15 C 109 R Allwetterreifen	225/75 R 16 C 116 R, 215/70 R 15 C 109 R, 215/70 R 15 C 109 R Allwetterreifen

^{***} The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.

Technical Data	650 MF	650 MEG	700 MEG
Rim size	6J x 16 H2, 6J x 15 Stahl Alu ET 68	6J x 16 H2, 6J x 15 Stahl Alu ET 68	6J x 16 H2, 6J x 15 Stahl Alu ET 68
Number of persons allowed in driving operation	4	4	4
Beds (Hints: H141)	5	4	5
Max. number of beds (Hints: H142)	5	4	5
Automatic three-point belts, height-adjustable	2	2	2
Max. belt-secured seats	5	4	5
BODY			
Total number of hinged windows	3	4	4
Body door (width x height)	70 x 195	70 x 195	70 x 195
Wall thickness, roof (mm)	31	31	31
Wall thickness, side wall (mm)	31	31	31
Wall thickness, floor (mm)	40	40	40
LIVING AREA			
Three-point belts in driving direction	2	2	2
Bed size, lifting bed (cm) (Hints: H192)	193 x 150	193 x 150	193 x 150
Bed size, front (cm) (Hints: H192)	209 x 106	–	209 x 106/50
Bed size, rear (cm) (Hints: H192)	201 x 133/103	2 x 201 x 87	2 x 201 x 87
Single bed	–	s	s
French double bed	s	–	–
Drop-down bed	s	s	s
WATER			
Waste water volume in liters	95	95	95
Fresh water volume in liters (Hints: H711, H712C)	100	100	100
Fill level of the fresh water tank (liter)	10	10	10
KITCHEN			
Refrigerator (ltr.)	142	142	142
ELECTRICAL SUPPLY			
Living area battery	80	80	80
Number of 230 V socket(s)	8	8	8
Number of USB socket(s)	1	1	1

Art. No.		List price [GBP]*
210140	10" Navigation Package	
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	408,-
203725	Virtual cockpit	512,-
203727	Inductive charging cradle	230,-
204681	10" FIAT sat-nav	982,-
Total price options		2.132,-
Package Price		1.920,-
Saving		212,-

Art. No.		List price [GBP]*
210028	Lounge package	
201686	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)	408,-
203725	Virtual cockpit	512,-
203727	Inductive charging cradle	230,-
Total price options		1.150,-
Package Price		1.043,-
Saving		107,-

Art. No.	In Package / Option		kg	List price [GBP]*	650 MF	650 MEG	700 MEG
		Motorisation / Drive / Gearing / Load increase					
		Motorisation / Drive					
		3.500 kg Chassis light					
204364-01		FIAT Ducato 3,500 kg*** (103 kW / 140 hp); front-wheel drive; Euro 6e-bis (Hints: H724)			s	s	s
204365-01		FIAT Ducato 3,500 kg*** (132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH153, ABH068, Hints: H724)		2.622,-	o	o	o
		4.000 kg Chassis					
204366-01		FIAT Ducato 4,000 kg*** (132 kW / 180 hp); front-wheel drive; Euro 6e-bis (Dependencies: ABH073, ABH149, ABH150, ABH146, Hints: H724)	35	4.288,-	o	o	o
		Heavy Duty Chassis					
203116		FIAT Ducato 3,500 kg*** (120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH073, Hints: H724)	35	1.184,-	o	o	o
203114		FIAT Ducato 4,000 kg*** (120 kW / 160 hp); front-wheel drive; Euro 6e Final (Dependencies: ABH073, ABH149, ABH150, ABH146, Hints: H724)	60	2.525,-	o	o	o
		Gearing					
204383		8-speed automatic gearbox (Dependencies: ABH073)			s	s	s
		Load Increase					
201781-01		Load increase from 3.500 kg*** to 3.650 kg*** (Dependencies: ABH143, Hints: H724)		329,-	o	o	o
201869-02		Load increase from 4.000 kg*** to 4,400 kg*** (Dependencies: ABH145, ABH146, Hints: H724)		276,-	o	o	o
551773		Additional belt-secured seat, pluggable	14	525,-	o	-	o
952791		Reduction of the number of permitted seats in operation from 4 to 3 people			o	o	o
952792		Reduction of the number of permitted seats in operation from 4 to 2 people			o	o	o
		Chassis / Climate Control / Multimedia					
202843		Wide-track chassis			s	s	s
101888		Cab entry step, electric	7	522,-	o	o	o
200318		Right-hand drive FIAT with speedometer mph			s	s	s
200394		Crank supports, rear	4	376,-	o	o	o
203722		Plastic leaf springs (Dependencies: ABH151)			-	-	s
201887		Coil spring on front axle	12	622,-	o	o	o
202766		Coil spring on rear axle (Chassis optimisation)	10	426,-	o	o	o
204487	203114, 203116, 204366-01, 204383	verstärkte Achsen und Bremsanlage (Dependencies: ABH154)			s	s	s
		Paints					
202852-01		Chassis uni paint: White			s	s	s
		Tyres					
202132	203114, 203116, 204366-01, 204383	16" tyres (Dependencies: ABH147)			s	s	s
203808		All-weather tyres			s	s	s
201815		Alloy rims for standard tyres (Dependencies: ABH051, ABH144)			s	s	s
		Air Conditioning / Interior					
200176		Air conditioning in cab, manual including pollen filter and outside temperature display			s	s	s
201686	210028, 210140	Air conditioning in cab, automatic (extra charge from difference to manual air conditioning)		408,-	o	o	o
201862		Driver airbag			s	s	s
200501		Passenger airbag			s	s	s
201952-01		Driver's seat height adjustment			s	s	s
201952		Passenger's seat height adjustment			s	s	s
201519-01		Techno leather steering wheel and gear knob			s	s	s
202478		Steering wheel with controls for radio			s	s	s
203730		Instrument panel in Techno design (aluminium)			s	s	s
201789		High-quality fitted seat covers for driver's/passenger's seat in WEINSBERG fabric style			s	s	s
202728-01		Original FIAT Captainchair seats with armrests			s	s	s
203804		AGUTI seats Premium (Dependencies: ABH152)	13	1.868,-	o	o	o
200633		Cab seats swivelling			s	s	s
202885		Passenger's console with armrest and integrated cup holder			s	s	s
202133		Seat box cladding for cab seats			s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MF	650 MEG	700 MEG
102731		Body door WEINSBERG KOMFORT			s	s	s
102813		Insulating glazing for cab side windows and doors with improved sound and thermal insulation	15	602,-	o	o	o
550610		Front and side window blackout			s	s	s
552500		Front shading folding pleated blind, electric drive (movable from above and below)	5	787,-	o	o	o
551877		Front shading folding pleated blind, manual operation (extendable from above and below)	5	457,-	o	o	o
		Assistance Systems					
200567		Tempomat ® - Cruise Control			s	s	s
202871		ESP			s	s	s
202872		Hill Holder (Hill Start Assist)			s	s	s
202873		ABS			s	s	s
202874		Electronic immobiliser			s	s	s
202876		Electromechanical power steering			s	s	s
203755		Trailer Stability Control System			s	s	s
203756		Post Collision Braking System			s	s	s
222881		Crosswind Assist			s	s	s
201787		"Traction Plus" traction aid, including Hill Descent Assist			s	s	s
202150		Tyre pressure monitoring system			s	s	s
202879		Emergency Brake Assist			s	s	s
204691		Active Lane Keeping Assist			s	s	s
204692		Fatigue detection			s	s	s
204693		Intelligent Speed Assistant with traffic sign recognition			s	s	s
203729		Electric parking brake	-9	515,-	o	o	o
		Lighting / Technology					
201043		Spare tyre (Dependencies: ABH142)	35	282,-	o	o	o
204388		Fuel tank 60 litres			s	s	s
202712		Fuel tank 90 ltr.		89,-	o	o	o
202892-01		Power windows (driver's door)			s	s	s
202227		Additional car key with remote control (Dependencies: ABH148)		33,-	o	o	o
202894		Bus exterior mirrors hanging			s	s	s
200488		Electrically adjustable and heated exterior mirrors			s	s	s
202899		Full-LED front lighting			s	s	s
202137		LED daytime running light			s	s	s
102738		Headlight surround and grille, glossy black			s	s	s
102740		Intake edging / border, glossy black			s	s	s
102739		Intake air inlet / interior surface, glossy black			s	s	s
102741		Inserts in side wall aprons, black			s	s	s
102742		Design foil graphics sidewall / rear			s	s	s
		Multimedia / Navigation					
250233-02		Radio preparation incl. 2 loudspeakers in living area			s	s	s
204672		7-inch media centre with Apple CarPlay and Android Auto			s	s	s
204681	210140	10" FIAT sat-nav (Dependencies: ABH155)	2	982,-	o	o	o
204695		Rear view camera			s	s	s
203727	210028, 210140	Inductive charging cradle (Dependencies: ABH065)		230,-	o	o	o
203725	210028, 210140	Virtual cockpit		512,-	o	o	o
		Transport Systems					
102273-01		Maximum load capacity of the rear garage: 150 kg			s	s	s
102273	200188	Maximum load capacity of the rear garage: 250 kg	20	1.165,-	o	o	o
200188		Trailer hitch, rigid (Dependencies: ABH141)	46	1.482,-	o	o	o
203933		Preparation for towbar hitch			s	s	s
100217		Bicycle carrier for 4 bikes, rear: THULE ELITE G2 (Hints: H157)	12	605,-	o	o	o
		Packages					
210140		10" Navigation Package (Dependencies: ABH156)		1.920,-	o	o	o
210028		Lounge package (Dependencies: ABH085)		1.043,-	o	o	o
		Doors					
102564		Body door: WEINSBERG PREMIUM			s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option	kg	List price [GBP]*	650 MF	650 MEG	700 MEG
102610	Body door: WEINSBERG EXKLUSIV	2	872,-	o	o	o
100602	Insect screen door			s	s	s
100212	Electrical entry step			s	s	s
102840	One-key locking system			s	s	s
	Service hatches / Garage doors					
102911	Service/storage space hatches and garage door/hatch with one-hand operation			s	s	s
	Front					
102915-11	WEINSBERG Easy-Travel-Box			s	s	s
102916-04	Service hatch for ServiceBox 70 x 40 cm, bow left			s	s	s
	Centre					
102914-14	Easy access to gas locker via the service door located in side wall, position lengthwise			s	s	s
102914-10	Gas locker for 2 x 11 kg gas bottles			s	s	s
	Rear					
100526-14	Garage door 80 x 80 cm, right			s	-	-
100526-15	Garage door 80 x 110 cm, left			-	s	s
100526-16	Garage door 80 x 110 cm, right			-	s	s
	Windows / Roof Hoods / Ventilation					
102923-04	Windows with double glazing tinted, curtained and hinged (with insect screen and blackout)			s	s	s
101820	Frame window SEITZ S7P (Dependencies: ABH140)		844,-	o	o	o
	Front					
102254	Roof hood 40 x 40 cm with insect screen and blackout, clear (over lifting bed)			s	s	s
551778-01	Roof hood (lift-tilt) 70 x 50 cm with insect screen and blackout, clear with lighting (bow)			s	s	s
102893	Passenger side with sliding window			s	s	s
	Centre					
102619-02	Roof hood 40 x 40 cm with insect screen and blackout, clear (centre)			-	s	s
101779	Sliding window on passenger side, height of seating group			s	-	-
	Rear					
102619-03	Roof hood 40 x 40 cm with insect screen and blackout, clear (rear)			s	s	s
101944	Panorama skylight 130 x 45 cm (rear)	12	604,-	-	o	o
101019-02	Hinged window 70 x 40 cm, (rear left)			-	s	s
	Toilet Room					
100960-04	Roof hood 28 x 28 cm with insect screen, (toilet room)			s	s	s
101666	Hinged window 52 x 50 cm with insect screen and blackout, toilet room	6	276,-	o	-	s
	Materials / Vehicle Graphics					
	Materials					
102926-25	Bow in LFI technology			s	s	s
100887	GRP roof with reduced hail sensitivity			s	s	s
102926-06	Smooth aluminium sheet in white			s	s	s
102926-01	Roof and side walls in sandwich construction			s	s	s
102928-05	Resistant underfloor coating			s	s	s
	Lighting / Technology					
102933-05	Taillight carrier with LED lights			s	s	s
102933-07	Full-LED taillights			s	s	s
251491	Awning light with motion sensor			s	s	s
	Furniture / Surfaces					
552941-03	Ventilated storage cabinets and chests			s	s	s
552941-28	Profile bars partly in genuine wood			s	s	s
552940-19	Furniture decor: Tiberino			s	s	s
552944	Vinyl flooring			s	s	s
	Living / Sleeping / Upholstery and Fabrics					
	Living					
552962-04	Extendable table			s	s	s
552964-21	Wardrobe			s	s	s
552730	Kiipr nets for 2 shelves each, rear right and left			-	s	s
551770	L-shaped seating group with telescopic single-column lifting table			s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MF	650 MEG	700 MEG
552247		ISOFIX system (2 child seats)			s	s	s
		Sleeping					
552945-01		EvoPore HRC mattress, fixed beds only			s	s	s
552574		EvoPore HRC mattress incl. WaterGEL topper, fixed beds only	6	431,-	o	o	o
552948		Lifting bed with low access in cab (Hints: H147)			s	s	s
551796		Bed extension to make one large sleeping surface			-	s	s
551234		Bed extension in foot area, layouts with F-bed	2	146,-	o	-	-
552198		Bed conversion of the seating group			s	-	s
		Upholstery / Fabrics / Carpets					
		Upholstery Variants					
552335-11		Upholstery selection: STONE WATER			s	s	s
552335-13		Upholstery selection: DUSK			o	o	o
552188-15		Upholstery: ACTIVE PINE		402,-	o	o	o
552188-07		Imitation leather: FIFTY SHADES		402,-	o	o	o
		Carpets					
201074		Floor mat set in driver's cab in WEINSBERG design	2	104,-	o	o	o
550235		Carpet floor in living area	6	415,-	o	o	o
		Kitchen / Bathroom					
		Kitchen					
402985-01		3-burner cooker with glass cover, stainless steel sink, recessed (Dependencies: ABH024)			s	s	s
402767		Refrigerator 142 ltr.			s	s	s
402417		Automatic energy selection for refrigerator (AES)			s	s	s
303501		Gas control units centrally arranged			s	s	s
402993-09		High-quality ball-bearing pull-out with soft-close function, with cutlery insert			s	s	s
400541		Foldable worktop extension on kitchen block			s	s	s
402998		Laminated kitchen back panel cladding			s	s	s
400369-01		Gas oven incl. grill function (installation location in the kitchen block)			s	s	s
		Bathroom Area					
453507		Toilet room in wood or plastic look			s	s	s
453505-03		Shower with fixed shower door			s	s	s
453509-01		Wall / ceiling bracket for shower head			s	s	s
453503-07		Cassette toilet swivelling			s	s	s
		Heating / Air conditioning / Gas Supply / Water Supply					
		Gas Supply					
302973		Gas system 30 mbar			s	s	s
302976		Gas hose version UK			s	s	s
302980		Gas regulator version UK			s	s	s
301957		TRUMA DuoControl CS (incl. gas filter) (Dependencies: ABH100)	1	438,-	o	o	o
551327		Smoke detector			s	s	s
300518		External gas socket	1	235,-	o	o	o
		Heating / Air conditioning					
551054		Air circulation system 12 V			s	s	s
351166		Heating TRUMA Combi 6			s	s	s
351274		Heating TRUMA Combi E (Dependencies: ABH164)			s	s	s
352533-01		ALDE hot water heating incl. booster (Dependencies: ABH166, ABH101, Hints: H160)	49	2.429,-	o	o	o
550825		Electric underfloor heating	8	744,-	o	o	o
351880		Floor with hot water heating (Dependencies: ABH165)	10	1.022,-	o	o	o
352287		Cab floor mat with hot water heating (Dependencies: ABH165)	2	833,-	o	o	o
352966	352533-01	Heating control panel ALDE LCD (Dependencies: ABH165)			o	o	o
353743		TRUMA iNetX Master			s	s	s
450740		Insulating hood waste water tank, heatable			s	s	s
554394		DOMETIC FJZ4 2200 FS air conditioner, white (Dependencies: ABH167, ABH168, Hints: H145)	30	2.453,-	o	o	o
		Water Supply					
453510-01		Water supply with submerged pump			s	s	s
453510-07		Water pipes laid in insulated area			s	s	s
453510-03		Hot water supply with single-lever mixer tap			s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in GBP including 20% VAT

Art. No.	In Package / Option		kg	List price [GBP]*	650 MF	650 MEG	700 MEG
		Electronics / Multimedia / Safety					
		Electronics					
253524		Automatic connection/disconnection for starter and on-board battery			s	s	s
253533		Electr. automatic charger for body / vehicle battery			s	s	s
253522		CEE external socket for 230 V, with circuit breaker			s	s	s
253529		Ground fault circuit interrupter			s	s	s
251949-02		USB socket in the front (1 pc.)			s	s	s
251949-09		USB socket in the rear (1 pc.)		58,-	o	o	o
253534-09		LED lighting in the living area			s	s	s
253534-12		Halogen lighting flush in the washroom			s	s	s
252723		Charging booster for on-board battery			s	s	s
253520		230 V SCHUKO sockets "UK" version			s	s	s
250072-06		230 V SCHUKO socket, additional 1 pc. in kitchen			s	s	s
252729		230 V SCHUKO socket, additional 1 pc. in garage			s	s	s
252743		Atmospheric ambient lighting			s	s	s
254705		Additional LiFePO4-on-board battery (100 Ah) (Dependencies: ABH161, ABH162, ABH092)	12	956,-	o	o	o
254706		LiFePO4-board battery (100 Ah) (Dependencies: ABH163)	12	956,-	o	o	o
254625		Preparation PV (Dependencies: ABH160)			s	s	s
253782		Solar system (200 W)	17	1.662,-	o	o	o
		Multimedia					
252448-01		21.5" SMART TV set with HD tuner incl. holder, in sleeping area (Dependencies: ABH157, ABH158)	9	1.131,-	o	o	o
253609		27" SMART TV set with HD tuner (Dependencies: ABH159)	4	991,-	o	o	o
252479		Pre-cabling for TV in the sleeping area			s	s	s
252405	252448-01	TV holder			s	s	s
253651		External LTE / WIFI antenna	3	868,-	o	o	o
		Awning / Awning Accessories					
		Awning THULE OMNISTOR					
502318		Awning 455 x 250 cm, white	33	1.252,-	o	o	-
502805		Awning 500 x 250 cm, white	36	1.364,-	-	-	o
		Miscellaneous					
953542-06		Operating instruction (English)			s	s	s
951036		MOT and registration document			s	s	s
		Accessories					
953543		10-year leak-proofness guarantee			s	s	s
150620		Breakdown service set			s	s	s

*** The specified weight refers to the technically permissible total mass. Further additional information as well as legal and technical notes on the subject of "vehicle weights" can be found from page 2 of this price list and at "configurator.weinsberg.com".

Please note the hints and dependencies from page 13 onwards.
* List Price = List price in GBP including 20% VAT

IMPORTANT HINTS AND DEPENDENCIES

HINTS

H140	Incl. indication of production-related tolerances of $\pm 5\%$
H141	Please note that the number of beds indicated may include beds for both adults and children. The beds do not have the same dimensions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the beds provided in the vehicle so that you can decide whether they are suitable for the occupancy (adults/children) you intend to have.
H142	For some models, additional equipment must be selected in order to achieve the maximum possible beds. Your WEINSBERG dealer will be happy to advise you.
H145	If this option is selected, the vehicle height increases by approx. 11 cm
H147	Maximum loadability 250 kg
H157	Please note that mounting the bicycle carrier on the rear wall limits the field of view of the reversing camera.
H160	Depending on the layout, one or more boosters are included to increase the heat output
H192	The specified bed dimensions do not correspond to the mattress dimensions. The shape of the bed varies depending on the floor plan. Individual elements can partially restrict the area due to structural conditions. We therefore recommend that you consult your WEINSBERG dealer about the dimensions of the sleeping places provided in the vehicle so that you can decide whether they are suitable for the intended occupants (adults/children).
H711	The fresh water tank capacity referred to schedule V, part A, no. 2.6. footnote (h) VO (EU) 1230/2012 is limited by a overflow valve to 10 ltr. (suggested filling for running order)
H712C	The fresh water tank capacity is 100 ltr. with the overflow valve closed.
H724	*** The weight stated is the technically permissible total mass.

DEPENDENCIES

ABH024	Contains 953554 along with 953555	ABH150	Only with 204383 and 203587
ABH051	Only with 202132	ABH151	Only with 202843 along with 204364-01 or 204365-01 or 203116
ABH065	Only with 201686	ABH152	Not with 202392
ABH068	Only with 204383	ABH153	Not with FR5049377*:200318
ABH073	Contains 202132 along with 204487	ABH154	Only with 204383 or 204366-01 or 204368 or 204369 or 204370
ABH085	Not with 210140	ABH155	Only with 201686 or 210028 or 210140
ABH092	Replaces 253749	ABH156	Not with 210028
ABH100	Replaces 302978 along with 302979 along with 302980 along with 302981	ABH157	Contains 252405
ABH101	Replaces 351274	ABH158	Only with 252479
ABH140	Replaces 102923-04	ABH159	Only with 252405
ABH141	Contains 102273	ABH160	Not with 253782 along with 914670
ABH142	Replaces 150620	ABH161	Not with 914708 along with 250201-01
ABH143	Only with 204364-01 or 204365-01	ABH162	Only with 254702 or 254702-01 or 914707 or 914709
ABH144	Replaces 202200 along with 200868	ABH163	Not with 250201-01 along with 914707 along with 254702
ABH145	Only with 204366-01 or 204368 or 203114	ABH164	Only with 351166
ABH146	Replaces 203722	ABH165	Only with 550566-01 or 352533-01
ABH147	Only with (204364-01:201815 and 202826:201815) or 204383 or 204365-01 or 204366-01 or 203116 or 203114	ABH166	Contains 352966
ABH148	Not with 202541	ABH167	Not with 914395
ABH149	Not with 203722	ABH168	Replaces 102619-02

WEINSBERG
Dein Urlaub!



facebook.weinsberg.com



instagram.weinsberg.com



youtube.weinsberg.com

www.weinsberg.com

Knaus Tabbert AG Helmut-Knaus-Str. 1 D-94118 Jandelsbrunn